Prolongation exercise 2022

It is necessary to amend the end date for the mandatory review for certain amount of products currently listed in the Annex to Regulation (EU) No 1387/2013 in order to allow duty-free imports beyond 31.12.2021.

The autonomous Common Customs Tariff duty suspensions for those products have been reviewed and new revised dates should be set for their next mandatory review

Please find attached an excel table listing suspension measures subject to the prolongation exercise for cycle 2022-01.

We note the following:

The items indicated by string "≥15000/green" in column "Status" will be prolonged automatically until 31.12.2026 except in cases where: the negotiations for the cycle 2021-07 led to another conclusion, or possible economic objections submitted within the upcoming cycle 2022-01

In addition, pending on the opinion of <u>DG AGRI</u>, within the deadline of 26th of April 2021, certain suspension measures (e.g. Palm oil) can be prolonged for one or more years,

The cases marked as being "<15000/red" will expire by the end of 2021, unless a request for prolongation will be issued (pursuant to Commission communication OJ C 363, 13.12.2011, p. 6.) in due time by Member State authorities acting on behalf of EU producers. In such a case one year prolongation (until the end of 2022) will be considered,

The cases marked with "UK susp._deletion or EU27 producer" indicate suspensions where UK was the only applicant, but the suspension was used sufficiently by EU27. The suspension will be deleted by the end of 2021, unless a request for prolongation will be issued (pursuant to Commission communication OJ C 363, 13.12.2011, p. 6.) in due time by Member State authorities acting on behalf of EU producers.

In the absence of any comments by your side until the 26th of April 2021 the aforementioned procedure is deemed to be agreed.

TXDA4/179-01-48
Prolongation exercise SUSP 2022-01
version 08.02.2021
>> Non-official document / Not legally binding / Only for auxiliary purposes <<
Any views expressed are the preliminary views of the Commission services and may not in any circums

1/1/1999	0711590011 1511901920, 151190912	#Mushrooms, excluding mushrooms of the genera Agaricus, Calocybe, Clitocybe, Lepista, Leuc #Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of:### # industrial monoca		
833/06	1517909910	#Vegetable oil, refined, containing by weight 25 % or more but not more than 50 % arachidoni	ic ≥15000/green	
974/06 265298/2011	2009897920 2009897985	#Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 67, #Acai berry juice concentrate:### # of the species Euterpe oleracea, # frozen, # not sweete		
948/06	2009899996	#Coconut water### # unfermented, # not containing added spirit or sugar, and # in immedia	nt ≥15000/green	
295926/2011 254871/2011	2106909245 2519901010	#Preparation containing by weight:### # more than 30 % but not more than 35 % liquorice ex #Fused magnesia with a purity by weight of 94 % or more#	<15000/red ≥15000/green	
1003637/2011	2811198020	#Hydrogen iodide (CAS RN 10034-85-2)#	UK suspdeletion or EU27 producer	
1010686/2011 0218/00/1998	2819909010 2825300000	#Dichromium trioxide (CAS RN 1308-38-9) for use in metallurgy# #Vanadium oxides and hydroxides#	≥15000/green ≥15000/green	
1242450/2016	2825700010	#Molybdenum trioxide (CAS RN 1313-27-5)#	≥15000/green	
5559884/2016 3436/06	2825700020 2827398520	#Molybdic Acid (CAS RN 7782-91-4)# #Antimony pentachloride (CAS RN 7647-18-9) of a purity by weight of 99 % or more#	≥15000/green ≥15000/green	
631004/2010	2833298030	#Zirconium sulphate (CAS RN 14644-61-2)#	UK suspdeletion or EU27 producer	1
829/06 1242523/2016	2837200010 2841700040	#Tetrasodium hexacyanoferrate (II) (CAS RN 13601-19-9)# #Diammonium dimolybdate (CAS RN 27546-07-2)#	≥15000/green ≥15000/green	
1345815/2016	2842100040	#Aluminosilicate (CAS RN 1318-02-1) with a zeolite structure of Aluminophosphate-eighteen (
3427/06	2845909010 2845909030	#Helium-3 (CAS RN 14762-55-1)#	≥15000/green	
3426/06 964050/2011	2850002040	#(13 C)Carbon monoxide (CAS RN 1641-69-6)# #Germanium tetrahydride (CAS RN 7782-65-2)#	≥15000/green ≥15000/green	
978318/2011	2903393910	#Perfluoro(4-methyl-2-pentene) (CAS RN 84650-68-0)#	<15000/red	
808/06 219178/2011	2903393930 2903779010	#Hexafluoropropene (CAS RN 116-15-4)# #Chlorotrifluoroethylene (CAS RN 79-38-9)#	UK suspdeletion or EU27 producer ≥15000/green	DE,
1338499/2016	2905110020, 290519003	#Methyl methanesulphonate (CAS RN 66-27-3)#	<15000/red	
5450710/2016 265404/2011	2905220020 2905399530	#3,7-Dimethyloct-6-en-1-ol (CAS RN 106-22-9)# #2,4,7,9-Tetramethyl-4,7-decanediol (CAS RN 17913-76-7)#	≥15000/green ≥15000/green	
237127/2011	2907159010	#2-Naphthol (CAS RN 135-19-3)#	≥15000/green	
1003563/2011 878/06	2907290045 2909199050	#2-Methylhydroquinone (CAS RN 95-71-6)# #3-Ethoxy-perfluoro-2-methylhexane (CAS RN 297730-93-9)#	UK suspdeletion or EU27 producer ≥15000/green	[
1004860/2011	2909200010	#8-Methoxycedrane (CAS RN 19870-74-7)#	UK suspdeletion or EU27 producer	DE, ES, F
960804/2011	2909303820	#1,1'-Propane-2,2-diylbis[3,5-dibromo-4-(2,3-dibromopropoxy)benzene] (CAS RN 21850-44-2)	# ≥15000/green	
5531326/2016 5450733/2016	2909309015 2909309025	#{[(2,2-dimethylbut-3-yn-1-yl)oxy]methyl}benzene (CAS RN 1092536-54-3)#### # #1,2-Diphenoxyethane (CAS RN 104-66-5) in the form of powder or as an aqueous dispersion of	≥15000/green c ≥15000/green	
1248461/2016	2909309070	# O,O,O -1,3,5-trimethylresorcinol (CAS RN 621-23-8)#	≥15000/green	
1338664/2016 3944796/2015	2909309080 2909498010	#Oxyfluorfen (ISO) (CAS RN 42874-03-3) with a purity by weight of 97 % or more#	UK suspdeletion or EU27 producer UK suspdeletion or EU27 producer	ES, P N
3944796/2015 1145/2007	2910900080	#1-Propoxypropan-2-ol (CAS RN 1569-01-3)# #Allyl glycidyl ether (CAS RN 106-92-3)#	≥15000/green	
5450756/2016	2912190010	#Undecanal (CAS RN 112-44-7)#	≥15000/green	
1174482/2016 1174458/2016	2912290015 2912290025	#2,6,6-Trimethylcyclohexenecarbaldehyde (alpha-beta isomers mixture) (CAS RN 52844-21-0)# #Mixture of isomers consisting of:### # 85 (± 10) % by weight of 4-isobutyl-2-methylbenzalde		
1008909/2011	2914290050	# trans -β-Damascone (CAS RN 23726-91-2)#	UK suspdeletion or EU27 producer	DE, ES, F
1003548/2011	2914500040 2914500085	#4-(4-Hydroxyphenyl)butan-2-one (CAS RN 5471-51-2)#	UK suspdeletion or EU27 producer	DE, ES, F
1338600/2016 1003573/2011	2914500085 2914698040	#4,4'-Dihydroxybenzophenone (CAS RN 611-99-4)# # p -Benzoquinone (CAS RN 106-51-4)#	<15000/red UK suspdeletion or EU27 producer	BE, I
124160/2010	2914790060	#4'- tert -Butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (CAS RN 81-14-1)#	UK suspdeletion or EU27 producer	DE, E
1338555/2016 249160/2011	2914790065 2914790070	#1,4-bis(4-Fluorobenzoyl) Benzene (CAS RN 68418-51-9)# #4-Chloro-4'-hydroxybenzophenone (CAS RN 42019-78-3)#	<15000/red ≥15000/green	
1338756/2016	2914790075	#4,4'-Difluorobenzophenone (CAS RN 345-92-6)#	<15000/red	
5651680/2016 314777/2011	2915120010 2915390075	#Aqueous solution containing by weight 60 % or more but not more than 84 % of caesium for #Isobornyl acetate (CAS RN 125-12-2)#	n <15000/red UK suspdeletion or EU27 producer	DE, ES, F
330666/2011	2915390080	#1-Phenylethyl acetate (CAS RN 93-92-5)#	UK suspdeletion or EU27 producer	DE, ES, F
238300/2011 1279605/2016	2915907080 2916200015	#Ethyl difluoroacetate (CAS RN 454-31-9)# #Transfluthrin (ISO) (CAS RN 118712-89-3)#	<15000/red ≥15000/green	
1003616/2011	2916310010	#Benzyl benzoate (CAS RN 120-51-4)#	UK suspdeletion or EU27 producer	DE, E
225249/2011	2916399015	#2-Chloro-5-nitrobenzoic acid (CAS RN 2516-96-3)#	≥15000/green	
117276/2010 5552271/2016	2916399025 2916399033	#2-Methyl-3-(4-Fluorophenyl)-propionyl chloride (CAS RN 1017183-70-8)# #Methyl 4'-(bromomethyl)biphenyl-2-carboxylate (CAS RN 114772-38-2)#	≥15000/green <15000/red	
5450776/2016	2916399073	#(2,4-Dichlorophenyl)acetyl chloride (CAS RN 53056-20-5)#	≥15000/green	
241178/2011 1336330/2016	2918290060 2918300080	#Methyl-, ethyl-, propyl- or butyl esters of 4-hydroxybenzoic acid or their sodium salts (CAS RN #Methyl benzoylformate (CAS RN 15206-55-0)#	N ≥15000/green ≥15000/green	
1242672/2016	2918999023	#1,8-Dihydroxyanthraquinone-3-carboxylic acid (CAS RN 478-43-3)#	<15000/green	
964063/2011	2918999080	#Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate (CAS RN 62476-59-9)#	<15000/red	
964084/2011 971/06	2919900050 2920240000	#Triethyl phosphate (CAS RN 78-40-0)# #Triethyl phosphite (CAS RN 122-52-1)#	≥15000/green UK suspdeletion or EU27 producer	DE, I
1279693/2016	2920290060	#Fosetyl-sodium (CAS RN 39148-16-8) in form of an aqueous solution with a content by weigh	t <15000/red	
1362862/2016 1362726/2016	2920901080 2921199945	#Sodium 2-[2-(2-tridecoxyethoxy)ethoxy]ethyl sulphate (CAS RN 25446-78-0) in the form of a #2-Chloro- N -(2-chloroethyl)ethanamine hydrochloride (CAS RN 821-48-7)#	li <15000/red ≥15000/green	
265433/2011	2921290050	# N '-[3-(Dimethylamino)propyl]- N , N -dimethylpropane-1,3-diamine (CAS RN 6711-48-4)#	≥15000/green	
169088/2010	2921309930 2921511940	#1,3-Cyclohexanedimethanamine (CAS RN 2579-20-6)#	<15000/red	D
3432/06 5531479/2016	2921511940	# p -Phenylenediamine (CAS RN 106-50-3)# #(R)-1-((4-amino-2-bromo-5-fluorophenyl)amino)-3-(benzyloxy)propan-2-ol 4-methylbenzenes	≥15000/green s ≥15000/green	
1279635/2016	2922290073	#Tris(4-aminophenyl) thiophosphate (CAS RN 52664-35-4)#	≥15000/green	
3962007/2015 1174545/2016	2922498530 2922498535	#Aqueous solution containing 40 % by weight or more of sodium methylaminoacetate (CAS RN #2- (3-Amino-4-chloro-benzoyl) benzoic acid (CAS RN 118-04-7)#	UK suspdeletion or EU27 producer <15000/red	
1275028/2016	2922500010	#2-(2-(2-Aminoethoxy)ethoxy)acetic acid hydrochloride (CAS RN 134979-01-4)#	≥15000/green	
1338852/2016 1249517/2016	2923900055 2924190045	#Tetrabutylammonium bromide (CAS RN 1643-19-2)# #3-Chloro- N -methoxy- N -methylpropanamide (CAS RN 1062512-53-1)#	UK suspdeletion or EU27 producer <15000/red	DE, F
1336385/2016	2924190055	#2-Propynyl butylcarbamate (CAS RN 76114-73-3)#	≥15000/green	
975/06	2924190060	# N,N -Dimethylacrylamide (CAS RN 2680-03-7)# #2-Bromo-4-fluoroacetanilide (CAS RN 1009-22-9)#	≥15000/green	·
241889/2011 5450799/2016	2924297027 2924297030	#2-Bromo-4-fluoroacetanilide (CAS RN 1009-22-9)# #Sodium 4-(4-methyl-3-nitrobenzoylamino)benzenesulphonate (CAS RN 84029-45-8)#	<15000/red ≥15000/green	
5227004/2016	2924297050	#N-Benzyloxycarbonyl-L-tert-leucine isopropylamine salt (CAS RN 1621085-33-3)#	<15000/red	
1008923/2011 243647/2011	2924297063 2926907025	# N -Ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide (CAS RN 39711-79-0) # #2,2-Dibromo-3-nitrilopropionamide (CAS RN 10222-01-2)#	UK suspdeletion or EU27 producer ≥15000/green	DE,
	2926907030	#4,5-Dichloro-3,6-dioxocyclohexa-1,4-diene-1,2-dicarbonitrile (CAS RN 84-58-2)#	≥15000/green	
5572875/2016	2926907035 2926907040	#4-Cyano-2-methoxybenzaldehyde (CAS RN 21962-45-8)#	≥15000/green	
5572875/2016 1279741/2016		#2-(4-Cyanophenylamino)acetic acid (CAS RN 42288-26-6)# # m -(1-Cyanoethyl)benzoic acid (CAS RN 5537-71-3)#	<15000/red ≥15000/green	
5572875/2016	2926907061			
5572875/2016 1279741/2016 1174566/2016 3434/06 1242892/2016	2926907061 2928009028	#Pentan-2-one oxime (CAS RN 623-40-5)#	≥15000/green	
5572875/2016 1279741/2016 1174566/2016 3434/06 1242892/2016 1003526/2011	2926907061 2928009028 2928009030	#Pentan-2-one oxime (CAS RN 623-40-5)# # N -Isopropylhydroxylamine (CAS RN 5080-22-8)#	UK suspdeletion or EU27 producer	D
5572875/2016 1279741/2016 1174566/2016 3434/06 1242892/2016 1003526/2011 243676/2011 300417/2011	2926907061 2928009028	#Pentan-2-one oxime (CAS RN 623-40-5)# # N -isopropylhydroxylamine (CAS RN 5080-22-8)# #Metaffumizone (ISO) (CAS RN 33968-49-3) # #Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)#	UK suspdeletion or EU27 producer ≥15000/green UK suspdeletion or EU27 producer	
5572875/2016 1279741/2016 1174566/2016 3434/06 1242892/2016 1003526/2011 243676/2011 300417/2011 303483/2011	2926907061 2928009028 2928009030 2928009075 2928009085 2930200020	#Pentan-2-one oxime (CAS RN 623-40-5)# # N -lsopropylhydroxylamine (CAS RN 5080-22-8)# #Metaflumizone (ISO) (CAS RN 139968-49-3) # #Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)# #2-lsopropylethylthiocarbamate (CAS RN 141-98-0)#	UK suspdeletion or EU27 producer ≥15000/green UK suspdeletion or EU27 producer UK suspdeletion or EU27 producer	C
5572875/2016 1279741/2016 1174566/2016 3434/06 1242892/2016 1003526/2011 243676/2011 300417/2011 1008893/2011	2926907061 2928009028 2928009030 2928009075 2928009085 2930200020 2930909813	#Pentan-2-one oxime (CAS RN 623-40-5)# # N -isopropylhydroxylamine (CAS RN 5080-22-8)# #Metaffumzione (ISO) (CAS RN 139968-49-3) # #Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)# #Z-isopropylethylthiocarbamate (CAS RN 141-98-0)# #Mercaptamine hydrochloride (CAS RN 155-57-0)#	UK suspdeletion or EU27 producer ≥15000/green UK suspdeletion or EU27 producer	D D
5572875/2016 1279741/2016 1174566/2016 3434/06 1242897/2016 1003526/2011 243676/2011 300417/2011 303483/2011 1008893/2011 314804/2011	2926907061 2928009028 2928009030 2928009075 2928009085 2930200020 2930909813 2930909821 2930909835	#Pentan-2-one oxime (CAS RN 623-40-5)# # N -isopropylhydroxylamine (CAS RN 5080-22-8)# #Metaflumizone (ISO) (CAS RN 139968-49-3) # #Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)# #Zelsopropylerlythilocarbamate (CAS RN 143-98-0)# #Mercaptamine hydrochloride (CAS RN 156-57-0)# #IJ2.2*Thio-bis(4-tert-ox/lphenolato]-n-butylamine nickel (CAS RN 14516-71-3)# #Glutathine (CAS RN 70-18-8)#	UK susp_deletion or EU27 producer ≥15000/green UK susp_deletion or EU27 producer ≥15000/green	D D
5572875/2016 1279741/2016 1174566/2016 3434/06 1242892/2016 1003526/2011 243676/2011 300417/2011 1008893/2011	2926907061 2928009028 2928009030 2928009075 2928009085 2930200020 2930909813 2930909821	#Pentan-2-one oxime (CAS RN 623-40-5)# # N -isopropylhydroxylamine (CAS RN 5080-22-8)# #Metaffumizon (ISO) (CAS RN 139968-49-3) # #Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)# #2-isopropylethylthicorabamate (CAS RN 141-98-0)# #Mercaptamine hydrochloride (CAS RN 156-57-0)# #[22-17tilo-bis[4-tert-octylphenolato]]-n-butylamine nickel (CAS RN 14516-71-3)#	UK susp_deletion or EU27 producer 215000/green UK susp_deletion or EU27 producer	D D ES, GR, I

	2930909893 2930909895 2930909897	#1-Hydrazino-3-(methylthio)propan-2-ol (CAS RN 14359-97-8)# # N -(cyclohexylthio)phthalimide (CAS RN 17796-82-6)# #Diphenyl sulphone (CAS RN 127-63-9)#	≥15000/green ≥15000/green UK suspdeletion or EU27 producer	ES,
	2931399013	#Trioctylphosphine oxide (CAS RN 78-50-2)#	≥15000/green	
	2931399040 2931900050	#Tetrakis(hydroxymethyl)phosphonium chloride (CAS RN 124-64-1)# #Trimethylsilane (CAS RN 993-07-7)#	≥15000/green ≥15000/green	
	2931900063 2931900065	#Chloroethenyldimethylsilane (CAS RN 1719-58-0)# #Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)#	UK suspdeletion or EU27 producer UK suspdeletion or EU27 producer	DE, I BE, I
249212/2011 2	2932190080	#5-Nitrofurfurylidene di(acetate) (CAS RN 92-55-7) #	≥15000/green	
977/06 2	2932209015 2932209060	#Coumarin (CAS RN 91-64-5)# #6'-{Diethylamino}-3'-methyl-2'-{phenylamino}-spiro[isobenzofuran-1(3 H),9'-[9 H]xanthen]-3		
	2932209071 2932990013	#6'-(Dibutylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3 H),9'-[9 H]xanthen]-3 #(4-Chloro-3-(4-ethoxybenzyl)phenyl)((3aS,5R,6S,6aS)-6-hydroxy 2,2-dimethyltetrahydrofuro[2		
300480/2011 2	2932990015	#1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (CAS RN 1222-05-5)#	UK suspdeletion or EU27 producer	DE, ES, FR, IT,
	2932990018 2932990020	#4-(4-Bromo-3-((tetrahydro-2H-pyran-2-yloxy)methyl)phenoxy)benzonitrile (CAS RN 943311-74 #Ethyl-2-methyl-1,3-dioxolane-2-acetate (CAS RN 6413-10-1)#	≥15000/green <15000/red	
168692/2010 2	2932990050	#7-Methyl-3,4-dihydro-2 H -1,5-benzodioxepin-3-one (CAS RN 28940-11-6)#	UK suspdeletion or EU27 producer	DE, ES, FR, IT,
806/06 2	2932990075	#1,3:2,4- bis-O -Benzylidene- D -glucitol (CAS RN 32647-67-9)# #3-(3,4-Methylenedioxyphenyl)-2-methylpropanal (CAS RN 1205-17-0)#	<15000/red UK suspdeletion or EU27 producer	DE, ES, NL,
	2933199045 2933199055	#5-Amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile (CAS RN 12006) #5-Methyl-1-(naphthalen-2-yl)-1,2-dihydro-3H-pyrazol-3-one (CAS RN 1192140-15-0)#	≥15000/green <15000/red	
837/06 2	2933210050	#1-Bromo-3-chloro-5,5-dimethylhydantoin (CAS RN 16079-88-2) / (CAS RN 32718-18-6)#	≥15000/green	
	2933210060 2933299060	#DL- p -Hydroxyphenylhydantoin (CAS RN 2420-17-9)# #1-Cyano-2-methyl-1-[2-(5-methylimidazol-4-ylmethylthio)ethyl]isothiourea (CAS RN 52378-40	≥15000/green ≥15000/green	
5450845/2016 2	2933299075	#2,2'-Azobis[2-(2-imidazolin-2-yl)propane] dihydrochloride (CAS RN 27776-21-2)#	≥15000/green	
	2933399910 2933399920	#2-Aminopyridin-4-ol hydrochloride (CAS RN 1187932-09-7)# #Copper pyrithione powder (CAS RN 14915-37-8)#	≥15000/green UK suspdeletion or EU27 producer	
	2933399927 2933399929	#Pyridine-2,6-dicarboxylic acid (CAS RN 499-83-2)# #3,5-Dichloro-2-cyanopyridine (CAS RN 85331-33-5)#	UK suspdeletion or EU27 producer <15000/red	BE, DE,
250727/2011 2	2933399932	#2-(Chloromethyl)-3,4-dimethoxypyridine hydrochloride (CAS RN 72830-09-2)#	≥15000/green	
	2933399933 2933399937	#5-(3-chlorophenyl)-3-methoxypyridine-2-carbonitrile (CAS RN 1415226-39-9)# #Aqueous solution of pyridine-2-thiol-1-oxide, sodium salt (CAS RN 3811-73-2)#	≥15000/green ≥15000/green	
5552155/2016 2	2933399941	#2-chloro-6-(3-fluoro-5-isobutoxyphenyl)nicotinic acid (CAS RN 1897387-01-7)#	<15000/red	
	2933399946 2933399947	#Fluopicolide (ISO) (CAS RN 239110-15-7) with a content by weight of 97 % or more# #(-)- trans -4-(4'-Fluorophenyl)-3-hydroxymethyl- N -methylpiperidine (CAS RN 105812-81-5)#	≥15000/green ≥15000/green	
964100/2011 2	2933399970	#2,3-Dichloro-5-trifluoromethylpyridine (CAS RN 69045-84-7)#	≥15000/green	
	2933399972 2933499025	#5,6-Dimethoxy-2-[(4-piperidinyl)methyl]indan-1-one (CAS RN 120014-30-4)# #Cloquintocet-mexyl (ISO) (CAS RN 99607-70-2)#	<15000/red UK suspdeletion or EU27 producer	DE, DK, FR, HU
852/06 2	2933520010 2933599587	Malonylurea (barbituric acid) (CAS RN 67-52-7)	≥15000/green	
1242965/2016 2	2933599589	#5-Bromo-2,4-dichloropyrimidine (CAS RN 36082-50-5)# #6-Benzyladenine (CAS RN 1214-39-7)#	≥15000/green ≥15000/green	
		#Benzoguanamine (CAS RN 91-76-9)# #Troclosene sodium (INNM) (CAS RN 2893-78-9)#	UK suspdeletion or EU27 producer UK suspdeletion or EU27 producer	DE, IT, NL ES, FR, IT, PT, NL
1099897/2016 2	2933790015	#Ethyl N -(tert -Butoxycarbonyl)-L-pyroglutamate (CAS RN 144978-12-1)#	≥15000/green	E3, 111, 11, 11, 11
		#5-Difluoromethoxy-2-mercapto-1-H-benzimidazole (CAS RN 97963-62-7)# #2,4-Dihydro-5-methoxy-4-methyl-3 H -1,2,4-triazol-3-on (CAS RN 135302-13-5)#	≥15000/green ≥15000/green	
1092596/2016 2	2933998036	#3-Chloro-2-(1,1-difluoro-3-buten-1-yl)-6-methoxyquinoxaline (CAS RN 1799733-46-2)#	<15000/red	
		#(4a S ,7a S)-Octahydro-1 H -pyrrolo[3,4-b]pyridine (CAS RN 151213-40-0)# # O -(benzotriazol-1-yl)- N,N,N',N' -tetramethyluronium tetrafluoroborate (CAS RN 125700-67-	≥15000/green <15000/red	
5552188/2016 2	2933998042	#(S)-2,2,4-Trimethylpyrrolidine hydrochloride (CAS RN 1897428-40-8)#	≥15000/green	
	2933998044 2933998051	#(2S,3S,4R)-Methyl 3-ethyl-4-hydroxypyrrolidine-2-carboxylate 4-methylbenzenesulphonate (C #Diquat dibromide (ISO) (CAS RN 85-00-7) in aqueous solution for use in the manufacture of hi		
	2933998067 2933998081	#Candesartan ethyl ester (INNM) (CAS RN 139481-58-6)# #1,2,3-Benzotriazole (CAS RN 95-14-7)#	≥15000/green ≥15000/green	
246345/2011 2	2934100080	#3,4-Dichloro-5-carboxyisothiazole (CAS RN 18480-53-0)#	≥15000/green	-
	2934208030 2934999023	#2-[[(Z)-[1-{2-Amino-4-thiazolyl}-2-(2-benzothiazolylthio)-2-oxoethylidene]amino]oxy]-acetic a #Bromuconazole (ISO) with a purity by weight of 96 % or more (CAS RN 116255-48-2) #	<15000/red ≥15000/green	
250760/2011 2	2934999028	#11-(Piperazin-1-yl)dibenzo[b,f][1,4]thiazepine dihydrochloride (CAS RN 111974-74-4)#	≥15000/green	
	2934999046 2934999047	#4-Methoxy-5-(3-morpholin-4-yl-propoxy)-2-nitro-benzonitrile (CAS RN 675126-26-8)# #Thidiazuron (ISO) (CAS RN 51707-55-2) with a content by weight of 98 % or more#	<15000/red <15000/red	
	2934999048 2934999049	#Propan-2-ol 2-methyl-4-(4-methylpiperazin-1-yl)-10 H -thieno[2,3-b][1,5]benzodiazepine (1	≥15000/green ≥15000/green	
	2934999049	#Cytidine 5'-(disodium phosphate) (CAS RN 6757-06-8)# #4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0)#	<15000/green <15000/red	
	2934999075	#(4 R-cis)-1,1-Dimethylethyl-6-[2[2-(4-fluorophenyl)-5-(1-isopropyl)-3-phenyl-4-[(phenylamino #2,5-Thiophenediylbis(5- tert -butyl-1,3-benzoxazole) (CAS RN 7128-64-5)#	≥15000/green ≥15000/green	
249194/2011 2	2935909023	# N -[4-(2-Chloroacetyl)phenyl]methanesulphonamide (CAS RN 64488-52-4)#	≥15000/green	
		#Methyl (3R,5S,6E)-7-(4-(4-fluorophenyl)-6-isopropyl-2-[methyl(methylsulfonyl)amino]pyrimid #6-Aminopyridine-2-sulfonamide (CAS RN 75903-58-1)#	≥15000/green ≥15000/green	
981844/2011 2	2935909048	#(3R,5S,6E)-7-[4-(4-Fluorophenyl)-2-[methyl(methylsulfonyl)amino]-6-(propan-2-yl)pyrimidin-5	≥15000/green	
	2935909067 2935909089	# N -(2-phenoxyphenyl)methanesulphonamide (CAS RN 51765-51-6)# 3-(3-Bromo-6-fluoro-2-methylindol-1-ylsulphonyl)- N,N -dimethyl-1,2,4-triazol-1-sulphonamide	<15000/red ≥15000/green	
		#D(+)- Trehalose dihydrate (CAS RN 6138-23-4)# #Dihydrostreptomycin sulphate (CAS RN 5490-27-7)#	≥15000/green	
1242692/2016 2	2942000010	#Sodium triacetoxyborohydride (CAS RN 56553-60-7)#	≥15000/green ≥15000/green	
	3201909040, 3202900010 3204110020	#Reaction product of Acacia mearnsii extract, ammonium chloride and formaldehyde (CAS RN 8 #Colourant C.I. Disperse Yellow 241 (CAS RN 83249-52-9) and preparations based thereon with		BE, IT,
247748/2011 3	3204110040	#Colourant C.I. Disperse Red 60 (CAS RN 17418-58-5) and preparations based thereon with a co	UK suspdeletion or EU27 producer	BE, IT,
	3204110050 3204110060	#Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a color #Colourant C.I. Disperse Blue 359 (CAS RN 62570-50-7) and preparations based thereon with a		CZ
989532/2011 3	3204120010	#Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2) and preparations based thereon with a coloura	UK suspdeletion or EU27 producer	
	3204120015 3204120017	#Colourant C.I. Acid Brown 75 (CAS RN 8011-86-7) and preparations based thereon with a colo #Colourant C.I. Acid Brown 355 (CAS RN 84989-26-4 or 60181-77-3) and preparations based the		<u> </u>
1275088/2016 3	3204120025 3204120027	#Colourant C.I. Acid Black 210 (CAS RN 85223-29-6 or 99576-15-5) and preparations based then #Colourant C.I. Acid Brown 425 (CAS RN 75234-41-2 or 119509-49-8) and preparations based the	≥15000/green	
1150396/2016 3	3204120035	#Colourant C.I. Acid Black 234 (CAS RN 157577-99-6) and preparations based thereon with a co	≥15000/green	-
	3204120037 3204120045	#Colourant C.I. Acid Black 210 sodium salt (CAS RN 201792-73-6) and preparations based there #Colourant C.I. Acid Blue 161/193 (CAS RN 12392-64-2) and preparations based thereon with a		
1174590/2016 3	3204120047	#Colourant C.I. Acid Brown 58 (CAS RN 70210-34-3 or 12269-87-3) and preparations based the	≥15000/green	
1174638/2016 3	3204120055 3204120057	#Colourant C.I. Acid Brown 165 (CAS RN 61724-14-9) and preparations based thereon with a cc #Colourant C.I. Acid Brown 282 (CAS RN 70236-60-1 or 12219-65-7) and preparations based the	≥15000/green	
1179215/2016 3	3204120065	#Colourant C.I. Acid Brown 432 (CAS RN 119509-50-1) and preparations based thereon with a	≥15000/green	
1179262/2016 3	3204140040	#Colourant C.I. Basic Red 1 (CAS RN 989-38-8) and preparations based thereon with a colouran #Colourant C.I Direct Black 168, in powder form for leather dyeing (CAS RN 85631-88-5) and pr	<15000/red	BE,
	3204170015 3204170018	#Colourant C.I. Pigment Green 7 (CAS RN 1328-53-6) and preparations based thereon with a co #Colourant C.I. Pigment Orange 16 (CAS RN 6505-28-8) and preparations based thereon with a		DE, DK, ES, GR, IT, NL, PL
1013616/2011, 987080/2011 3	3204170020	#Colourant C.I. Pigment Blue 15:3 (CAS RN 147-14-8) and preparations based thereon with a co	≥15000/green	
265499/2011, 5582590/2016 3 991729/2011 3	3204170022 3204170025	#Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a #Colourant C.I. Pigment Yellow 14 (CAS RN 5468-75-7) and preparations based thereon with a		DK, ES, IT, NL,
	3204170035	#Colourant C.I. Pigment Red 202 (CAS RN 3089-17-6) and preparations based thereon with a co	UK suspdeletion or EU27 producer	51, 23, 11, 112,
	3204170065 3204190013	#Colourant C.I. Pigment Red 53 (CAS RN 2092-56-0) and preparations based thereon with a col #Colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and C.I. Su	≥15000/green	
330636/2011 3	3204190073	#Colourant C.I. Solvent Blue 104 (CAS RN 116-75-6) and preparations based thereon with a colo	UK suspdeletion or EU27 producer	BE, DE
330636/2011 3 1179308/2016 3 635551/2010 3		#Colourant C.I. Solvent Yellow 98 (CAS RN 27870-92-4 or CAS RN 12671-74-8) and preparations		ES, IT, NL
330636/2011 3 1179308/2016 3 635551/2010 3 303586/2011 3	3204190077 3204200030	#Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based there		
330636/2011 3 1179308/2016 3 635551/2010 3 303586/2011 3 1010644/2011 3	3204190077 3204200030 3206190010	#Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based there: #Preparation containing by weight:### # 72% ($\pm2\%$) of mica (CAS RN 12001-26-2) and # 28	UK suspdeletion or EU27 producer	
330636/2011 3 1179308/2016 3 635551/2010 3 303586/2011 3 1010644/2011 3 103641/2011 3 1243090/2016 3 1254133/2015 3	3204190077 3204200030	#Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based there	UK suspdeletion or EU27 producer ≥15000/green UK suspdeletion or EU27 producer	DE, IT,

		Salicylate 1-monooxygenase (CAS RN 9059-28-3) in aqueous solution with### # an enzyme cq Plyrotechnical powder in the form of granulate of cylindrical shape, composed of strontium ni #Expandable graphite (CAS RN 90387-90-9 and CAS RN 12777-87-6)#		3507909030 3601000010 3801900010	1289924/2016 164630/2010 982571/2011
	<15000/red <15000/red	Chemically activated carbon in pellet (cylindrical) form, with:## a diameter of 2 mm or more Preparation, consisting of a suspension of tepraloxydim (ISO), containing by weight:### # 30		3802100030 3808932740	4565219-1/2017 246373/2011
ŗ	UK suspdeletion or EU27 producer	Preparation in the form of powder, containing by weight:### # 55% or more of Gibberellin A PDispersing agent and oxidation inhibitor containing by weight:### o-amino polyisobutylenephenol (C		3808939050 3811210011	630977/2010 5573295/2016
	<15000/red ≥15000/green	Oxidation inhibitor mainly containing a mixture of isomers of 1-(tert-dodecylthio)propan-2-ol (Corrosion inhibitor containing :### # polyisobutenyl succinic acid and # more than 5 % and		3811290075 3811900050	5573326/2016 5572943/2016
	≥15000/green	Rubber accelerator based on diphenyl guanidine granules (CAS RN 102-06-7)#		3812100010 3812399055	272668/2011 968627/2011
BE, DE, IT, N	≥15000/green	Stabiliser for plastic material containing:### # 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxx Light stabiliser containing:### # branched and linear alkyl esters of 3-(2H-benzotriazolyl)-5-(1		3812399065 3812399070	963132/2011 1013685/2011
	≥15000/green				418/2/1981, 96851 1336293/2016
	≥15000/green	Rhodococcus rhodocrous J1 bacteria, containing enzymes, suspended in a polyacrylamide gel Mixed alkylnaphthalenes, modified with aliphatic chains, of a chain-length varying from 12 to		3815909089 3817008030	3112/9/04 968549/2011
	<15000/red <15000/red	#4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0) in an organic sol #Aqueous solution of caesium formate and potassium formate containing by weight:### # 1 %		3824999227 24/2016 3824999230	5501295/2016 5582909/2016, 565
N		!Calcium phosphonate phenate, dissolved in mineral oil# !Poly(tetramethylene glycol) bis[(9-oxo-9H-thioxanthen-1-yloxy)acetate] with an average polyi		3824999236 3824999254	836/06 1231/2008
BE,ES, H	UK suspdeletion or EU27 producer	Preparation containing by weight:### # 80 % or more but not more than 92 % of Bisphenol-A		3824999264 3824999269	295953/2011 1102055/2015
		/Sodium hydrogen 3-aminonaphthalene-1,5-disulphonate (CAS RN 4681-22-5) containing by w Preparation, consisting of acesulfame potassium (CAS RN 55589-62-3) and potassium hydroxi		3824999345 3824999350	5505061/2016 1336307/2016
	<15000/red ≥15000/green	#Mixture containing by weight### # 70 % or more, but not more than 90 % of (S)-indoline-2-ca #Fused magnesia containing by weight 15 % or more of dichromium trioxide#		3824999355 3824999660	1249613/2016 255889/2011
		Powder containing by weight:### # 28 % or more but not more than 51 % of talc (CAS RN 148 Mixture with a non-stoichiometric composition:### # with a crystalline structure, # with a co		3824999670 3824999674	5582854/2016 1268378/2016
	≥15000/green	Polyethylene granules, containing by weight 10 % or more but not more than 25 % of copper		3824999680 3901109030	5501338/2016 265520/2011
				3901908073 3902300095	1249670/2016 265549/2011
		Liquid ethylene-propylene-copolymer with:### # a flashpoint of 250 °C or more, # a viscosity Synthetic poly-alpha-olefin with a viscosity at 100° Celsius (measured according to method AS		3902300097 3902909098	246889/2011 883/06
	≥15000/green			3903190040 3903909020	981/06 331261/2011
	<15000/red	Copolymer in the form of granules containing by weight:### # 82 ± 6 % styrene, # 13,5 ± 3 % (Copolymer in the form of granules containing by weight:### # 82 ± 6 % styrene, # 13,5 ± 3 % (Copolymer of styrene with maleic anhydride, either partially esterified or completely chemica		3903909025	294144/2011 977359/2011
		Copolymer of system with material annyance campraide greater partially assented to Completely cliented Copolymer of methacrylic esters, butylacrylate and cyclic dimethylsiloxanes (CAS RN 143106-E) Polyacrylamide powder having an average particle size of less than 2 microns and a melting p		3906909043 3906909053	5451123/2016 5457188/2016
BE, DE, ES, IT, N		Preparation containing:### # α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyp		3907201160 3907202025	1013632/2011 1349038/2016
	≥15000/green	Copolymer of propylene oxide and butylene oxide, monododecylether, containing by weight: Polytetramethylene oxide di-p-aminobenzoate#		3907209960	265569/2011
		Poly(ethylene terephthalate) pellets or granules:### # with a specific gravity of 1,23 or more Dimethyl, methyl(propyl(polypropylene oxide)) siloxane (CAS RN 68957-00-6), trimethylsiloxy		3907690040 3910000015	276918/2011 3939762/2015
	≥15000/green			3910000025 3910000035	1295010/2016 1295050/2016
	≥15000/green ≥15000/green	ISilicones of a kind used in the manufacture of long term surgical implants# Dimethyl siloxane, hydroxy-terminated polymer with a viscosity of 38-100 mPa-s (CAS RN 701:		3910000040 3910000045	859/06 5651807/2016
	UK suspdeletion or EU27 producer ≥15000/green	Preparation containing by weight:### # 55 % or more but not more than 65 % of vinyl termin Pm-Xylene formaldehyde resin#		3910000055 3911901940	5652366/2016 265591/2011
	≥15000/green ≥15000/green	#Copolymer of methyl vinyl ether and maleic acid anhydride (CAS RN 9011-16-9)# #Cellulose triacetate (CAS RN 9012-09-3)#		3911909986 3912110030	884/06 167126/2010
Almost all N	UK suspdeletion or EU27 producer <15000/red	#Hypromellose (INN) (CAS RN 9004-65-3)# #Rolls of polyethylene foil:### # self-adhesive on one side, # of a total thickness of 0,025 mm		3912398540 3919108070, 391	303546/2011 276949/2011
	≥15000/green	Self-adhesive reflecting film, consisting of several layers including:### # a copolymer of acryli			293907/2011
	≥15000/green	Ethylene vinyl acetate (EVA) film with:### # a raised relief surface with embossed undulation		13920108930	246973/2011
	UK suspdeletion or EU27 producer	FEthylene vinyl acetate (EVA) film with:### # a raised relief surface with embossed undulation (Composite sheet containing an acrylic coating and laminated to a high-density polyethylene is (Shorts of highells, edicated enhancements).		3920108930 3920108940	246973/2011 3119/13/04, 804/0
	UK suspdeletion or EU27 producer <15000/red ≥15000/green	KOmposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0. If Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm.		3920108940 3920202140 3920992850	3119/13/04, 804/0 967272/2011 3423/06
	UK suspdeletion or EU27 producer <15000/red ≥15000/green ≥15000/green <15000/red	*Composite sheet containing an acrylic coating and laminated to a high-density polyethylene is Sheets of blaxially - oriented polypropylene film:### # with the thickness of not more than 0, Thermoplastic polyurethane film, of a thickness of 250 μm or more but not more than 350 μm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing.### # micro ITetrafluoroethylene film, put up in rolls, with:### # a thickness of 50 μm, # a melting point of the state of the sta		3920108940 3920202140 3920992850 3920992870 3920995970	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 5451174/2016
	UK suspdeletion or EU27 producer <15000/red ≥15000/green ≥15000/green <15000/red ≥15000/green UK suspdeletion or EU27 producer	Composite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially- oriented polypropylene film:### # with the thickness of not more than 0, Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm ISheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro ITetrafluoroethylene film, put up in rolls, with:### # a thickness of 50 µm, # a melting point Prorous membrane of polytetrafluorethylene (PTF) laminated to a polyester spunbonded nor Prhotomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas	; ;	3920108940 3920202140 3920992850 3920992870 3920995970 3921190050 3923109010	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 5451174/2016 5457200/2016 1010631/2011
	UK suspdeletion or EU27 producer < S000/red \$15000/green \$15000/green < S15000/green < S15000/green UK suspdeletion or EU27 producer \$215000/green \$15000/green \$15000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene I Sheets of blaadily - oriented polypropylene film:### with the thickness of not more than 0. Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### micro Pitrafilurorethylene film, put up in rolls, with:### # a thickness of 50 µm, # a melting point or PiPorous membrane of polytetrafilurethylene (PITE) laminated to a polyester syunbonded nor PiPhotomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Sillicone shell for breast implant#		3920108940 3920202140 3920992850 3920992870 3920995970 3921190050 3923109010 3926909730 3926909740	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 5451174/2016 5457200/2016 1010631/2011 969500/2011 1336370/2016
	UK susp_deletion or EU27 producer <15000/red £15000/green £15000/green £15000/green £15000/green UK susp_deletion or EU27 producer £15000/green £15000/green £15000/green £15000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Li Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0. #Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm #Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro #Tetrafluorethylene film, but up in rolls, with:### a * a thickness of 50 µm, # a meting point of #Porous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spumbonded nor #Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplase #Parts of car roll and car air-consisting with a fine properties and a properties of a properties and the properties and the properties and the properties and the properties are sufficiently and the	010330010	3920108940 392002140 3920092850 3920992870 3920995970 3921190050 3923109010 3926909730 3926909777 4010310010, 401	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 5451174/2016 5457200/2016 1010631/2011 969500/2011 336370/2016 5560026/2016 1297172/2016
DE,	UK susp_deletion or EU27 producer <15000/red £15000/green £15000/green £15000/green £15000/green UK susp_deletion or EU27 producer £15000/green £15000/green £15000/green £15000/green £15000/green £15000/green	IComposite sheet containing an acrylic coating and laminated to a high-density polyethylene I; Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0, Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Tetratifluorethylene film, but up in rolls, with:#### a thickness of 50 µm, # a melting point of PPorous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor Photomask or wafer compacts:### # consisting of antistatic materials or blended hermoplas PParts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Sillicone shell for breast implant# Sillicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n	010330010	3920108940 3920202140 3920992850 3920992870 3920995970 3921190050 3923109010 3926909730 3926909740	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 5451174/2016 5457200/2016 1010631/2011 969500/2011 1336370/2016 5560026/2016
	UK susp_deletion or EU27 producer 15000/preen 15000/green	IComposite sheet containing an acrylic coating and laminated to a high-density polyethylene I; Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0, Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Tetratifluorethylene film, but up in rolls, with:### # a thickness of 50 µm, # a meting point of PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polytetrafluorethylene polytetrafluorethylen	010330010	3920108940 3920202140 3920992850 3920992850 3920993870 392190050 392190050 392190010 3926909740 4016935710 4016995720 4016999730 441299410, 441	3119/13/04,804/0 967272/2011 36727/2011 36727/2011 36727/2011 3655624/2011 5451174/2016 5457200/2016 1010631/2011 1336370/2016 5560026/2016 5524428/2016 5524428/2011 133626/2011
DE,	UK susp_deletion or EU27 producer <15000/red £15000/green	IComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0. IThermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro IPerous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor IPProtous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor IPProtous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor IPProtous membrane of polytetrafluorethylene (PTFE) aminated to a polyester spunbonded nor IPProtous how a wafer compacts:### # consisting of antistatic materials or blended thermoplas Silicone decoupling in da car air-conditioner front panels:### # of acrylonitrile-butadiene-styrene Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 nr INVUIcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitu IAIr intake hose for air supply to the combustion part of the engine comprising at least:### # in INVUICanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitu IAIr intake hose for air supply to the combustion part of the engine comprising at least:### # if ITY ITY ITY ITY ITY ITY ITY ITY	010330010	3920108940 3920202140 3920202140 3920992850 3920992870 392199050 3921190050 3925099730 3926099740 3926099777 4010310010, 401 4016995710 4016995720 4016999730 4412994010, 441	3119/13/04,804/0 967272/2011 3423/06 265624/2011 5451174/2016 5451724/2011 969500/2011 1336370/2016 5560026/2016 1297172/2016 5524428/2016 272718/2011
	UK susp_deletion or EU27 producer <15000/red £15000/green	IComposite sheet containing an acrylic coating and laminated to a high-density polyethylene I; Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0, Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Tetratifluorethylene film, but up in rolls, with:### # a thickness of 50 µm, # a meting point of PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor PPOTOUS membrane of polytetrafluorethylene (PTFE) laminated to a polytetrafluorethylene polytetrafluorethylen	010330010 412995010 503939050	3920108940 3920202140 3920202140 3920992850 3920992870 392199050 3921190050 3925099730 3926099740 3926099777 4010310010, 401 4016995710 4016995720 4016999730 4412994010, 441	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 5451174/2016 5457200/2016 1010631/2011 9695900/2011 1336370/2016 5524428/2016 5524428/2016 272718/2011 1336266/2016
	UK susp_deletion or EU27 producer <15000/red £15000/green	IComposite sheet containing an acrylic coating and laminated to a high-density polyethylene I; Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0, Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Fiterafilloroethylene film, but up in rolls, with:### # a thickness of 50 µm, # a metiling point or Prorous membrane of polytetrafiluorethylene (PTFE) laminated to a polyester spunbonded nor Phoromask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### # or dryointrile-butadiene-styrene Silicone shell for breast implant# Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Proviolanized rubber endless transmission bet of trapezoidal cross-section (V-belts) with longitt Alfur intake hose for air supply to the combustion part of the engine comprising at least:### # Rhubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at Tryror moulding bladder# a width of 210 mm or Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scource Non-woven polyelin fabric, consisting of an alexatomeric layer, laminated on each side with Trwo layers' plastic-laminated textile fabric with:### # one layer consisting of kintted or crock excille fabrics, coated with adhessive in which are embedded spheres of a diameter of not more properties and the properties more properties more properties and the properties more properties and the adhessive in which are embedded spheres of a diameter of not more properties and the properties more properties and the properties mount properties and the properties mount properties and properties mount properties and properties and properties and properties mount properties and properties and properties and propert	010330010 412995010 503939050	3920108940 3920202140 3920202140 3920992850 3920992870 3921995970 3921190050 3928099730 3926909740 4016995710 4016995720 4016995720 4016995730 4016995730 4016995730 5004001010 5003209080, 566	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 5451174/2016 5457200/2016 1010631/2011 969500/2011 1336370/2016 1297172/2016 5524428/2016 5524428/2016 5524428/2016 1297172/2016 1336266/2016 1/1/1989 2643448/2011
	UK suspdeletion or EU27 producer 215000/green	IComposite sheet containing an acrylic coating and laminated to a high-density polyethylene it. Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0, Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Fiteratifluorethylene film, but up in rolls, with:### # a thickness of 50 µm, # a melting point of Piorous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Pibrotomask or wafer compacts:### # was Pibrotomask or wafer compacts:#### # was Pibrotomask or wafer compacts was Pibrotomask or wafer compacts Pibrotomask or wafer Pibrotomask or Pibrotomask or wafer Pibrotomask or Pibrotoma	010330010	3920108940 3920202140 3920202140 3920992850 3920992850 3920995970 3921190050 392190050 392190050 3926909740 3926909777 4010310010, 401 4016995710 4016999730 4016999730 4016999730 4016999730 503209020 503209020 503209020 503209020 503209020 7019400070, 701	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 5451174/2016 5457200/2016 1010631/2011 969500/2011 1336370/2016 1397177/2016 5524428/2016 5524428/2016 5524428/2016 1336266/2016 1/1/1989 264348/2011 1361540/2016 1361540/2016 1361540/2016 1361540/2016 1361540/2016 1361540/2016 1361540/2016 1361540/2016
DE,	UK suspdeletion or EU27 producer < 5000/red \$15000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is. Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0. IThermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Iretrafluorethylene film, but up in rolls, with:#### a thickness of 550 µm, # a melting point o IPOrous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor IPPotous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor IPPotous membrane of polytetrafluorethylene (PTFE) aminated to a polyester spunbonded nor IPPotous membrane of polytetrafluorethylene (PTFE) aminated to a polyester spunbonded nor IPPotous she of the state of	010330010 412995010 503939050 019520030 516999077	3920108940 3920202140 3920202140 3920292850 3920992850 3920993870 3921190050 3923109010 3926909730 3926909777 4010310010, 401 4016995710 4016995710 4016999730 4412994010, 441 5004001010 5603929980, 560 5903209902 5907000010 6805300010 701939005 7019400070, 701 7020001010, 701	3115/13/04,804/0 967272/2011 3423/06 265624/2011 5457200/2016 1010631/2011 1336370/2016 1019631/2011 1336370/2016 1297172/2016 5524428/2016 5524428/2016 272718/2011 1336266/2016 1/1/1989 264348/2011 1361540/2016 1060/13/1982 5451151/2016 1290020/2016 1290020/2016 1290020/2016
DE,	UK suspdelection or EU27 producer <15000/red £15000/green £15000/green £15000/green £15000/green UK suspdelection or EU27 producer £15000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is. Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 3.0 µm Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Porous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor Photomask or wafer compacts:### # consisting of anistiatic materials or blended themople Pharts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Silicone shell for breast implant# Silicone decoupling ring with an inner diameter of 14.7 mm or more but not more than 16.0 n IVulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longite IAIr intake hose for air supply to the combustion part of the engine comprising at least:### # if yer Rubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at 17yre moulding bladder# ILaminated wood consisting of two layers of sheets for veneering:### # a width of 210 mm or Silik yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scouree (Non-woven polyolefin fabric, consisting of an elastomer; layer, laminated on each side with year (patric) and the product of non-textile fabric withch are embedded spheres of a diameter of not mor Probe tips cleaning material consisting of a polymer matrix containing abrasive particles mour Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts? #Effice yision pedocts:## having a weight of 200 g/m² or more, but not and stabilization of refer-side file glass fibre, for the manufacture of air filters or catalysts? #Effice yision pedocts of non-textile glass fibre, for the manufacture of air filters or catalysts? #Effice yision pedocts of non-textile glass fibre, for the manufacture of air filters	010330010 412995010 503939050 019520030 516999077	3920108940 3920202140 3920202140 3920992850 3920992870 39219905970 3921190050 3922109010 3926909730 3926909777 4010310010, 401 4016995710 4016995710 4016999730 4412994010, 441 5004001010 5603929080, 566 5932209020 5997000010 6805300010 7013930050 7019400070, 701 7020001101, 761 7201101110 7201103100 7318190030	3115/13/04,804/0 967272/2011 3423/06 265624/2011 5451174/2016 54517200/2016 1010631/2011 1336370/2016 1297172/2016 5524428/2016 5524428/2016 272718/2011 336266/2016 1/1/1989 264348/2011 3361540/2016 129020/2016 222718/2010 264348/2011 3361540/2016 322/206
DE,	UK suspdeletion or EU27 producer <15000/red	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene It. Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 30 µm Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Tetraffluoreethylene film, but up in rolls, with:### # a thickness of 50 µm, # a metiling point of Prorus membrane of polytetraffluoreethylene (PTFE) laminated to a polyester spunbonded nor Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene PSilicone shell for breast implant! Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Polyucanized rubber endless transmission bet of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission bet of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission bet of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission bet of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission bet of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission bet of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission obte of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission shelt of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission shelt of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission shelt of trapezoidal cross-section (V-belts) with longite Alicularized rubber endless transmission end to develop the shelt of the	310330010 412995010 503939050 319520030 516999077	3920108940 3920202140 3920292850 3920992850 3920992870 3921190050 3923199010 392599773 3921190050 392599774 4010310010, 401 4016995720 4016995720 4016995720 4016995720 4016995720 5004001010 5603929900, 560 5903209020 5907000010 701939005 7019400070, 701 7020001010, 761 7201101110 7201103010 7318190030 7326200020 7607119048, 766	3119/13/04, 804/0 967272/2011 3423/06 265624/2011 3423/06 265624/2011 265624/2011 265624/2011 265624/2011 265624/2011 265624/2011 265624/2011 265624/2016 265624/2016 265624/2016 265624/2016 272718/2011 265624/2016
DE,	UK suspdeletion or EU27 producer 415000/green 215000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene It. Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 3.0 µm Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Filterafflourcethylene film, but up in rolls, with:### a thickness of 50 µm, # a meting point of Pibrorous membrane of polytetrafluorethylene (PIFE) laminated to a polyester spunbonded nor Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Pibrats of car radio and car air-conditioner front panels### # of acryointrile-butadiene-styrene Sillicone shell for breast implant# Sillicone shell for breast implant# Sillicone shell for breast implant# Rillicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n NULcanized rubber endless transmission bet of trapecoldal cross-section (V-belts) with longitudir intake hose for air supply to the combustion part of the engine comprising at least-### # Rillicone decoupling ring with a silicone coating of a length not more than 1 200 mm and with at the properties of a silicone coating of a length not more than 1 200 mm and with at the properties of the properties of two layers of sheets for veneering:### # a width of 210 mm or Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scourse from common silicone coating of a length not more than 1200 mm and with at the properties of the properties of two layers of sheets for veneering:### # a width of 210 mm or Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scourse from context of the properties of the pr	310330010 412995010 503939050 319520030 516999077 507119049 82800010	3920108940 3920202140 3920202140 3920202140 39202022140 3920202250 3920202250 3920202270 392190050 3921190050 3921190050 392190910 3926909770 4010310010, 401 4016995720 4016999730 4412994010, 441 5004001010 5603929080, 560 5903209020 5907000010 701939005 7019400070, 701 7020001010, 761 720110310 7318190030 7328200020 7607119048, 766 7616999070, 867	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 265624/2011 5451174/2016 5457200/2016 1010631/2011 969500/2011 1336370/2016 1297172/2016 5524428/7016 5524428/7016 5524428/7016 5524428/7016 5524428/7016 1336266/2016 11/1/1989 264348/2011 1361540/2016 1060/13/1982 264348/2011 1361540/2016 1060/13/1982 1591272718/2016 1297272/2016 1297272/2016 1381/2006 1297278/2017 1290020/2016 12972954/2011 1361540/2016 1290020/2016 12972954/2011 1361540/2016 1290020/2016
DE	UK suspdeletion or EU27 producer 15000/preen 215000/green	IComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0, Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Tetratiflourcethylene film, but up in rolls, with:### # a thickness of 50 µm, # a matting point of Porous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Silicone shell for breast implant# Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Nucleanized rubber endless transmission bet of trapezoidal cross-section (V-belts) with longitt (ir intake hose for air supply to the combustion part of the engine comprising at least:### # # Rubsided in the part of the engine comprising at least:### # Rubsided in Laminated wood consisting of two layers of sheets for veneering:#### a width of 210 mm or Silk yarn (option) for the silicone consisting of two layers of sheets for veneering:#### a width of 210 mm or Silk yarn (option) for the manufacture of air filters or catalysts# # Two layers' plastic-laminated veach side with 17Wo layers' plastic-laminated textile fabric with:#### on player on silicone for a diameter of not mor PProbe tips cleaning material consisting of a polymer matrix containing abrasive particles mou Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts# # Television pedestal stands with or without bracket for fixation to and stabilization of Television pedestal stands with or without bracket for fixation to and stabilization of relevision pedestal stands with or without bracket for fixation to and stabilization of relevision pedestal stands	310330010 412995010 503939050 319520030 516999077 507119049 482800010	3920108940 3920202140 3920202140 3920202140 3920992850 3920992850 3920992870 392190050 392190050 392190050 3926909730 3926909730 4016995710 4016995710 4016995720 4016996720 401696720 401696720 401696720 401696720 401696720 401696720 401696720 401696720 401696720 4	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 265624/2011 5457200/2016 5457200/2016 1336370/2016 55240/2011 1336370/2016 5524428/2016 1297172/2016 5524327/2016 272718/2011 1361540/2016 1336266/2016 139172/2016 272718/2011 1361540/2016 2822/06 129362428/2011 1361540/2016 822/06 129020/2016 973954/2011 8307206 83072006 83072006 83072006 83072006 831/2006 83072006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006 831/2006
DE	UK suspdeletion or EU27 producer 15000/preen 15000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 3.0 µm Fibrests polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Fiterafluporethylene film, but up in rolls, with:### # a thickness of 50 µm, # a melting point of Pibrorous or wafer compacts:### # consisting of antistatic materials or blended thermopias Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermopias Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermopias Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermopias Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermopias Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermopias Pibrotomask or wafer compacts:### # consisting of antistatic materials or blended thermopias Pibrotomask or wafer compacts:### # wafer to the compact of the engine comprising at least:### # # wafer Pibrotomask or or air supply to the combustion part of the engine comprising at least:### # * * * * * * * * * * * * * * * * *	310330010 412995010 303939050 3019520030 516999077 507119049 482800010	3920108940 3920202140 3920202140 3920202140 3920992850 3920992870 392190050 392190050 392190050 392190050 3926909740 3926909740 4016995710 4016995710 4016995720 4016999730 4412994010, 441 5004001010 5603929080, 560 5903209020 7019400070, 701 7020001101, 761 7021013010 70210101, 761 702101010101, 761 7021010101010101010101010101010101010101	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 967272/2011 3423/06 265624/2011 969500/2016 1336370/2016 559720/2016 1336370/2016 552428/2016 1336370/2016 552428/2016 1336266/2016 1397172/2016 1336266/2016 1397172/2016 1336266/2016 136266/2016
	UK susp_deletion or EU27 producer <15000/red	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 3.0 µm Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # miror Iterafluoreathylene film, but up in rolls, with:### a thickness of 50 µm, # a mething point of Iterafluoreathylene film, but up in rolls, with:### a thickness of 50 µm, # a mething point of Photomask or wafer compacts:### # consisting of antistatic materials of 50 µm, # a mething point of Photomask or wafer compacts:### # consisting of antistatic materials or beinded thermoplas Pharts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Photomask or wafer compacts:### # consisting of antistatic materials or beinded thermoplas Pharts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Photomask or wafer compacts:### # or acrylonitrile-butadiene-styrene Photomask or wafer or breast implant# Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 m Pulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longits Alari intake hose for air supply to the combustion part of the engine comprising at least### # Tyre moulding bladder# Lalaminated wood consisting of two layers of sheets for veneering:### # a width of 210 mm or Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scource Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with 1 provide tips cleaning material consisting of a polymer matrix containing abrasive particles mour Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts# #- the party consisting particles mour Non-woven product of non-textile glass fibre, for the manufacture of	010330010 0112995010 019520030 019520030 019520030 019620030 019620010 003900020 003900020	3920108940 3920202140 3920202140 3920202140 3920202260 3920202260 3920992870 3921190050 3921190050 392870 3921190050 3928709730 3926909740 4010310010, 401 4016995720 4016999730 4016999730 4112949101, 441 5004001010 5603229080, 560 5903209020 5907000010 7019390050 7019400070, 701 7201101110 7201103010 7318190030 7326200020 7607119048, 766 7616999070, 848 8108903070 8108903070 8108903070 8108903070 8108903070 8108903070 8108903070	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 265624/2011 5451714/2016 5457200/2016 1010631/2011 1336370/2016 5457200/2016 1297172/2016
	UK suspdeletion or EU27 producer <15000/red	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Its Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 350 µm or Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm or Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm or Thermoplastic polyurethane film, but up in rolls, with:### # a thickness 50 µm, # a metil polint or Tetrafluorcethylene film, but up in rolls, with:### a thickness 50 µm, # a metil polint or Tetrafluorcethylene film, but up in rolls, with:### a thickness 50 µm, # a metil polint or Protrafluorcethylene film, but up in rolls, with:### a thickness 50 µm, # a metil polint or Protrafluorcethylene (PTFE) Jaminated to a polyester spunbonded nor Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Pislicione shell for breast implant# Silicione decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Pulcanized rubber endless transmission bett of trapezoidal cross-section (V-belts) with longitudir interest of air supply to the combustion part of the engine comprising at least-### # Rivubber bumper strip with a silicione coating of a length not more than 1200 mm and with at Tyre moulding bladder# power to two layers of sheets for veneering:### # a width of 210 mm or Silk yarn (other than yarn spun from silk wastel not put up for retail sale, unbleached, scourse for the proposition of the politic haminated or exclude fabrics, coated with adhesive in which are embedded spheres of a diameter of not more two low-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts # Felbreigh and product of non-textile glass fibre, for the manufacture of air filters or catalysts # Felbreigh and product of non-textile glass fibre, for the manufacture of air filters or ca	010330010 112995010 503939050 019520030 516999077 507119049 182800010 003900020 179907085	3920108940 3920202140 3920202140 3920202140 3920202250 3920992850 3920992870 3921190050 3921190050 3928199010 3926909730 3926909730 4016995710 4016995710 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 500001010 500322080, 560 5032209020 500700010 7013390050 7019400070, 701 7020001010, 761 72011031010 7318190030 7326200020 76077119048, 766 7616999070, 848 81089030370 8108903030, 900 8407901010 8409990010, 847	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 255624/2011 255624/2011 236370/2016 1336370/2016 1336370/2016 1336370/2016 1397172/2016 5524428/2016 1297172/2016 5524428/2016 1297172/2016 5524428/2016 1297172/2017 1297172/2017 1297172/2017 1297172/2017 1297172/2017 1297172/2017
DE, I	UK suspdeletion or EU27 producer 415000/ree 415000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 3.0 µm Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Tetrafflourcethylene film, but up in rolls, with:### a thickness of 50 µm, # a meting point of Tetrafflourcethylene film, but up in rolls, with:### a thickness of 50 µm, # a meting point of Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### a dracylonitrile-butadiene-styrene Pisilicone shell for breast implant# Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Nulcianized rubber endless transmission belt of trapecoldal cross-section (V-belts) with longitudir intake hose for air supply to the combustion part of the engine comprising at least:### # Rubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at Typre moulding bladder# Laminated wood consisting of two layers of sheets for veneering:### # a width of 210 mm or Silk yarn (other than yarn spun from silk wastel) not put up for retail sale, unbleached, scourse Non-woven polyolefin fabric, consisting of an elastemeric layer, laminated on each side with Non-woven polyolefin fabric, consisting of an elastemeric layer, laminated on each side with Non-woven polyolefin fabric, consisting of a plant mark on laminated on each side with Non-woven polyolefin fabric, consisting of an observe of a diameter of not more than 150 mm, as well as the properties of a diameter of not more horselfied pairs, and the properties mou Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts# (Filtersian pates) and the properties mou Non-woven product of mon-textile glass fibre, for the manufacture of a	310330010 312995010 503939050 319520030 516999077 507119049 482800010 303900020	3920108940 3920202140 3920202140 3920202140 39202022140 3920202250 3920202250 3920202270 392190010 392509777 4010310010, 401 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 7019001010 701939005 701940070, 701 7020001010, 761 70210101110 7318190030 732620020 7607119048, 760 7616999070, 848 8108903060 8108903060 8108903060 8108903060 8409910040 8409990010, 841	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 265624/2011 5457200/2016 5457200/2016 5457200/2016 130631/2011 1336370/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 552428/2016 336/206 552428/201 336/206 552428/201 336/206 552428/201 336/206 552428/201 331/2006 552428/201 348/201 331/2006 353/2006 552428/201 382/201 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/2006 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201 382/201
	UK suspdeletion or EU27 producer 15000/preen 15000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 3.0 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # mirch than 3.0 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # mirch retrafluorechylene film, but up in rolls, with:### a thickness of 50 µm, # a metiling point of Prorous membrane of polytetrafluorechylene (PTFE) laminated to a polyester spunbonded nor Phorouss membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded nor Phorouss or wafer compacts:### # consisting of antistatic materials or blended thermopias Parts of car radio and car air-conditioner front panels### # of arytionitrile-butadiene-styrene Silicone shell for breast implant# Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Nucleanized rubber endless transmission belt of trapezoldal cross-section (V-belts) with longitt lair intake hose for air supply to the combustion part of the engine comprising at least:#### # Rubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at tryve moulding bladder# Laminated wood consisting of two layers of sheets for veneering:#### # a width of 210 mm or Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scource Non-woven polydelin fabric, consisting of an abstanceria layer, laminated one acid side with Trovo layers' plastic-laminated textile fabric with:#### # one layer consisting of knitted or crock excille fabrics, coated with achesive in which are embedded spheres of a diameter of not more Non-woven product of non-textile glass libro, for the mannacture of air filters or acid side with Trovo layers' plastic-laminated textile fabric with:### # one layer consisting of a side with Trovo layers' plastic-laminated textile fabric with:### # one layer consisting of a	310330010 412995010 503939050 319520030 516999077 507119049 182800010 303900020	3920108940 3920202140 3920202140 3920202140 3920202140 39202022140 39202022140 3920202250 392020227 392020207 392190050 392190050 392190050 3921900507 4016995770 401699770 40	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 265624/2011 5457200/2016 5457200/2016 1336370/2016 1336370/2016 1397172/2016 5524438/2011 13618/2011 1362566/2016 1378927/2011 1362566/2016 1302002/2016 1302002/2016 1302002/2016 1378927/2017 137891/2013 13506724/2016
	UK suspdeletion or EU27 producer <15000/red	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 3.0 Im Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # micro Tetraffluoreathylene film, but up in rolls, with:### a thickness of 50 µm, # a mething point of the Procus membrane of polytetraffluoreathylene (PTFE) Jaminated to a polyester spunbonded nor Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas PParts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Silicone shell for breast implant! Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Nulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longits. Alzi intake hose for air supply to the composition part of the engine comprising at least-### # if yier woulding bladder! Alzimated the process of two layers of sheets for veneering:### # a width of 210 mm or Silik yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scource Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with the "Two layers" jalactic-laminated tevalife fabric withshalf ## me leaper consisting dained or rock if exitle fabrics, coated with adhesive in which are embedded spheres of a diameter of not mor Probe tips Cleaning material consisting of a polymer matrix containing abrasive particles mou Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts! ## Fibre glass fabrics:### having a weight of 20 g/m" or more, but not more than 120 mm, a high on thor or than 120 mm, a high or not more than 120 mm, a high or not more than 120 mm, a	010330010 112995010 503939050 019520030 516999077 507119049 182800010 003900020 179907085	3920108940 3920202140 3920202140 3920292850 3920992850 3920992870 3921190050 3921190050 392870 3921190050 392870 3928709771 4010310010, 401 4016995720 4016999730 4016999730 411590010 56039299080, 560 56039299000 5907000010 7019390050 7019400070, 701 7201101110 7201103101 7201103101 7318190030 7326200020 76077119048, 766 7616999070, 848 8108903070 8108903070 8108903070 8108903070 8409990010, 847 8409990010, 847 8409990010, 847 8409990010, 847 8409990010, 847 8409990010, 847 8409990010, 847 8419900070 8411990030	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 265624/2011 5451714/2016 5457200/2016 1010631/2011 1336370/2016 5457200/2016 1297172/2016 5524428/2016 5524428/2016 5524428/2016 5524428/2016 1297172/2017 13159172/2017 1315917/2017 1315917/2017 1315917/2017 1315917/2017 1315917/2017
DE,	UK suspdeletion or EU27 producer	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Its Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 3.0 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # mirch Tertaffuorcethylene film, put up in rolls, with:### # a thickness of 50 µm, # a meting point of Tertaffuorcethylene film, put up in rolls, with:### # a thickness of 50 µm, # a meting point of Tertaffuorcethylene film, put up in rolls, with:### # a thickness of 50 µm, # a meting point of Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### # of acrylonitrile-butadine-styrene Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### # of acrylonitrile-butadine-styrene Pislicone shell for breast implant# Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Pulcanized rubber endless transmission bett of trapezoidal cross-section (V-belts) with longit Air intake hose for air supply to the combustion part of the engine comprising at least.### # Rikubber bumper strip with a silicone costing of a length not more than 1 200 mm and with at Tryre moulding bladder# in the part of the engine comprising at least.### # Rikubber bumper strip with a silicone costing of a length not more than 1 200 mm and with at Tryre moulding bladder# in the part of the engine comprising at least.### # Rikuber bumper strip with a silicone costing of a length not more than 1 200 mm and with at Tryre moulding bladder# in the part of the engine comprising at least.### # Rikuber bumper strip with a silicone costing of a length not more than 1 200 mm and with at Tryre moulding bladder# in the part of the engine comprising at least.#### # Rikuber bumper strip with a silicone costing of a nelastomeric layer, laminated on each side with 1 Non-	310330010 312995010 503939050 319520030 516999077 507119049 482800010 303900020	3920108940 3920202140 3920202140 3920202140 39202022140 3920202250 3920202250 3920992870 3921190050 3921190050 3928190010 3926909730 3926909730 4016995710 4016995710 4016995710 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 5004001010 5603929080, 560 5603929080, 560 5603929080, 560 57019400070, 701 7020001010, 761 7201103101 7318190030 7326200020 76077119048, 760 76169999070, 848 8108903060 8108903070 81089030505 810890930, 900 84099901010 8409990010, 847 8409990010 841990030 8411990030 8411990030 8411990030 8411990030 8411990030 8411990030 8411990030 8411990030 8411990030 8411990030 8411990030 8411990030 8411990030 8418991070 8424897020 8479899760	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 265624/2011 265624/2011 265624/2011 265624/2011 265624/2011 265624/2011 265624/2011 265624/2016 272718/2016 25524428/2016 25524428/2016 2652428/2016 272718/2011 2652428/2016 272718/2011 2652428/2016 272718/2011 2652428/2016 272718/2011 2652428/2016 272718/2011 2652428/2016 272718/2011 2652428/2016 272718/2011 2652428/2011 265248/2011 2
	UK suspdeletion or EU27 producer 15000/preen 15000/green 15000/green	KComposite sheet containing an acrylic coating and laminated to a high-density polyethylene Is Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 30 µm Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # mirch Tetrafflourcethylene film, but up in rolls, with:### # a thickness of 50 µm, # a meting point of Tetrafflourcethylene film, but up in rolls, with:### # a thickness of 50 µm, # a meting point of Tetrafflourcethylene film, but up in rolls, with:### # a thickness of 50 µm, # a meting point of Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplas Parts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene Pisilicone shell for breast implant# Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 n Pivilicanized rubber endless transmission belt of trapecoldal cross-section (V-belts) with longitudir intake hose for air supply to the combustion part of the engine comprising at least:### # Ribber bumper strip with a silicone coating of a length not more than 1 200 mm and with at Typer moulding bladder# Laminated wood consisting of two layers of sheets for veneering:### # a width of 210 mm or Silk yarn (other than yarn spun from silk wastel) not put up for retail sale, unbleached, scourse flow-ower polyolefin fabric, consisting of an elastomeric layer, laminated on each side with Norwayers plastic-laminated textile fabric with after one layer consisting of neach side with Norwayers polyolefin fabric, consisting of an elastomeric layer, laminated on each side with Norwayers polyolefin fabric, consisting of a polymer marks containing abrasive particles mour Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts# Filterisian patters and the strip against path of the continuity of the path of the one of the continuity of the path of the one of the continuity of the path of the one of the conti	310330010 412995010 503939050 319520030 516999077 507119049 182800010 303900020	3920108940 3920202140 3920202140 3920202140 39202022140 39202022140 3920202250 3920202250 392020203 392020203 392020203 392190010 39256909730 39256909740 4016995710 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 4016995720 5004001010 5003209020 5007000010 7019300001 7019300050 7019400070, 701 702001010, 761 7021101110 7318190030 7325200020 7607119048, 760 7616999070, 848 3108903060 8108903070 810890555 8108909000, 900 8409990010, 841 8409990010 841990000 841990000 841990000 841990000 841990000 841990000 841990000 8419990000 8419990000 8419990000 8419990000 8419990000 8428897000 8428897000 8428897000 8428897008 8428997007 8428897008 8428997007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8428897007 8438805920	3119/13/04, 804/0 967272/2011 3423/06 967272/2011 3423/06 265624/2011 5457200/2016 1010631/2011 969500/2011 1336370/2016 1397172/2016 5524428/2016 5524428/2016 5524428/2016 5524428/2016 5524428/2016 1336266/2016 11/1/1989 264348/2011 1361540/2016 1060/13/1982 545438/2016 137972/2016

998/2006	8501310030	DC motor, brushless, with a three-phase winding, an external diameter of 85 mm or more, but	<15000/red	
1268149/2016	8501310075	#Brushless DC motor assembly comprised of a motor and transmission, with:### # electronic of	<15000/red	
160472/2010	8501330030, 85014080	50 #Electric drive for motor vehicles, with an output of not more than 315 kW:### # with an AC o	≥15000/green	
248681/2011	8501510030, 85015220	50 #AC synchronous servo motor with resolver and brake for a maximum speed of not more than	≥15000/green	
1219/2009	8503009933	#Stator for brushless motor of electrical power steering with a roundness tolerance of 50 µm#	≥15000/green	
1249730/2016	8504318050	#Transformers for use in the manufacture of electronic drivers, control devices and LED light so	≥15000/green	
1301940/2016	8505110047	#Articles in the form of a triangle, square or rectangle, whether or not arched or with rounded	≥15000/green	
3869578/2015	8506501010	#Lithium cylindrical primary cells with:### # a diameter of 14,0 mm or more but not more than	<15000/red	
328918/2011	8507908070	#Cut plate of nickel-plated copper foil, with:### # a width of 70 mm (± 5 mm), # a thickness o	<15000/red	
1302174/2016	8511300055	#Ignition coil:### # with a length of 50 mm or more, but not more than 200 mm, # with an op	≥15000/green	
1302069/2016	8511800020	#Glow-plug for pre-heating of the diesel engines with:### # an operating temperature of more	<15000/red	
917/2006	8529906550	#Tuner transforming high-frequency signals into mid-frequency signals, for use in the manufac	≥15000/green	
277185/2011	8529909257	#Metal holder, metal fixing item or internal stiffener of metal, for use in the manufacture of te	≥15000/green	
1289887/2016	8536411020	#Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galva	≥15000/green	
1289909/2016	8536419050	#Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galva	<15000/red	
1289954/2016	8536490040	#Photoelectric (so called photovoltaic) relay consisting of two GaAlAs light-emitting diodes, two	≥15000/green	
277218/2011	8536699085	#Socket or plug, built into a plastic or metal housing, with no more than 96 pins, for use in the	≥15000/green	
277218/2011	8536699086	#High-Definition Multimedia Interface (HDMI) type socket or plug, built into a plastic or metal	≥15000/green	
297145/2011	8536700010	#Optical socket, plug or connector, for use in the manufacture of goods falling within headings	≥15000/green	
5559923/2016	8537109865	#Lever for control module under the steering wheel:### # with one or more single or multi-po	≥15000/green	
5524483/2016	8537109875	#Control unit for keyless access to vehicle and vehicle starting, with electrical switching appara	<15000/red	
5559994/2016	8538909960	#Front control panel, in the form of a plastic box, with light guides, rotary switches, pressure so	≥15000/green	
603/1/1987	8540208091	#Photomultiplier#	≥15000/green	
5451360/2016	8543709015	#Laminated electrochromic film consisting of:### # two outer layers of polyester, # a middle I	≥15000/green	
1290007/2016	8543709033	#High-frequency amplifier comprising one or more integrated circuits and one or more discrete	≥15000/green	
1289982/2016	8543709034	#Gallium nitride (GaN) high-frequency amplifier consisting of one or more discrete transistors,	<15000/red	
1233197/2015	8544200030	#Antenna connecting cable for the transmission of radio (AM/FM) signal and whether or not G	≥15000/green	
1268178/2016	8544300035	#Wire harness:### # with an operation voltage of 12V, # wrapped in tape or covered in plastic	<15000/red	
5524595/2016	8544429080	#12-wire connecting cable containing two connectors### # of a voltage of 5 V, # with a length		
631139/2010	8545909040	#Corrosion resistant, layered technical fibre substrate of a gas diffuser layer with:### # contro		
3117/10/2004	8548909048	#Optical unit, containing at least### # a laser diode and a photodiode operating at a typical w.		
5524180/2016	8708101010, 87081090	10 #Plastic cover for filling the space between the fog lights and the bumper whether or not with	≥15000/green	
634869/2010		10 #Drum type parking brake:### # operating within the service brake disk, # with a diameter of	<15000/red	
1272648/2016		30 #Gear box assembly with one or two inputs and at least three outputs in cast aluminium housi		
1272733/2016		30 #Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dime		
5524137/2016	8708809910	#Stabilizer bar for front axle equipped with a ball pivot on both ends for use in the manufactur		
1268272/2016		10 #Mechanically operated clutch for use with an elastomeric belt in a dry environment in a CVT (<15000/red	
1268238/2016		30 #Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environmer	<15000/red	
1268308/2016		60 #Six-layer composite fuel tank assembly comprising of:#### a fuel inlet, # a pump flange asse		
5524287/2016		35 #Holder of front radiator or intercooler whether or not with rubber cushioning for use in the r		
5524655/2016		25 #Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for c		
1264754/2016	8714109050	#Suspension damper tubes### # of 7050-t73 aluminium alloy, # anodised on the inner surface		
1013674/2011	9001109030	#Polymer optical fibre with:#### a poly(methyl methacrylate) core, # a cladding of fluorinate		BE, DE, FR, NL
1349100/2016		18 #Fibre optic plates:### # uncoated and unpainted, # of a length of 30mm or more, but not mo		DE, DE, FR, INC
824923/2014	9001508030	#Round organic uncut, semi-finished eyeglass lens with corrective effect, finished on one side,	≥15000/red ≥15000/green	
1452940/2016	9002110025	#Infrared optical unit composed of ### # a monocrystalline silicon lens with a diameter of 84 n		
1453621/2016	9002110025	#Infrared optical unit composed of ### # a fillorior systamine silicon lens with a diameter of 29 mm (± 0,05 mm) a		
1453077/2016	9002110033	#Infrared optical unit #### # with lenses of silicon, germanium or chalcogenide glass of a diame		
1453232/2016	9002110045	#Infrared optical unit #### With lenses of silicon, germanium of chalcogenide glass of a diameter #Infrared optical unit composed of #### a germanium lens with a diameter of 11 mm (± 0,05 r	<15000/green <15000/red	
1453419/2016	9002110055	#Infrared optical unit composed of ### # a germanium lens with a diameter of 11 mm (± 0,05 r #Infrared optical unit### # with a silicon lens with a diameter of 26 mm (± 0,1 mm), # mounte		
	9002110065			
1453564/2016		#Infrared optical unit composed of ### # a germanium lens with a diameter of 19 mm (± 0,05 r		
1264795/2016	9032890050	#Gas panel for regulating and controlling of the gas flow rate, working with plasma technology	≥13000/green	

Disclaimer

This report was created using Surveillance data. However, Surveillance data are created on the basis of declarations that may be modified, corrected or deleted. Therefore, we cannot guarantee that information provided is free of errors or that it will not be amended. The European Commission accepts no responsibility with regard to such problems incurred as a result of using these data.