

**Başvurulara İlişkin Detaylı Bilgi ve Form Adresi:**

<https://www.ticaret.gov.tr/ithalat/askiya-alma-ve-tarife-kontenjani/askiya-alma-sistemi>

<b>İlgili Kişilerin İletişim Bilgileri</b>			
<b>Kimyasallar, Maden-Metal ve Tekstil Hammaddeleri:</b>			
<b>Ad-Soyad</b>	<b>Unvan</b>	<b>Telefon</b>	<b>Mail</b>
Bekir Sıddık KIZMAZ	Uzman	0312 204 99 12	kizmazb@ticaret.gov.tr
Furkan Eren KAHVECİ	Uzman	0312 204 95 77	kahvecif@ticaret.gov.tr
Mehmet BARAN	Uzman Yrd.	0312 204 95 81	m.baran2@ticaret.gov.tr
Ali YANAR	Uzman Yrd.	0312 204 99 74	a.yanar3@ticaret.gov.tr
<b>Elektrik-Elektronik, Otomotiv ve Makine Ara Malları:</b>			
<b>Ad-Soyad</b>	<b>Unvan</b>	<b>Telefon</b>	<b>Mail</b>
Sude GÜRCAN	Uzman	0312 204 94 92	gurcans@ticaret.gov.tr
Tuba KÖSE SANDALCI	Uzman	0312 204 99 30	sandalcit@ticaret.gov.tr
Fatma Hilal YÜNEY	Uzman Yardımcısı	0312 204 92 96	yuneyf@ticaret.gov.tr
Ceren Koç PEKTEZEL	Uzman Yardımcısı	0312 204 96 68	c.kocpektez@ticaret.gov.tr
Bilgenur ÜÇGÜL	Uzman Yardımcısı	0312 204 99 66	b.ucgul@ticaret.gov.tr

Reference mail	TARIC code(s)	Product description	Status	Comments + indication of the proficient user for some UK suspensions.
1285/1/2003	0710809550	#Bamboo shoots, frozen, not put up for retail sale#	≥15000/green	
1617/5/1989	0712390031, 0712320010	#Mushrooms, excluding mushrooms of the Genus Agaricus, dried, whole or	≥15000/green	
1619/4/1989	0804100030	#Dates, fresh or dried, for use in the manufacture (excluding packing) of pro	≥15000/green	Higher duty free imports from Israel and Jordan + high imports from Tunisia.
1984/1/2001	0811909520	#Boysenberries, frozen, not containing added sugar, not put up for retail sale	≥15000/green	
1998/1/2001	0811909530	#Pineapple ( Ananas comosus ), in pieces, frozen#	≥15000/green	High duty free imports from Costa Rica and Vietnam.
1617/7/1989	0811909540	#Rose-hips, uncooked or cooked by steaming or boiling in water, frozen, not	≥15000/green	Higher duty free imports from Ukraine, Chile, Serbia.
1.01.1999	1513211020, 1513293020	#Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of### #	≥15000/green	
1959/1/2002	1515609910	#Microbial oil, refined or semi-refined, containing by weight 35 % or more b	≥15000/green	
1959/1/2002	151590992	#Vegetable oil, refined or semi-refined, containing by weight 35 % or more b	≥15000/green	
4960995/2018	1516210000	#Hydrogenated castor oil, so called 'opal-wax'#	≥15000/green	
231801/2009	1516209620	#Jojoba oil, hydrogenated and interesterified, without any further chemical	<15000/red	
1998/3/2001	1902301040	#Glass noodles containing 60 % or more by weight of mung bean starch in in	≥15000/green	
1276/2/2000	2005910010	#Bamboo shoots, prepared or preserved, in immediate packings of a net con	≥15000/green	
1113066/2012	2007995083, 2007995093	#Mango puree concentrate, obtained by cooking:### # of the Genus Mangif	≥15000/green	Higher duty free imports from MX, PE, CO, EG, under preference 300
1112993/2012	2007995084, 2007995094	#Papaya puree concentrate, obtained by cooking:### # of the Genus Carica	≥15000/green	
1112921/2012	2007995085, 2007995095	#Guava puree concentrate, obtained by cooking:### # of the Genus Psidium	≥15000/green	
635208/2010	2008994894	#Mango puree:### # not from concentrate, # of the genus Mangifera, # 0	≥15000/green	Higher duty free imports under preference 300 from MX, CO, EG and other FTA countries.
1769249/2019	2008999935	#Frozen pulp from acai berries:### # hydrated and pasteurised, # separated	≥15000/green	
1194/2009	2009493091	#Pineapple juice, other than in powder form:### # with a Brix value of more	≥15000/green	
1142/2009	2009813110	#Cranberry juice concentrate:### # of a Brix value of 40 or more but not mo	≥15000/green	
837921/2014	2009897313, 2009897311	#Passion fruit juice and passion fruit juice concentrate, whether or not froze	≥15000/green	Higher possibility to import from PE, EC, VN.
974/06	2009897920	#Frozen boysenberry juice concentrate with a Brix value of 61 or more, but n	<15000/red	
448996/2013	2009897930	#Frozen acerola juice concentrate :### # with a Brix value of more than 48	≥15000/green	
837964/2014	2009899729, 2009899721	#Passion fruit juice and passion fruit juice concentrate, whether or not froze	≥15000/green	Higher Duty free imports from Peru, Ecuador and Vietnam
3070339/2013, 30	2106102020	#Soya protein concentrate having a protein content by weight, calculated on	≥15000/green	
1959/3/2002	2106102030	#Preparation on the base of soya protein isolate, containing by weight 6,6 %	<15000/red	
3090446/2013	2106909845, 1901909939	#Preparation in powder form containing by weight:### # 15 % or more but i	UK susp_ deletion or EU27 producer	Higher duty free imports under preference 300 from GB and CH
816194/2014	2707500020, 2707998010	#Mixture of xylenol-isomers and ethyl phenol-isomers, with a total xylenol c	<15000/red	
3082494/2013	2707999910	#Heavy and medium oils, whose aromatic content exceeds their non-aromat	≥15000/green	
3015845/2014, 30	2710199920	#Catalytic de-waxed base oil, synthesised from gaseous hydrocarbons, follow	≥15000/green	
1254190/2015/v2	2710199950, 2710198130	#Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highh	≥15000/green	
1254190/2015, 30	2710199960, 2710198140	#Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highh	≥15000/green	
1287/2008	2804509040	#Tellurium (CAS RN 13494-80-9) of a purity by weight of 99,99 % or more, bu	≥15000/green	
313390/2013, 343	2804709000	#Phosphorus, other than red phosphorus#	≥15000/green	
495/1/1985	2805301010	Alloy of cerium and other rare-earth metals, containing by weight 47 % or m	≥15000/green	
1810914/2019	2809200010	#Aqueous solution of phosphoric acid (CAS RN 7664-38-2), containing by we	≥15000/green	Higher duty free imports under preference 300 from MA, IL, XS, CH
579/1/1999	2811220010	#Silicon dioxide (CAS RN 7631-86-9) in the form of powder, for use in the ma	<15000/red	
3863286/2015	2811220015	#Amorphous silicon dioxide (CAS RN 60676-86-0)### # in the form of powd	<15000/red	
1710/1/1997	2812900010	Nitrogen trifluoride (CAS RN 7783-54-2)	≥15000/green	
4705865/2018	2818101110	#Sol-Gel corundum (CAS RN 1302-74-5) with an aluminium oxide content of	≥15000/green	
1158/2009	2818200010	#Activated alumina with a specific surface area of at least 350 m 2 /g#	≥15000/green	
1242588/2016, 12	2818300030	#Aluminium hydroxide oxide in the form of boehmite or pseudoboehmite (C	≥15000/green	
1134/2/1995	2825500020	#Copper (I or II) oxide containing by weight 78 % or more of copper and nit	≥15000/green	
1255/2/1992	2827398510	#Copper monochloride (CAS RN 7758-89-6) of a purity by weight of 96 % or i	≥15000/green	
3058689/2013	2827398540	#Barium chloride dihydrate (CAS RN 10326-27-9)#	≥15000/green	
1220/2008	2827499010	#Hydrated zirconium dichloride oxide (CAS RN 7699-43-6)#	UK susp_ deletion or EU27 producer	Imports in DE and NL
2989034/2014	2827600010	#Sodium iodide (CAS RN 7681-82-5)#	≥15000/green	
4727358/2018	2828100010	#Calcium hypochlorite (CAS RN 7778-54-3) having an active chlorine content	≥15000/green	
1729/1/2001	2830100010	#Disodium tetrasulphide (CAS RN 12034-39-8), containing by weight 38 % o	<15000/red	
760/05	2833298020	#Manganese sulphate monohydrate (CAS RN 10034-96-5)#	≥15000/green	
3058712/2013	2835100020	#Sodium hypophosphite (CAS RN 7681-53-0)#	≥15000/green	
1181595/2018	2835100030	#Aluminium Phosphinite (CAS RN 7784-22-7)#	≥15000/green	
449/1/1977	2836910020	#Lithium carbonate, containing one or more of the following impurities at th	≥15000/green	
1887/1/2002	2836919730	#Zirconium (IV) basic carbonate (CAS RN 57219-64-4 or 37356-18-6) with a p	≥15000/green	
1628/1/1999	2837190020	Copper cyanide (CAS RN 544-92-3)	≥15000/green	
1704/2/2002	2839900020	#Calcium silicate (CAS RN 1344-95-2)#	≥15000/green	
3058664/2013	2841700010	#Diammonium tetraoxomolybdate(2-) (CAS RN 13106-76-8) #	<15000/red	
2996043/2014	2841700030	#Hexaammonium heptamolybdate, anhydrous (CAS RN 12027-67-7) or as tet	≥15000/green	
341709/2013	2841908520	#Potassium titanium oxide (CAS RN 12056-51-8) in powder form with a puri	≥15000/green	
1211/2008	2842100010	#Synthetic beta zeolite powder#	UK susp_ deletion or EU27 producer	Imports in NL, PL, DE, DK, IT. Some of the imports were from Japan (JP), before you ask to take over the applicant role please consider this information and ask the applicant company if they can supply sufficiently from JP.
1111/2009	2842100020	#Synthetic chabasite zeolite powder#	UK susp_ deletion or EU27 producer	Possibility to import duty free from JP. Before you ask to take over the applicant role please consider this information and ask the applicant company if they can supply sufficiently from JP.
1165/2009	2842901010	#Sodium selenate (CAS RN 13410-01-0)#	≥15000/green	
422/1/1972	2845100000	#Heavy water (deuterium oxide) [ Euratom ] (CAS RN 7789-20-0)#	≥15000/green	
422/1/1972/v2	2845901000	#Deuterium and compounds thereof; hydrogen and compounds thereof, enr	<15000/red	
3425/06	2845909020	#Water enriched at a level of 95 % or more by weight with oxygen-18 (CAS R	≥15000/green	
1680/1/1996	2846100010, 3824999653	#Rare-earth concentrate containing by weight 60 % or more but not more th	≥15000/green	
1744/1/2002	2846100020	#Dicerium tricarbonat (CAS RN 537-01-9), whether or not hydrated#	≥15000/green	
1744/2/2002	2846100030	Cerium lanthanum carbonate, whether or not hydrated	≥15000/green	
1887/3/1995	2846909000, 2846904000	#Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scar	≥15000/green	
1710/2/1997	2850002010	Silane (CAS RN 7803-62-5)	≥15000/green	
1449139/2018	2850002070	#Cubic Boron nitride (CAS RN 10043-11-5)#	≥15000/green	
1997/1/2001	2850002080	#Arsine (CAS RN 7784-42-1) with a purity by volume of 99,999 % or more#	≥15000/green	
1175/2008	2850006010	#Sodium azide (CAS RN 26628-22-8)#	≥15000/green	
1241/2/2000	2853909020	Phosphine (CAS RN 7803-51-2)	≥15000/green	
3028643/2014, 45	2903440010	#Pentafluoroethane (CAS RN 354-33-6)#	≥15000/green	
3118/04_775926/	2903450030	#1,1,1,2-Tetrafluoroethane (CAS RN 811-97-2) conforming to the following s	<15000/red	
1913/1/2003	2903470020	#1,1,1,3,3-Pentafluoropropane (HFC 245fa) (CAS RN 460-73-1)#	≥15000/green	
698/4/1979	2903493010	#Carbon tetrafluoride (tetrafluoromethane) (CAS RN 75-73-0)#	≥15000/green	
1710/3/1997	2903493020	Perfluoroethane (CAS RN 76-16-4)	≥15000/green	
3007585/2013	2903493030	#1H - Perfluoroethane (CAS RN 355-37-3)#	<15000/red	
1314/2008	2903510020	# Trans -1,3,3,3-tetrafluoroprop-1-ene ( Trans -1,3,3,3-tetrafluoropropene) (	≥15000/green	
3007572/2013	2903590020	#(Perfluorobutyl) ethylene (CAS RN 19430-93-4)#	<15000/red	
5996311/2019	2903720010	#Dichloro-1,1,1-trifluoroethane (CAS RN 306-83-2) with a purity by weight of	≥15000/green	
3119/1/04	2903776010	#1,1,1-Trichlorotrifluoroethane (CAS RN 354-58-5) #	<15000/red	
1498079/2018	2903780010	#Octafluoro-1,4-diodobutane (CAS RN 375-50-8)#	<15000/red	
1752131/2019	2903780020	#Trifluoriodomethane (CAS RN 2314-97-8)#	<15000/red	
3007923/2014	2903793010	#Trans-1-chloro-3,3,3-trifluoropropene (CAS RN 102687-65-0)#	≥15000/green	
5640355/2019	2903793030	#1-Bromo-5-chlorogentane (CAS RN 54512-75-3) with a purity by weight of	<15000/red	
1704/1/1999	2903988020	1,2-Bis(pentabromophenyl)ethane (CAS RN 84852-53-9)	≥15000/green	
279/2/1996	2903988040	#2,6-Dichlorotoluene (CAS RN 118-69-4), of a purity by weight of 99 % or mo	≥15000/green	
1289/2008	2903988050	#Fluorobenzene (CAS RN 462-06-6)#	≥15000/green	
54221/2014	2903988075	#3-Chloro-alpha,alpha,alpha-trifluorotoluene (CAS RN 98-15-7)#	<15000/red	
311432/2013	2903998080	#1-Bromo-3,4,5-trifluorobenzene (CAS RN 138526-69-9)#	≥15000/green	















169561/2010	3812399040	#Mixture of### # 80 (± 10 %) by weight of 2-ethylhexyl 10-ethyl-4,4-dime	UK susp., deletion or EU27 producer	Imports in DE, HU, IT
1893/2/2003	3814009020	#Mixture containing by weight:### # 69 % or more but not more than 71 %	≥15000/green	Higher duty free imports from South Africa, under preference 300
4.05.3114	3814009040	#Azeotropic mixtures containing isomers of nonafluorobutyl methyl ether an	≥15000/green	
1023/1/1980	3815120010	#Catalyst, in the form of granules or rings of a diameter of 3 mm or more bu	≥15000/green	
4592717/2018	3815120020	#Spherical catalyst consisting of a support of aluminium oxide coated with pl	<15000/red	
4623658/2018	3815120030	#Catalyst### # containing 0,3 gram per litre or more, but not more than 7 g	<15000/red	
728/5/1997	3815199015	#Catalyst, in the form of a powder, consisting of a mixture of metal oxides fl	UK susp., deletion or EU27 producer	
542/3/1990	3815199020	#Catalyst,### # in the form of solid spheres, # of a diameter of 4 mm or mo	<15000/red	
443748/2013	3815199025	#Catalyst in the form of spheres of a diameter of 4,2 mm or more but not m	<15000/red	
1161/1/1989	3815199030	#Catalyst containing titanium tetrachloride supported on magnesium dichlor	≥15000/green	
1431371/2018	3815199035	#Catalyst consisting of tungstosilicic acid hydrate (CAS RN 12027-43-9) impre	<15000/red	
730/8/1997	3815199065	#Catalyst consisting of phosphoric acid chemically bonded to a support of sil	UK susp., deletion or EU27 producer	
280/4/1996	3815199070	#Catalyst consisting of organo-metallic compounds of aluminium and zircon	≥15000/green	
1792/1/1997	3815199075	#Catalyst consisting of organo-metallic compounds of aluminium and chrom	≥15000/green	
1792/3/1997	3815199080	#Catalyst consisting of organo-metallic compounds of magnesium and titani	≥15000/green	
1792/2/1997	3815199085	#Catalyst consisting of organo-metallic compounds of aluminium, magnesiur	≥15000/green	
751/05	3815199086	#Catalyst containing titanium tetrachloride supported on magnesium dichlor	≥15000/green	
1460609/2018	3815909025	#Catalyst consisting by weight of:### # 30 % or more but not more than 33	<15000/red	
1460735/2018	3815909035	#Catalyst containing by weight:### # 25 % or more but not more than 27,5	UK susp., deletion or EU27 producer	Imports in BE
450780/2013	3815909040	#Catalyst:### # containing molybdenum oxide and other metal oxides in a s	<15000/red	
1060/9/1982	3815909050	#Catalyst containing titanium trichloride, in the form of a suspension in hexa	≥15000/green	
1505/10/1998	3815909081	#Catalyst, containing by weight 69 % or more but not more than 79 % of (2-H	<15000/red	
1310/1/2003	3815909086	#Catalyst, in the form of rodlets, consisting of an aluminosilicate (zeolite), co	<15000/red	
4.06.3114	3815909088	#Catalyst, consisting of titanium tetrachloride and magnesium chloride, cont	≥15000/green	
1199/2008	3817005010	#Mixture of alkylbenzenes (C14-26) containing by weight:### # 35 % or mor	≥15000/green	
893/9/2004	3817008010	#Mixture of alkylphthalenes, containing by weight:### # 88 % or more but	≥15000/green	
1261/2008, 1277/	3817008020	#Mixture of branched alkyl benzenes mainly containing dodecyl benzenes#	≥15000/green	
909/05	3819000020	#Fire resistant hydraulic fluid based on phosphate ester#	≥15000/green	Higher duty free imports from GB, under preference 300
6069931/2019/2	3823191020	#12-Hydroxyoctadecanoic acid (CAS RN 106-14-9) for use in the manufacture	<15000/red	
343037/2013	3823193030, 3823193020	#Palm fatty acid distillate, whether or not hydrogenated, with free fatty acid	≥15000/green	
343026/2013	3823199030, 3823199020	#Palm acid oils from refining for use in the manufacture of:### # industrial	≥15000/green	
475/1/1988	3824915110	#Acid aluminosilicate (artificial zeolite of the Y type) in the sodium form, con	<15000/red	
4842779/2018	382499231	#Liquid crystal mixtures for use in the manufacture of LCD (liquid crystal disp	<15000/red	
230452/2009	382499232	#Mixture of divinylbenzene-isomers and ethylvinylbenzene-isomers, contain	≥15000/green	
596/12/1987	382499233, 3824999340	#Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulph	≥15000/green	
906/06/v2	382499235	#Preparations containing not less than 92 % or more but not more than 96,5	<15000/red	
1296/2008	382499237	#Mixture of acetates of 3-butene-1,2-diol with a content by weight of 65 %	≥15000/green	
906/06	382499239	#Preparation containing not less than 47 % by weight of 1,3,2,4-bis-O-benzyl	<15000/red	
3014113/2013	382499242	#Preparation of tetrahydro-α-(1-naphthylmethyl)furan-2-propionic acid (CA	<15000/red	
1605793/2019	382499243	#Preparation containing by weight:### # 65 % or more, but not more than 9	≥15000/green	
446/4/1995	382499245	#Preparation consisting predominantly of γ-butyrolactone and quaternary	<15000/red	
1553/5/1995	382499251	#Mixture containing by weight 40 % or more but not more than 50 % of 2-hy	≥15000/green	
288/1/1996	382499253	#Preparations consisting predominantly of ethylene glycol and:### # either	<15000/red	
1228/2008	382499256	#Poly(tetramethylene glycol) bis[(2-benzoyl-phenoxy)acetate] with an avera	UK susp., deletion or EU27 producer	Imports in NL
1222/2008	382499257	#Poly(ethylene glycol) bis[ p - dimethylaminobenzoate with an average poly	UK susp., deletion or EU27 producer	Imports in NL
443/12/1977	382499259	#Potassium tert-butanolate (CAS RN 865-47-4) in the form of a solution in te	<15000/red	
5647/177/2019	382499262	#Solution of 9-borabicyclo[3.3.1]nonane (CAS RN 280-64-8) in tetrahydrofura	≥15000/green	
1512/1/1998, 230	382499265	#Mixture of primary tert -alkylamines#	≥15000/green	
1200/2008	382499270	#Mixture of 80 % (± 10 %) of 1-(2-(2-aminobutoxy)ethoxy)but-2-ylamine and	≥15000/green	
3093564/2013	382499272	#N-(2-Phenylethyl)-1,3-benzenedimethanamine derivatives (CAS RN 404362)	<15000/red	
3041921/2013	382499276	#Preparation containing:### # 74 % or more but not more than 90 % by wei	≥15000/green	
3081618/2014	382499282	#1-butylchloride diethylsilane (CAS RN 18162-48-6) solution in toluene#	≥15000/green	
4503840/2017, De	382499283	#T-(Cedr-8-en-9-yl)ethanone (CAS RN 32388-55-9) with a purity by weight of	<15000/red	This suspensions was accepted in Round 2023-07 (WN 0500N). FR asked to check the imports.
435/7/1992	382499284	#Preparation consisting by weight of 83 % or more of 3a,4,7,7a-tetrahydro-4	≥15000/green	
36234/2013	382499330	#Powder Mixture containing by weight:### # 85 % or more of zinc diacrylat	<15000/red	
249003/2009	382499335	#Paraffin with a level of chlorination of 70 % or more (CAS RN 63449-39-8) #	UK susp., deletion or EU27 producer	Imports in PL, NL, BE
1292/2008	382499342	#Mixture of bis(4-(3-(3-phenoxy)carbonylamino)tolyl)ureido)phenylsulphone,	≥15000/green	
2110880/2019	382499348	#Nonhalogenated flame retardant containing by weight:### # 50 % or more	≥15000/green	
3155/3/2000/v2	382499353	#Zinc dimethacrylate (CAS RN 13189-00-9), containing not more than 2,5 %	<15000/red	
1427706/2018	382499360	#Mixture of phytosterols containing by weight:### # 35 % or more but not	<15000/red	
128699/2018	382499365	#Reaction mass of 1,1'-(isopropylidene)bis[3,5-dibromo-4-(2,3-dibromo-2-m	≥15000/green	
1220/6/2003, 234	382499370	#Oligomeric reaction product, consisting of bis(4-hydroxyphenyl) sulfone an	≥15000/green	
1927/6/2003	382499375	#Mixture of phytosterols, in the form of flakes and balls, containing by wei	<15000/red	
579/2/1999	382499385, 3824999657	#Particles of silicon dioxide on which are covalently bonded organic compou	<15000/red	
4537658/2017	382499630	#Rare-earth concentrate containing by weight:### # 20 % or more but not n	<15000/red	
497/9/1974	382499635	#Calcined bauxite (refractory grade)#	UK susp., deletion or EU27 producer	Imports in ES, SI, PL
1259/2008	382499637	#Structured silica alumina phosphate#	UK susp., deletion or EU27 producer	Possibility to import duty free from GB, under preference 300
1131/5/1984	382499647	#Mixed metals oxides, in the form of powder, containing by weight:### # eit	<15000/red	
3058734/2013	382499655	#Carrier in powder form, consisting of:### # ferrite (iron oxide) (CAS RN 13	≥15000/green	
1505/13/1998	382499665	#Aluminium sodium silicate, in the form of spheres of a diameter of:### # eit	≥15000/green	
1704/13/2002	382499673	#Reaction product, containing by weight:### # 1 % or more but not more tha	≥15000/green	
1449239/2018	382499683	#Cubic Boron nitride (CAS RN 10043-11-5) coated with nickel and/or nickel#	<15000/red	
343104/2013	3826001029, 3826001020	#Mixture of fatty acid methyl esters containing by weight at least:### # 65	≥15000/green	
343116/2013	3826001059, 3826001050	#Mixture of fatty acid methyl esters containing by weight at least:### # 50	≥15000/green	
1752147/2019	3827680005	#Mixture of halogenated derivatives containing by weight:### # 30 % or mo	<15000/red	
3045217/2013	3901101020, 3901400010	#High flow linear low density polyethylene-1-butene /LLDPE (CAS RN 25087	≥15000/green	
2002292/2022	3901400060, 3901101060	#Copolymer of ethylene and 1-butene (CAS RN 25087-34-7) with: ### # a de	≥15000/green	
403/3/1982	3901908091	#Monomer resin consisting of a salt of a copolymer of ethylene with methacr	≥15000/green	
799/05	3901908092	#Chlorosulphonated polyethylene#	≥15000/green	
498/8/1995	3901908093	#Copolymer of ethylene, vinyl acetate and carbon monoxide, for use as a pla	≥15000/green	
279/5/1996	3901908094	#Mixtures of A-B block copolymer of polystyrene and ethylene-butylene cop	≥15000/green	
1314/2/2003	3901908097	#Chlorinated polyethylene, in the form of powder#	≥15000/green	
730/10/1997	3902100020	#Polypropylene, containing no plasticiser:### # of a melting point of more th	UK susp., deletion or EU27 producer	Higher duty free imports from GB, Israel and Korea
1119/2009	3902100040	#Polypropylene, containing no plasticiser:### # of a tensile strength: of 32-	≥15000/green	
1222/8/2003	3902200010	Polyisobutylene, of a number average molecular weight (M n ) of 700 or mo	<15000/red	
460/4/1999	3902200020	#Hydrogenated polyisobutene, in liquid form#	≥15000/green	
1249/7/1992	3902300091	A, B Block copolymer of polystyrene and an ethylene propylene copolymer, c	<15000/red	
1221/2008	3902909052	#Amorphous poly-alpha-olefin copolymer blend of poly(propylene-co-1-but	<15000/red	
1322/2008	3902909055	#Thermoplastic elastomer, with an A-B A block copolymer structure of polys	<15000/red	
256588/2009	3902909060	#Non-hydrogenated 100 % aliphatic resin (polymer), with the following char	≥15000/green	
826983/2014	3902909075, 3911909928	#Polycarboxylate sodium salt of 2,5-furandione and 2,4,4-trimethylpentene 1	<15000/red	
742/4/1993	3902909092	#Polymers of 4-methylpent-1-ene#	<15000/red	
723/05, 724/05, D	3902909094	#Chlorinated polyolefins, whether or not in a solution or dispersion#	≥15000/green	
331267/2011	3903909015	#Copolymer in the form of granules containing by weight:### # 78 (± 4 %) o	<15000/red	
5850695/2019	3903909033	#Copolymer of styrene, divinylbenzene and chloromethylstyrene (CAS RN 55	<15000/red	
3068310/2014	3903909045	#Preparation, in form of powder, containing by weight:### # 86 % or more	<15000/red	
774/05	3903909080	#Granules of copolymer of styrene and divinylbenzene of a minimum diamet	<15000/red	
1201/2008	3903909086	#Mixture containing by weight:### # 45 % or more but not more than 65 % of	<15000/red	
1/1/1987	3904400091, 3904300030	#Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containi	<15000/red	
1687/8/1996	3904610020	#Copolymer of tetrafluoroethylene and trifluoroheptafluoropropoxy)ethylene	≥15000/green	
4958337/2018	3904698020	#Copolymer of tetrafluoroethylene, heptafluoro-1-pentene and ethene (CAS	≥15000/green	
4908926/2018	3904698030	#Copolymer of tetrafluoroethylene, hexafluoropropene and ethene#	≥15000/green	
1448/1/1995	3904698094	#Copolymer of ethylene and tetrafluoroethylene#	≥15000/green	
1687/10/1996	3904698096	#Polychlorotrifluoroethylene, in one of the forms mentioned in note 6 (a) an	≥15000/green	Higher imports from JP and GB, under preference 300
4.09.3114	3904698097	#Copolymer of chlorotrifluoroethylene and vinylidene difluoride#	<15000/red	
1450/4/1995	3905999095	#Hexadecylated or eicosylated polyvinylpyrrolidone#	≥15000/green	
1710/12/1997	3905999096	#Polymer of vinyl formal, in one of the forms mentioned in note 6 (b) to Cha	≥15000/green	
1728/7/2002	3905999097	#Povidone (INN)-iodine (CAS RN 25655-41-8)#	≥15000/green	
1728/6/2002	3905999098	#Poly(vinyl pyrrolidone) partially substituted by triacetyl groups, containi	≥15000/green	

1508/3/1998	3906906000	#Copolymer of methyl acrylate with ethylene and a monomer containing a n	≥15000/green	
1043/1/1975	3906909010	Polymerization product of acrylic acid with small quantities of a polyunsatur	≥15000/green	Higher imports from Switzerland, under preference 300
1202/2009	3906909041	#Poly(alkyl acrylate) with an ester alkyl chain of C10 to C30#	<15000/red	
1683/3/1998	3906909050	#Polymers of esters of acrylic acid with one or more of the following monom	≥15000/green	
1520854/2018	3906909060	#Aqueous dispersion containing by weight:### # more than 10 % but not m	≥15000/green	
827059/2014	3906909073	#Preparation containing by weight:### # 33 % or more but not more than 37	≥15000/green	
3893290/2015	3907100020	#Polyoxymethylene with acetyl endcaps, containing polydimethylsiloxane an	≥15000/green	Higher imports from KR and IL, under preference 300
1263/3/1992	3907291110	#Poly(ethylene oxide) of a number average molecular weight (M n ) of 100 0	≥15000/green	
1120/2008	3907291120	#Bis[Methoxy poly(ethylene glycol)]-maleimidopropionamide, chemically mod	≥15000/green	
1349038/2016	3907292025	#Copolymer of propylene oxide and butylene oxide, monododecylether, con	<15000/red	
444/7/1995	3907292030	#Mixture, containing by weight 70 % or more but not more than 80 % of a p	<15000/red	
1457919/2018	3907292035	#Mixture containing by weight:### # 5 % or more but not more than 15 % o	UK susp._deletion or EU27 producer	Imports in ES
824715/2014	3907292050	#Poly( p -phenylene oxide) in the form of powder with:### # a glass-transiti	≥15000/green	
601/1/1987	3907299915	Poly(oxypropylene) having alkoxysilyl end-groups	<15000/red	
1586049/2018	3907299920	#2,3-Bis(methylpolyoxyethylene-oxy)-1-[(3-maleimido-1-oxopropyl)amino]p	≥15000/green	
984/1/1989	3907299930	Homopolymer of 1-chloro-2,3-epoxypropane (epichlorohydrin)	≥15000/green	
1425060/2018	3907299940	#N-(methoxy poly(ethylene glycol)-N-(1-acetyl- (2-methoxy poly(ethylene gl	<15000/red	
1913/9/2003	3907299945	#Copolymer of ethylene oxide and propylene oxide, having aminopropyl and	≥15000/green	
1279/2008	3907299950	#Vinyl-silyl terminated perfluoropolyether polymer or an assortment of two	≥15000/green	
1263/2008	3907299955	#Succinimidyl ester of methoxy poly(ethylene glycol)propionic acid, of a num	≥15000/green	
564/1/1998	3907300040	#Epoxy resin, containing by weight 70 % or more of silicon dioxide, for the	≥15000/green	
1794/2/1997	3907400035	#α-Phenoxycarbonyl-ω-phenoxypoly[oxy(2,6-dibromo-1,4-phenylene) isopro	≥15000/green	
1997/5/2001	3907400045	#α-(2,4,6-Tribromophenyl)-ω-(2,4,6-tribromophenoxy)poly[oxy(2,6-dibromo	≥15000/green	
824755/2014	3907400070	#Polycarbonate of phosgene and bisphenol A:### # containing by weight 12	<15000/red	
837879/2014	3907400080	#Polycarbonate of carbonic dichloride, 4,4'-(1-methylethylidene)bis[2,6-dibr	<15000/red	
1997/7/2001	3907590010	Copolymer of terephthalic acid and isophthalic acid with ethylene glycol, but	≥15000/green	
1704/14/2002	3907700000	Poly(lactic acid)	≥15000/green	
234441/2009, 448	3907919010	#Diallyl phthalate prepolymer, in powder form#	≥15000/green	
1247/4/1982	3907998010	#Poly(oxy-1,4-phenylene carbonyl) (CAS RN 26099-71-8), in the form of pow	<15000/red	
1425441/2018	3907998035	#Copolymer in form of a clear, pale yellow liquid, consisting of### # phthalic	<15000/red	
1270/1/1983	3908900010	Poly(iminomethylene-1,3-phenylenemethyleneiminoadipoyl), in one of the f	≥15000/green	
891/1/2004	3908900030	Reaction product of mixtures of octadecanecarboxylic acids polymerised wit	<15000/red	
5850985/2019	3909400070	#Polymer in the form of flakes composed of 98 % or more by weight of phen	<15000/red	
1133/2009	3909509010	#UV curable water soluble liquid photopolymer consisting of a mixture by w	<15000/red	
827010/2014	3909509020	#Preparation containing by weight:### # 14 % or more but not more than 18	≥15000/green	
826932/2014	3909509030	#Preparation containing by weight:### # 16 % or more but not more than 20	≥15000/green	
827026/2014	3909509040	#Preparation containing by weight:### # 34 % or more but not more than 36	≥15000/green	
456/2/1998	3910000020	#Block copolymer of poly(methyl-3,3,3-trifluoropropylsiloxane) and poly(m	≥15000/green	
248208/2009, 248	3910000060	#Polydimethylsiloxane, whether or not polyethylene glycol and trifluoroprop	<15000/red	
313252/2013	3910000070	#Passivating silicon coating in primary form, to protect edges and prevent sh	≥15000/green	
779792/2014	3910000080	#Monomethacryloxypropylterminated poly(dimethylsiloxane)#	<15000/red	
1204/2008	3911100081	#Non-hydrogenated hydrocarbon resin, obtained by polymerization of more	≥15000/green	
435/7/1992/v2	3911901920	#Set of two components, in a volume ratio of 1:1, intended to produce a the	<15000/red	
3103685/2014	3911901970	#Preparation, containing:### # Cyanic acid, C=C'-(1-methylethylidene)di-4,1-	<15000/red	
1305/5/1994	3911909925	#Copolymer of vinyltoluene and α-methylstyrene#	UK susp._deletion or EU27 producer	Imports in BE and DE
1450/9/1995	3911909940	#Mixed calcium and sodium salt of a copolymer of maleic acid and methyl vi	≥15000/green	
1489/11/1994	3911909943, 3903909035	#Copolymer of α-methylstyrene and styrene, having a softening point of m	≥15000/green	
1450/10/1995	3911909945	#Copolymer of maleic acid and methyl vinyl ether#	≥15000/green	
1728/4/2002	3911909965	Calcium zinc salt of a copolymer of maleic acid and methyl vinyl ether	≥15000/green	
461/6/1985	3912398510	Ethylcellulose, not plasticized	≥15000/green	
579/4/1999	3912398520	Ethylcellulose, in the form of an aqueous dispersion containing hexadecan-1	≥15000/green	
494/3/1985	3912398530	Cellulose, both hydroxyethylated and alkylated with alkyl chain-lengths of 3	≥15000/green	
882/05	3912901020	#Hydroxypropyl methylcellulose phthalate#	≥15000/green	
768/05	3913900030	#Protein, chemically or enzymatically modified by carboxylation and/or pth	<15000/red	
4.12.3114	3913900085	#Sterile sodium hyaluronate (CAS RN 9067-32-7)#	≥15000/green	
268/2/1992	3913900095	#Chondroitinsulphuric acid, sodium salt (CAS RN 9082-07-9)#	≥15000/green	
245654/2009	3916200091	#Profiles of poly(vinyl chloride) of a kind used in the manufacture of sheet p	≥15000/green	
384433/2013/v2	3916901010	#Rods with cellular structure, containing by weight:### # polyamide-6 or po	≥15000/green	
5679967/2021	3917320030	#Heat shrinkable tube:### # containing by weight 80 % or more polymer, #	<15000/red	
1159/2009	3917400091	#Plastic connectors containing O-rings, a retainer clip and a release system f	≥15000/green	
253220/2009, 253	3919108027, 3919908020	#Polyester film:### # coated on one side with an acrylic thermal release ad	≥15000/green	
461/5/1999	3919108035	#Reflecting film, consisting of a layer of poly(vinyl chloride), a layer of alkyl	≥15000/green	
254103/2009, 496	3919108050, 3920108925	#Adhesive film consisting of a base of a copolymer of ethylene and vinyl ac	<15000/red	
1272/2008	3919108073, 3919908050	#Self-adhesive reflecting sheet whether or not in segmented pieces:### # w	≥15000/green	
1205/2008	3919908019	#Transparent poly(ethylene terephthalate) self-adhesive film:### # free fro	≥15000/green	Higher imports duty free from GB, IL, under preference 300
1089/2007, Dossis	3919908022	#Polyester, polyethylene or polypropylene film coated on one or both sides	≥15000/green	Higher imports duty free from GB, JP, IL, under preference 300
1316/5/2003	3919908023	#Film consisting of 1 to 3 laminated layers of poly(ethylene terephthalate) a	≥15000/green	
254023/2009	3919908024	#Reflecting laminated sheet:### # consisting of an epoxy acrylate layer emb	≥15000/green	
253870/2009, 254	3919908028, 3919108085	#Poly(vinyl chloride), poly(ethyleneterephthalate), polyethylene or any othe	≥15000/green	Higher imports from GB and JP
170264/2010, 319	3919908030, 3919108057	#Reflecting sheet:### # of a polycarbonate or acrylic polymer film emboss	≥15000/green	
461/4/1999	3919908031, 3919108025	#Reflecting film, consisting of a layer of polyurethane, with, on one side, sec	≥15000/green	
1206/2008	3919908033	#Transparent poly(ethylene) self-adhesive film, free from impurities or fault	≥15000/green	
1164/2008	3919908035	#Reflecting layered sheet on rolls, with a width of more than 20 cm, showing	<15000/red	
1518372/2018	3919908037	#Polyethylene or polycarbonate film, cut into ready to use forms:### # one	<15000/red	
1155/2008	3919908049	#Reflecting laminated sheet consisting of a film of poly(methyl methacrylate)	≥15000/green	
1702/16/2002/v2	3919908051	#Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 μ	≥15000/green	
1282/2008	3919908054	#Poly(vinyl chloride) film, on one side covered with:### # a polymer layer #	≥15000/green	
1912/1/2003	3920102530	#Mono-layered High-Density Polyethylene film:### # containing by weight 5	UK susp._deletion or EU27 producer	Possibility to import duty free from GB, under preference 300
1215/2008	3920102891	#Poly(ethylene) film printed with a graphic design, which is achieved by usin	<15000/red	
967272/2011	3920202140	#Sheets of biaxially - oriented polypropylene film:### # with the thickness o	≥15000/green	
1154/2008	3920202960	#Mono-axial oriented film, of a total thickness of not more than 75μm, consi	<15000/red	
1176/2009, 461/7	3920202970	#Mono-axial oriented film, consisting of three layers, each layer consisting o	≥15000/green	
442/1/1989	3920431092	#Sheeting of poly(vinyl chloride), stabilized against ultraviolet rays, without	≥15000/green	
1691/1/2001	3920431094, 3920491093	#Film of a specular gloss of 70 or more, measured at an angle of 60 ° using a	<15000/red	
1729/8/2001	3920431095	#Reflecting laminated sheet, consisting of a film of poly(vinyl chloride) and a f	≥15000/green	
313302/2013	3920491030	#Film of a (poly(vinyl)chloride-copolymer)### # containing by weight 45 % or	≥15000/green	
1506/1/1998	3920510020	#Plate of poly(methyl methacrylate) containing aluminium trihydroxide, of a	≥15000/green	
1702/16/2002	3920510030	#Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 μ	≥15000/green	
1176/2008	3920510040	#Sheets of polymethylmethacrylate conforming to standard EN 4366 (MIL-PI	≥15000/green	
137/1/1974	3920621908	#Poly(ethylene terephthalate) film, not coated with an adhesive, of a thickn	≥15000/green	
445/20/1995	3920621912	#Film of poly(ethylene terephthalate) only, of a total thickness of not more t	UK susp._deletion or EU27 producer	Imports in IT
445/21/1995	3920621918	#Laminated film of poly(ethylene terephthalate) only, of a total thickness of	<15000/red	
137/1/1974/v2	3920621920	#Reflecting polyester sheeting embossed in a pyramidal pattern, for the manu	<15000/red	
460/5/1999	3920621938	#Poly(ethylene terephthalate) film, of a thickness of not more than 12 μm, c	≥15000/green	
730/11/1997	3920621952	#Film of polyethylene terephthalate, polyethylene naphthalate or similar po	≥15000/green	
1843/6/1996	3920690020	Film of poly(ethylene naphthalene-2,6-dicarboxylate)	≥15000/green	
5935280/2019	3920690030	#Mono- or multilayer, transverse oriented, shrink film:### # composed of m	≥15000/green	
2996120/2014	3920690050	#Monolayer, biaxially oriented film:### # composed of more than 85 % by w	<15000/red	
2996137/2014	3920690060	#Monolayer, transverse oriented, shrink film:### # composed of more than	<15000/red	
5937711/2019	3920690070	#Mono- or multilayer, biaxially oriented film:### # composed of more than 1	≥15000/green	
3103834/2014	3920791010	#Sheets of painted vulcanised fibre-board with a thickness of not more than	<15000/red	
255001/2009	3920910052	#Poly(vinyl butyral) film:### # containing by weight 26 % or more but not m	≥15000/green	
1279/5/1983	3920910091	Poly(vinyl butyral) film having a graduated coloured band	≥15000/green	
2492/1/1997, 311	3920910093	#Film of poly(ethylene terephthalate), whether or not metallised on one or i	≥15000/green	
1323/2008	3920910095	#Co-extruded trilayer poly(vinyl butyral) film with a graduated colour band c	≥15000/green	
770/05	3920992840	#Polymer film containing the following monomers:### # poly (tetramethyle	≥15000/green	
343071/2013	3920992845	#Transparent polyurethane film metallised on one side:### # with a gloss of	<15000/red	
3155531/2014	3920992865	#Matt, thermoplastic polyurethane foil in rolls with:### # a width of 1640 m	≥15000/green	
484/4/1983	3920995925	Poly(1-chlorotrifluoroethylene) film	UK susp._deletion or EU27 producer	Imports in BE and DE
4753771/2018	3920995930	#Poly(tetrafluoroethylene) film containing by weight 10 % or more of graphi	<15000/red	
1512/4/1998	3920995955	#Ion-exchange membranes of fluorinated plastic material#	UK susp._deletion or EU27 producer	

1728/13/2002	392095965	#Film of a vinyl alcohol copolymer, soluble in cold water, of a thickness of 34	≥15000/green	
1458625/2018	392095975	#Film of fluorinated ethylene propylene resin (CAS RN 25067-11-2) with:###	<15000/red	
889/06	392099920	#Anisotropic conductive film, in rolls, of a width of 1,2 mm or more but not r	<15000/red	
891/6/2004	3921131010	#Sheet of polyurethane foam, of a thickness of 3 mm (± 15 %) and of a speci	<15000/red	
384433/2013	3921190030	#Blocks with cellular structure, containing by weight:### # polyamide-6 or p	≥15000/green	Higher possibility to import duty free from GB, under preference 300
3193/2/2000	3921190093	#Strip of microporous polytetrafluoroethylene on a support of a non-woven,	<15000/red	
1706/1/2002	3921190095	Film of polyethersulfone, of a thickness of not more than 200 µm	≥15000/green	
434/8/1992	3921910110	Composite plate of poly(ethylene terephthalate) or poly(butylene tereph	≥15000/green	
1121/2008	3921910120	#Poly(ethylene terephthalate) film, laminated on one side or on both sides	<15000/red	
3070446/2013	3921910130	#Multilayer film consisting of:### # a poly(ethylene terephthalate) film with	≥15000/green	
218745/2009, 249	3921905525	#Prepreg sheets or rolls containing polyimide resin#	≥15000/green	
1502477/2018	3921905535	#Glass fiber impregnated with epoxy resin for use in the manufacture of sma	≥15000/green	
1247/6/1982	3921906035	#Ion-exchange membranes based on a fabric coated on both sides with fluor	<15000/red	
4891401/2018	3921906040	#Plastic internal door handle used in the manufacture of motor vehicles#	≥15000/green	
1792/5/1997	3926909710	#Microspheres of a polymer of divinylbenzene, of a diameter of 4,5 µm or m	≥15000/green	
3119/14/04	3926909715	#Glass fibre reinforced plastic traverse leaf spring for use in the manufactur	UK susp...deletion or EU27 producer	Imports in DE
1282/9/1978	3926909720	#Reflecting sheeting or tape, consisting of a facing-strip of poly(vinyl chlorid	UK susp...deletion or EU27 producer	
1171480/2018	3926909727	#Gasket of polyethylene foam, intended to fill-up the space between the bo	≥15000/green	
753915/2014	3926909733	#Housings, housing parts, drums, setting wheels, frames, covers, upper part,	≥15000/green	
1927/7/2003, 311	3926909743	#Mixture of water and by weight 19 % or more but not more than 35 % of ex	≥15000/green	
3082385/2013	3926909750	#Knob of car radio front panel, made of Bisphenol A-based polycarbonate, in	<15000/red	
462/1/1998	4007000010	#Siliconated vulcanised rubber thread and cord#	≥15000/green	
1297172/2016	4010310010, 4010390010	#Vulcanized rubber endless transmission belt of trapezoidal cross-section (V	≥15000/green	
4488695/2017	4016995730	#Pin boot of a brake calliper made of vulcanized rubber with:### # an inner	<15000/red	
1102689/2012	4104411910	#Buffalo leather, split, chrome tanned synthetic retanned ("crust"), dry#	≥15000/green	
496/7/1974	4105100000, 4105309000	#Sheep or lamb skin leather, without wool on, tanned or retanned but not fu	≥15000/green	
1.04.1971	4106229000, 4106210000	#Goat or kid skin leather, without hair on, tanned or retanned but not furthe	≥15000/green	
80/5/1974	4106409000, 4106310000	#Leather of other animals, without hair on, not further prepared than tanne	≥15000/green	
177488/2014, 177	4408393010	#Okoume veneer sheets:### # of a length of 1 270 mm or more, but not mo	≥15000/green	
1.02.1989	5005010110, 5005009010	#Yarn spun entirely from silk waste (noil), not put up for retail sale#	≥15000/green	
1973/1/1998	5208111000	#Fabrics for the manufacture of bandages, dressings and medical gauzes#	≥15000/green	
1496119/2018	5311009020	#Sisal cloth in rolls with:### # a length of 20 metres or more but not more th	<15000/red	
4780789/2018	5402440010	#Synthetic elastomeric filament yarn:### # untwisted or with a twist not ex	<15000/red	
1267/2/1981	5402490030	Yarn of a copolymer of glycollic acid with lactic acid, for the manufacture of	≥15000/green	
382/3/1982	5402490050	Non-textured filament yarn of poly(vinyl alcohol)	≥15000/green	
1334/5/1991	5402490070	#Synthetic filament yarn, single, containing by weight 85 % or more of acryl	≥15000/green	
1391/4/2003	5404190050	#Monofilaments of polyester or poly(butylene terephthalate), with cross-sec	<15000/red	
1280/1/2000	5404909020	#Strip of polyimide#	≥15000/green	
1291/1/2002	5503110010, 5601300040	#Synthetic staple fibres of a copolymer of terephthalic acid, p-phenylenedi	≥15000/green	Higher imports from JP under preference 300
418/5/1981	5503900020, 5601300010	#Poly(vinyl alcohol) fibres, whether or not acetalized#	≥15000/green	
311/7/1982	5603129010, 560311010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of	≥15000/green	
459/11/1999	5603139060, 5603129060	#Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m	≥15000/green	
383984/2013, 1	5603141030	#Non-wovens, consisting of poly(ethylene terephthalate) spun bonded medi	<15000/red	
742/5/1993	5603929020, 5603939020	#Non-wovens consisting of a meltblown central layer of a thermoplastic elas	UK susp...deletion or EU27 producer	Imports in PL. Duty free import from Japan. If a request for taking over the applicant role, please consider this information and ask the applicant company if they can supply sufficiently this product with JP origin.
3045458/2013	5603939060	#Nonwovens made of polyester fibres:### # with a weight of 85 g/m 2, # w	<15000/red	
1190/2009, 1683/	5607509010	#Unsterilised twine of poly(glycolic acid) or of poly(glycolic acid) and its copo	<15000/red	
1964/13/2003	5803010191	#Gauze of cotton, of a width of less than 1 500 mm#	≥15000/green	
1291/2/2002	5906999010	#Rubberised textile fabric, consisting of warp yarns of polyamide-6,6 and we	<15000/red	
1156/2009	5911909940	#Multi-layered non-woven polyester polishing pads, impregnated with polyu	≥15000/green	
2989137/2014	6804210020	#Discs:### # of synthetic diamonds which are agglomerated with a metal alk	≥15000/green	
1635/5/1999	6813890020	#Friction material, of a thickness of less than 20 mm, not mounted, for use i	≥15000/green	
313315/2013, 313	6814100010	#Agglomerated mica with a thickness of not more than 0,15 mm, on rolls, wi	≥15000/green	
3141/3/2000	6903909040	#Silicon carbide reactor tubes and holders having a maximum service temper	≥15000/green	
3007257/2013	6909190025	#Ceramic proppants, containing aluminium oxide, silicon oxide and iron oxid	≥15000/green	
1038/12/1976	6909190030	#Supports for catalysts, consisting of porous cordierite or mullite ceramic pie	≥15000/green	
3114/14/04	6909190060	#Supports for catalysts, consisting of porous ceramic pieces, of a blend of sil	≥15000/green	
1255/2008, 1297/	6909190070	#Supports for catalysts or filters, consisting of porous ceramics made primar	≥15000/green	
1960/6/2002	6914900020, 6909190050	#Ceramic articles made of continuous filaments of ceramic oxides, containin	≥15000/green	
1914/9/2003	6914900030	#Ceramic microspheres, transparent, obtained from silicon dioxide and zirco	≥15000/green	
706801/2014	7006090025	#Glass wafer made of borosilicate float glass:### # with a total thickness var	≥15000/green	Higher possibilities to import duty free from NO, GB, Egypt, under preference 300
4842729/2018	7006090040	#Plates of sodalime or borosilicate glass of STN (Super Twisted Nematic) or T	<15000/red	
847904/2014	7009100030	#Layered glass with mechanical dimming ability by different angles of incid	≥15000/green	
1688/9/1996	7014000010	#Optical elements of glass (other than those of heading 7015), not optically	≥15000/green	
1727/8/2001	7019120022, 7019120002	#Rovings, measuring 650 tex or more but not more than 2 500 tex, coated w	≥15000/green	
380/14/1978	7019130010	Yarn of 33 tex or a multiple thereof (± 7,5 %), obtained from continuous spu	≥15000/green	
1349/2008, 316/5	7019130030	#Yarn of E-glass of 22 tex (± 1,6 tex), obtained from continuous spun-glass fil	≥15000/green	
1220/8/2003	7019130055	#Glass cord impregnated with rubber or plastic, obtained from K- or U-glass	≥15000/green	Higher possibilities to import duty free from GB and JP, under preference 300
4884694/2018	7019640040	#Epoxy resin coated glass woven fabric containing by weight:### # 91 % or i	≥15000/green	
1899/3/2003	7019900020	#Glass cord impregnated with rubber or plastic, obtained from twisted glass	<15000/red	
885/05	7019900030	#High modulus glass cord (K) impregnated with rubber, obtained from twist	≥15000/green	
1.01.1995	7202500000	#Ferro-silico-chromium#	≥15000/green	
1518399/2018	7318240040	#Tube or pipe restraint joint elements:### # of stainless steel according to	<15000/red	
1312/2008	7320910191	#Flat spiral spring of tempered steel, with:### # a thickness of 2,67 mm or r	<15000/red	
5993485/2019	7326909440	#Steel ball neck, drop forged, machined, also heat treated or surface treated	<15000/red	
1158/3/1982/v2	7410210010	#Sheet or plate of polytetrafluoroethylene, containing aluminium oxide or ti	≥15000/green	
1502532/2018	7410210020	#Foil, rolls composed of one layer of glass epoxy of 100 µm colaminated wit	≥15000/green	
1158/3/1982	7410210030	#Film of polyimide, whether or not containing epoxide resin and/or glass fib	≥15000/green	
761/05	7410210040	#Sheet or plates:### # consisting of at least a central layer of paper or one c	≥15000/green	
1189/2008	7410210050	#Plates:### # consisting of at least one layer of fibreglass fabric impregnat	≥15000/green	
1517/4/1997	7419809091, 7616999060	#Disc (target) with deposition material, consisting of molybdenum silicide:#	<15000/red	
6104115/2019	7506200010	#Sheets and strips in coils of nickel alloy C276 [EN 2.4819] with:### # a thick	≥15000/green	
275125/2013	7601204000, 7601203000	#Slabs and billets of unwrought aluminium alloys#	≥15000/green	
1720548/2019	7604210010	#Hollow profile with:### # one closed chamber of aluminium alloy 6063-T5	≥15000/green	
826828/2014	7604291040	#Bars and rods of aluminium alloys containing by weight :### # 0,25 % or m	≥15000/green	
1728/14/2002	7605190010	#Not alloyed aluminium wire, of a diameter of 2 mm or more but not more t	≥15000/green	
826873/2014	7605290010	#Wire of aluminium alloys containing by weight:### # 0,10 % or more but n	<15000/red	
1699901/2019	7608208120	#Seamless aluminium alloyed extruded tubes (Aluminium 6061F according to	≥15000/green	
3051158/2013	7608208930	#Seamless aluminium alloyed extruded tubes with:### # an outer diameter o	≥15000/green	
1699974/2019	7608208940	#Seamless flow forming aluminium alloyed tubes (Aluminium 6061A accordin	<15000/red	
1635/7/1999	7613000020	#Aluminium container, seamless, for compressed natural gas or compressed	<15000/red	
740/05	7616999015	#Honeycomb aluminium blocks for use in the manufacture of aircraft parts#	<15000/red	
3103123/2014	7616999025	#Metallised film:### # consisting of eight or more layers of aluminium [CAS	<15000/red	
484/6/1983	8104900010	Ground and polished magnesium sheets, of dimensions not more than 1500	UK susp...deletion or EU27 producer	Imports in IT
1102610/2012	8105900010	#Bars or wires made of cobalt alloy containing, by weight:### # 35 % (± 2 %)	<15000/red	
1.06.1971	8108200010	Titanium sponge	≥15000/green	
1284/2008	8108200030	#Titanium powder of which 90 % by weight or more passes through a sieve v	≥15000/green	
1.07.1971	8108300010	Waste and scrap of titanium and titanium alloys, except those containing b	≥15000/green	
1133/2007	8108903010	#Titanium alloy rods complying with standard EN 2002-1, EN 4267 or DIN 65	≥15000/green	
3103397/2014	8108905080	#Plates, sheets, strips and foil of non-alloyed titanium:### # of a width of m	UK susp...deletion or EU27 producer	Imports in DE, DK, IT, FR, NL, SE. If a request for taking over the applicant role, please consider this information and ask the applicant company if they can supply sufficiently this product with JP origin.
3028731/2014	8108905085	#Strip or foil of non-alloyed titanium:### # containing more than 0,07 % by w	≥15000/green	
726/1/1997	8109210010, 8109290010	#Non-alloy zirconium sponges or ingots, containing by weight more than 0,0	<15000/red	
1.02.1992	8110100010	Antimony in the form of ingots	≥15000/green	
45/1/1989	8112995010	#Alloy of niobium (columbium) and titanium, in the form of bars and rods#	≥15000/green	

984106/2011	8113002010	#Cermet blocks containing by weight 60 % or more of aluminium and 5 % o	<15000/red	
826804/2014	8207191010	#Inserts for drilling tools with working parts of agglomerated diamonds#	<15000/red	
4765888/2018	8301200010	#Mechanical or electromechanical steering column lock:### # with a height	≥15000/green	Higher duty free imports , under preference 300 from South Korea and GB.
4784641/2018	8302300010	#Support bracket for an exhaust system:### # with a thickness of 0,7 mm or	<15000/red	
1953/1/2002	8309909010	#Aluminium can ends:### # with a diameter of 99,00 mm or more but not m	≥15000/green	
824/2005	8401300020	#Non-irradiated hexagonal fuel modules (elements) for use in nuclear reacto	≥15000/green	
914489/2014	8401400010	#Stainless steel absorber control rods, filled with neutron absorbing chemica	≥15000/green	
1946/3/2001	8408904120	#Diesel engines of a power of not more than 15 kW, with 2 or 3 cylinders, fo	<15000/red	
1946/4/2001	8408904320	#Diesel engines of a power of not more than 30 kW, with 4 cylinders, for use	<15000/red	
329537/2012	8408904530, 8408904750	#4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having:### #	≥15000/green	Higher duty free imports , under preference 300 from Japan and GB
4762376/2018	8409910025	#Air intake module for engine cylinders consisting of:### # a suction pipe, #	<15000/red	
4765326/2018	8409910053, 8409990065	#The exhaust gas recirculation assembly consisting of:### # a control unit, #	≥15000/green	Higher duty free imports , under preference 300 from South Korea
4835409/2018	8409910070	#Inlet manifold, exclusively for use in the manufacture of the motor vehicles	<15000/red	
5742678/2019	8409990025	#Hoses assembly for fuel return from injectors to engine fuel unit consisti	<15000/red	
371591/2013	8409990055, 8409910050	#Exhaust manifold with turbine housing of turbochargers, with a hole to ins	≥15000/green	
1603620/2019	8409990075	#High pressure fuel rail of galvanised ferrite-pearlite steel with:### # at leas	≥15000/green	
371587/2013	8412390020	#Actuator for a single-stage turbocharger, with:### # -a pressure inlet pipe	≥15000/green	Higher duty free imports , under preference 300 from GB
816860/2014	8413910030	#Fuel pump cover:### # consisting of aluminium alloys, # with a diameter o	≥15000/green	
4762433/2018	8414102530	#Tandem pump consisting of:### # an oil pump with displacement of 21,6 c	≥15000/green	
4765822/2018	8414108930	#Electric vacuum pump with:### # Controller Area Network (CAN bus), # w	<15000/red	
216300/2009	8414308150	#Hermetic or semi-hermetic variable-speed electric scroll compressors, with	≥15000/green	
1946/5/2001	8414308920	#Vehicle air conditioning system part, consisting of an open shaft reciprocatin	≥15000/green	
5050162/2018	8414308930	#Open shaft, scroll type compressor with clutch assembly, of a power of moi	<15000/red	
4700007/2018	8414593520	#Radial fan, with:### # a dimension of 25mm (height) x 85mm (width) x 85mm	≥15000/green	
3081186/2013, 30	8414807330, 8414308160	#Hermetic rotary compressors for either hydrofluorocarbon (HFC) or hydroc	≥15000/green	
561/5/1998	8414900020	#Aluminium pistons, for incorporation into compressors of air conditioning r	≥15000/green	
561/6/1998	8414900030	#Pressure-regulating system, for incorporation into compressors of air condi	<15000/red	
916/2005	8414900040	#Drive part, for compressors of air conditioning machines of motor vehicles	≥15000/green	
3869484/2015	8415900065	#Aluminium arc-welded removable receiver dryer, with polyamide and ceram	<15000/red	
527540/2014	8421210020	#Water pre-treatment system comprising one or more of the following elem	≥15000/green	Higher duty free imports , under preference 300 from GB, Serbia and Korea
1249/17/1982	8421999091	Parts of equipment, for the purification of water by reverse osmosis, consist	<15000/red	
1249/16/1982	8421999092, 5911909930	#Parts of equipment for the purification of water by reverse osmosis, consist	≥15000/green	
3093074/2013	8431200040	#Aluminium core, plastic tank radiator, with integral steel support structure	UK susp., deletion or EU27 producer	Imports in XI
1363/4/1979	8439990010	#Suction-roll shells, produced by centrifugal casting, not drilled, in the form	≥15000/green	Higher duty free imports , under preference 300 from Japan and GB
1953/5/2002	8477809910	Machines for casting or for surface modification of plastic membranes of hea	≥15000/green	
1485985/2018	8479899735	#Mechanical unit ensuring the movement of the camshaft with:### # 6 or 8	<15000/red	
3076498/2014	8479899770	#Machine to accurately align and attach lenses into a camera assembly in fiv	<15000/red	
4629133/2017	8481101930, 8481109920	#Electromagnetic pressure reducing valve:### # with a plunger, # with an of	<15000/red	
1160/2009	8481309191	#Steel check (non-return) valves with:### # an opening pressure of not mor	≥15000/green	
5742601/2019	8481309930	#Brake booster check valve assembly containing at least:### # three vulcani	<15000/red	
1686/1/1996	8481805910	#Air control valve, consisting of a stepping motor and a valve pintle, for the	<15000/red	
4629095/2017	8481805930	#Two-way flow control valve with housing, with:### # at least 5, but not m	≥15000/green	
4887827/2018	8481809930, 8481807930	#Service Valve which suits for R410A or R32 gas while connecting indoor and	<15000/red	
1485944/2018	8481809970, 8481807320	#Pressure- and flow-control valve controlled by external electromagnet:###	≥15000/green	
1485961/2018	8481900040	#Valve armature:### # for the opening and closing of the flow of fuel, # cor	<15000/red	
1642824/2019	8482101015	#Ball bearings with:### # an internal diameter of 4 mm or more but not mo	≥15000/green	
1550194/2019	8482101025, 8482109040	#Double row ball bearings / ball bearing cartridges:### # with an internal di	<15000/red	
848131/2014	8482109010, 8482500010	#Ball and cylindrical bearings:### # with an outside diameter of 28 mm or m	≥15000/green	
371597/2013	8483402960	#Epicyclic gearing, of a kind used in driving hand-held power tools with:###	<15000/red	
1314/5/2003	8483405120	#Gear box, having a differential with wheel axle, for use in the manufacture	<15000/red	
1314/4/2003 split	8483405930	#Hydrostatic speed changer:### # with a hydro pump and a differential wit	≥15000/green	
4755348/2018	8484200020	#Mechanical face sealing device made of two movable rings (one ceramic m	<15000/red	
4728772/2018	8501101030	#Motors for air pumps, with:### # operating voltage of 9 VDC or more but n	<15000/red	
5776595/2019	8501101040	#Synchronous hybrid stepper motor with:### # an output not exceeding 18	≥15000/green	
3042035/2013	8501109970	#DC stepping motor, with:### # a two-phase winding, # a rated voltage of 5	≥15000/green	
1805/10/2003	8501109979	#DC motor with brushes and an internal rotor with a three-phase winding, w	≥15000/green	
1285/2008	8501109980	#DC stepping motor, with:### # an angle of step of 7,5° (±0,5°), # a pull-ou	<15000/red	
1443120/2017	8501200040	#Universal AC/DC motor with:### # -a rated output of 50 W but not higher t	<15000/red	
362814/2013	8501310045	#DC motors, brushless, with:### # an external diameter of 90 mm or more,	≥15000/green	
371604/2013	8501310055, 8501320040	#DC motor with or without commutator, with:# an external diameter of 24,	≥15000/green	
229971/2009	8501310058	#Permanently excited DC motor with:### # an external diameter of 30 mm c	≥15000/green	
3104160/2014	8501535020	#AC traction motor of the Interior Permanent Magnet Synchronous Motor (I	<15000/red	
1440/1/1995	8503009931	Stamped collector of an electric motor, having an external diameter of not m	<15000/red	
731/1/1996	8503009932, 8503009131	#Rotor, at the inner side provided with one or two magnetic rings (uniform c	≥15000/green	
1221/2009	8503009934	#Rotor for brushless motor of electrical power steering with a roundness tol	<15000/red	
1521555/2018	8503009937	#Rotor for an electric motor, with the rotor cylindrical body made of agglom	≥15000/green	
847833/2014	8503009960	#Engine cover for electronic belt drive steering system of galvanized steel wi	<15000/red	
1757735/2019	8503009965	#Rotor body of stacked electrical sheet having:### # a diameter of 18 mm o	<15000/red	
1766798/2019	8503009975	#Stator body of stacked electrical sheet having:### # an inner diameter of 1	≥15000/green	
1752439/2019	8503009980	#Steel motor housing having:### # an inner diameter of 35 mm or more but	<15000/red	
1449456/2018	8504318015	#Electrical Transformer with:### # a capacity of 192 Watts or 216 Watts # d	≥15000/green	
1449501/2018	8504318025	#Electrical Transformer with:### # a capacity of 432 Watts # dimensions of	<15000/red	
1195/2008	8504318030	#Switching transformers, having a power handling capacity of not more than	≥15000/green	
1449556/2018	8504318035	#Electrical Transformer with:### # a capacity of 433 Watts # dimensions of	<15000/red	
1449377/2018	8504318045	#Electrical Transformer with:### # a capacity of 0,2 Watts, # dimensions of	<15000/red	
1767101/2019	8504318055	#Electrical transformer with:### # a capacity of 0,22 kVA or more, but not m	<15000/red	
1431341/2018	8505111053	#Permanent magnets of a neodymium alloy cylindrical shaped with notch wi	<15000/red	
2520/3/2004, 873	8505111065	#Permanent magnets consisting of an alloy of neodymium, iron and boron, e	≥15000/green	
343278/2013	8505111070	#Disc consisting of an alloy of neodymium, iron and boron, covered with nick	≥15000/green	
2200205/2019	8505191020	#Arc segments of permanent magnets of agglomerated ferrite, with:# a ler	<15000/red	
343054/2013	8505199030	#Articles of agglomerated ferrite in the shape of a disc with a diameter of no	≥15000/green	
1502200/2018	8505199060	#Articles of agglomerated ferrite in the shape of a half-sleeve or a quarter-sl	≥15000/green	
917/2005	8505200030	#Electromagnetic clutch, for use in the manufacture of compressors of air co	≥15000/green	
3869578/2015	8506501010	#Lithium cylindrical primary cells with:### # a diameter of 14,0 mm or more	<15000/red	
461/7/1985	8506509010	Lithium iodine single cell battery the dimensions of which do not exceed 9 m	≥15000/green	
574/2/1999	8506509030	#Lithium-iodine or lithium-silver vanadium oxide single cell battery of dimen	≥15000/green	
300372/2011	8506900010	#Cathode, in rolls, for air zinc button cell batteries (hearing aid batteries)#	<15000/red	
779517/2014	8511300030	#Igniter integrated coil assembly with:### # an igniter, # a coil on plug ass	UK susp., deletion or EU27 producer	Imports in SE
3033338/2014	8512200040	#Fog lamp with a galvanised inner surface, containing:### # a plastic holder	<15000/red	
3033860/2014	8512200060	#Information screen displaying:### # at least time, date and status of safety	≥15000/green	
3033380/2014	8512309010	#Horn assembly operating on piezomechanical principle for generating a spe	≥15000/green	
3883431/2015	8512309020	#Warning buzzer for parking sensor system in a plastic casing operating on t	≥15000/green	
4490710/2017	8512309030	#Sound alarm device for protection against burglary into the vehicle:### # v	<15000/red	
372488/2013	8512400010, 8516802020	#Car door mirror heating foil:### # with two electrical contacts, # with an a	≥15000/green	
3103499/2014	8514208010, 8516608010	#Cavity assembly comprising at least:### # a transformer with an input of n	<15000/red	
215493/2009	8516900060	#Ventilation sub-assembly of an electric deep-fat fryer:### # fitted with a m	<15000/red	
3103561/2014	8516900080	#Door assembly incorporating a capacitive sealing element and wavelength t	<15000/red	
775668/2014	8528590020	#Liquid crystal display colour video monitor assembly mounted on a frame, #	UK susp., deletion or EU27 producer	Import in ES. Possibility to import duty free from GB and IS.
1766877/2019, 30	8536419040	#Power relay with:# electromechanical and/or electromagnetic switching	≥15000/green	
1940311/2019	8536490060	#Relay in the shape of a cube with:### # a coil operating voltage of 12 VDC	<15000/red	TARIC code until July 2023 - 8536 49 00 50
1128/2009	8536699082	#Modular socket or plug for local area networks, whether or not combined w	≥15000/green	
1161/2009	8536699083	#AC socket with a noise filter, composed of:### # AC socket (for power cord	≥15000/green	
5876450/2019, 58	8537109120	#Electronic assembly containing:### # a microprocessor, # a programmable	<15000/red	
4886469/2018	8537109157	#Programmable memory control board with:### # 4 or more stepper motor	≥15000/green	
4780876/2018	8537109159	#Electronic control units for controlling inter axle torque transferring in all-w	<15000/red	
3081262/2013	8537109160, 8537109845	#Electronic control units, manufactured according to class 2 of IPC-A-610E st	≥15000/green	
4780964/2018	8537109163	#Electronic control units able to control automatic continuous variable trans	<15000/red	

4835561/2018	8537109167	#Electronic Engine Control Unit (ECU) with:### # a printed circuit board (PC	<15000/red	
3051229/2013	8537109830	#Motor bridge ICs without programmable memory consisting of:### # one or	≥15000/green	
3033509/2014	8537109840	#Electronic control unit for monitoring car vehicle tyre pressure comprising	<15000/red	
3033461/2014	8537109850	#Electronic control unit BCM (Body Control Module) or IBM (Integrated Bod	≥15000/green	
3103600/2014	8537109860	#Electronic assembly consisting of:### # a microprocessor, # light-emitting	<15000/red	
5524483/2016	8537109875	#Control unit for keyless access to vehicle and vehicle starting, with electrical	<15000/red	
19462/2001	8537109893	#Electronic control units for a voltage of 12 V, for use in the manufacture of	≥15000/green	Higher duty free imports , under preference 300 from Mexico and
848259/2014	8538909930, 8547200010	#Polycarbonate or acrylonitrile butadiene styrene covers and cases for steer	<15000/red	
848226/2014	8538909940	#Polycarbonate control interface buttons for steering pad switches coated o	<15000/red	
775/2005	8540710020	#Continuous wave magnetron with:### # a fixed frequency of 2 460 MHz, #	<15000/red	
1028/1/1977	8540890091	Displays in the form of a tube consisting of a glass housing mounted on a bo	≥15000/green	
1160/99/9999	8540890092	Vacuum fluorescent display tube	<15000/red	
1.07.1997	8543709030	#Amplifier, consisting of active and passive elements mounted on a printed	≥15000/green	
1839/6/1994	8543709035	Radio frequency (RF) modulator, operating with a frequency range of 43 MH	<15000/red	
1317/26/1994	8543709045	#Piezo-electric crystal oscillator with a fixed frequency, within a frequen	≥15000/green	
1257/6/1986	8543709055	Opto-electronic circuit comprising one or more light-emitting diodes (LEDs),	≥15000/green	
1618/1/2002	8543709080	Temperature compensated oscillator, comprising a printed circuit on which	≥15000/green	
1618/2/2002	8543709085	Voltage controlled oscillator (VCO), other than temperature compensated o	≥15000/green	
3093494/2013	8544300030	#Multi-measurement wire harness of a voltage of 5V or more but not more t	<15000/red	
847787/2014	8544300040, 8544429040	#Wire harness or cable for steering system:### # for an operating voltage of	≥15000/green	
5742445/2019	8544300045	#Linking seven-core cable for connecting sensor for pressure measure in int	<15000/red	
5742367/2019	8544300055	#Connecting five-core cable with connectors for coupling the temperature s	<15000/red	
779749/2014	8544300070	#Multi-measurement wire harness:### # of a voltage of 5 V or more but not	<15000/red	
1149/2008, 16522	8544429010	#Data transmission cable capable of a bit rate transmission of 600 Mbit/s or	≥15000/green	
1449634/2018	8544429015	#PVC isolated flexible eight wire cable with:### # a length of not more than	<15000/red	
1453445/2018	8544429025	#PVC isolated flexible cable with:### # a length of not more than 1800 mm	<15000/red	
1449665/2018	8544429035	#PVC isolated flexible six or eight wire cable with:### # a length of not mor	<15000/red	
5524595/2016	8544429080	#12-wire connecting cable containing two connectors### # of a voltage of 5	<15000/red	
1307/2/2003	8544499310	#Elastomeric connector, of rubber or silicone, consisting of one or more con	≥15000/green	
1435/9/1995	8548009041	Unit, consisting of a resonator operating within a frequency range of 1,8 MH	≥15000/green	
474/1/1991	8548009043	Contact image sensor	≥15000/green	
1282/1/2003	8548009044	#Parts of TV-apparatus, having micro-processor and video-processor functio	<15000/red	
295880/2011	8549142010, 8549132010	#Spent lithium-ion or nickel metal hydride electric accumulators#	<15000/red	
3033311/2014	8708310160, 8708309120	#Non-asbestos organic brake pads with friction material mounted to the bar	<15000/red	
3033537/2014	8708309130, 8708301040	#Body of disc type brake in BIR ("Ball in Ramp") or EPB ("Electronic Parking	≥15000/green	
3104087/2014	8708309910, 8708301020	#Motor powered brake actuation unit### # with a rating of 13.5 V (±0.5V) a	<15000/red	
4631667/2017	8708405040, 8708402050	#Transmission assembly which houses 3 other shafts inside it and offers a r	<15000/red	
4837989/2018	8708405050, 8708402060	#Automatic transmission assembly with rotary gear shifter with:### aluminu	≥15000/green	
5776455/2019	8708405060, 8708402070	#Manual gearbox in cast aluminium housing for transverse installation with:	≥15000/green	
4632947/2018	8708509915, 8708502060	#Car transfer case with single input, dual output, to distribute torque betwe	≥15000/green	Higher duty free imports under preference 300 from South Korea. Produced in MX but does not comply with RoO.
4765766/2018	8708509920, 8708502065	#Intermediate steel shaft connecting the gearbox with semi-axle with:### #	<15000/red	
4703203/2018	8708509925, 8708502070	#Housing of tripod type half shaft inboard joint for transmitting a torque fro	≥15000/green	
4702919/2018	8708509935, 8708502075	#Outboard joint assembly for transmitting a torque from engine and transmi	≥15000/green	
4780825/2018	8708809920	#Aluminium suspension link arm, with dimensions of:### # a height of 50 m	<15000/red	
3033567/2014	8708913510, 8708912020	#Aluminium cooler using compressed air with a ribbed design of a kind used	≥15000/green	
1603492/2019	8708913520	#Turbocharger cooling duct containing:### # an aluminium alloy duct with a	≥15000/green	
1323371/2017	8708919940, 8708999755	#Assembly for supplying compressed air, whether or not with a resonator, co	<15000/red	
4785621/2018	8708929910	#Exhaust system inner liner:### # with a wall thickness of 0,7 mm or more b	<15000/red	
4785712/2018	8708929920	#Pipe for guiding exhaust gases from the combustion engine:### # with a di	<15000/red	
4784737/2018	8708929930	#Exhaust system end cover:### # with a wall thickness of 0,7 mm or more b	<15000/red	
5742531/2019	8708931040, 8708939040	#Clutch pedal with electronic parking brake connection (EPB), whether or no	<15000/red	
3033605/2014	8708943520, 8708942010	#Rack steering gear in aluminium housing with inner tie rod joints (axial joint	≥15000/green	Higher duty free imports under preference 300 from GB and KR
3155592/2014	8708991060, 8708999750	#Aluminium engine bracket, with dimensions of:### # height of more than 7	≥15000/green	
1314/4/2003 split	8708999718	#Hydrostatic speed changer:### # with a hydro pump and a differential with	<15000/red	
1171410/2018	8708999745, 8708991025	#Plastic air guide for directing air flow to the surface of intercooler for use i	<15000/red	
3087046/2013	8714913035, 8714913025	#Front forks, except rigid (non-telescopic) front forks made entirely of steel,	≥15000/green	
1550343/2019	8714995091, 8714995011	#Derailleur gears, consisting of:### # rear derailleur and mounting articles, a	≥15000/green	
1550250/2019	8714999040	#Stem for bicycle handlebars, for use in the manufacture of bicycles (includi	≥15000/green	
1246/3/1982	9001109010	Image reverser made up from an assembly of optical fibres	≥15000/green	
4697914/2018	9002110018	#Lens assembly consisting of a cylinder-shaped cover made of metal or plast	≥15000/green	
506/12/1990	9002110050	#Lens unit:### # having a focal length of 25 mm or more but not more than	≥15000/green	
3076474/2014	9002110085	#Lens assembly with:### # a horizontal field of view range of 20 deg or mor	≥15000/green	
362855/2013	9025804030	#Electronic barometric semiconductor pressure sensor in a housing, mainly c	<15000/red	
706851/2014	9025804050	#Electronic semiconductor sensor for measuring at least two of the followi	≥15000/green	
1965/16/2003	9032890030	#Electronic controller of electric power steering (EPS controller)#	≥15000/green	
3961246/2015	9607201010	#Sliders, narrow tape with mounted zipper teeth, pin/boxes and other parts	<15000/red	
382/10/1982	9608910010	Non-fibrous plastic pen-tips with an internal canal	≥15000/green	
1309/1/1994	9608910020	Felt tips and other porous-tips for markers, without internal canal	≥15000/green	
465/1/1999	9612101010	Ribbons of plastic with segments of different colours, providing the penetrat	≥15000/green	