

## **CYCLE 2022-07**

Sorting order:

A – first 'quotas', then 'suspensions'

B – **new** requests, **amending** requests.

>>>The duty suspension and quota requests on the following list are currently under discussion. The data available on this list may not represent the final state of the discussions within the relevant Commission Working group.

Please note that it cannot be guaranteed that the information available exactly reproduces an officially adopted text. Only European Union legislation published in the Official Journal of the European Union is deemed authentic<<<

CN code	TARIC	Reference Mail	Working Number	Description	<u>Quotas</u>	New or amendment request	Measure status	Partner Position Country	Partner Position	Public Comments
2833 24 00		5571024/2021	1500	Nickel Sulphate Hexahydrate (CAS RN 10101-97-0) with a purity by weight of 99,9 % and with a nickel content of a minimum 22,2 %, a maximum content of 22,3 % and a zinc content below 1ppm	Q/75tonnes, 01.07-31.12	New	UNDER EXAMINATION	SE	Applicant	ROUND 2022/07 used in the manufacture of precursors (metal hydroxide compounds) which form the basis of <b>battery</b> chemistries
2833 25 00		5620725/2021	1502	Tribasic Copper sulphate (CAS RN 12527-76-4) with a purity by weight of 53 % or more	Q/120000kilograms, 01.07-31.12	New	UNDER EXAMINATION	IT	Applicant	ROUND 2022/07 Used in the production of plant protection products, for dispersion and mixing with other chemicals.
2915 11 00		5757468/2021	1503	Formic acid (CAS RN 64-18-6) with a purity of 85 %	Q/624000kilograms, 01.07-31.12	New	UNDER EXAMINATION	DK	Applicant	ROUND 2022/07 Formic Acid 85 % is mixed to 78 % and are used in the Agriculture as supplementary feed in their compound feed.

2933 39 99		5898910/2021	1504	Compounds containing an unfused pyridine ring (whether or not hydrogenated) in the structure 2-(2-Hydroxyethyl)pyridine (CAS-RN 103-74-2) with a purity of weight of 99 % or more	Q/350tonnes, 01.07-31.12	New	UNDER EXAMINATION	DE	Applicant	ROUND 2022/07  active ingredient for insecticides
3824 99 92		5952569/2021	1505	Electrolyte containing by weight of: - 12 % (± 1 %) lithium hexafluorophosphate (CAS RN 21324-40-3), - 25 % (± 1 %) ethylene carbonate (CAS RN 96-49-1), - 35 % (± 1 %) ethyl methyl carbonate (CAS RN 623-53-0), - 23 % (± 1 %) diethyl carbonat (CAS RN 105-58-8), and - 3,5 % (± 1 %) other substances	Q/1500tonnes, 01.07-31.12	New	UNDER EXAMINATION	HU	Applicant	ROUND 2022/07 End use: in motor vehicles as a battery component as a battery cell
3910 00 00		5607351/2021	1501	Methyl hydrogen silicone fluid (CAS No 63148-57-2)	Q/250tonnes, 01.07-31.12	New	UNDER EXAMINATION	PL	Applicant	ROUND 2022/07 raw material reduces water absorption.
2915 32 00		726215/2014 825537/2014 838627/2014 838774/2014 898981/2014	3801	Vinyl acetate (CAS RN 108-05-4)	Q/200000tonnes, 01.07-31.12	Amendment	UNDER EXAMINATION	BE ES FR NL TR SK DE	Applicant Applicant Applicant Applicant Co-applicant Opposed	Round 2022-01 - roll over request. Vinyl Acetate Monomer can be polymerized, either by itself to make polyvinyl acetate or with other monomers to prepare copolymers such as ethylene-vinyl acetate en Ethylene-Vinyl Alcohol.
ex 2922 41 00	20	2544706/2019	3802	L-Lysine hydrochloride (CAS RN 657-27-2) or an aqueous solution of L-lysine (CAS RN 56-87-1), containing by weight 50 % or more of L-lysine	Q/122500tonnes, 01.07-31.12	Amendment	UNDER EXAMINATION	NL AT DK FR FR	Applicant Co-applicant Co-applicant Opposed Opposed	Round 2022-07 -roll over request. Animal feed, either in the form of a pre-mix or as a final product

ex 2926 10 00	10	1436514/2018 1489878/2018 910/2006	3504	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of chapter 55 and heading 6815 (1)	Q/48000tonnes, 01.07-31.12	Amendment	UNDER EXAMINATION	ES PT TR BE DE DE FR ES NL PT PT	Applicant Applicant Applicant Co-applicant Co-applicant Co-applicant Co-applicant Opposed Opposed Opposed Opposed	Round 2022/7 Request for increase  DE- 48 000 tons for 6 months (96 per year)  TR national quota - 200 000 per year
3907 20 20		4964098/2018	3505	Polyether polyol obtained by reaction of toluene diamine and propylene oxide (CAS RN 63641-63-4) with: - a hydroxyl number of 380 or more but not more than 415 mg KOH/g and - a viscosity at 25 C of 15000 mPa. s but not more than 20 000 mPa. s	Q/1100tonnes, 01.07-31.12	Amendment	UNDER EXAMINATION	TR	Applicant	Round 7/2022 Req. for amendment increase of the TR national quota from 800 tons to 2200  TR national quota Polyether polyol (CAS RN 63641-63-4)

CN code	TARIC	Reference Mail	Working Number	Description	<u>Suspensions</u>	New or amendment request	Measure status	Partner Position Country	Partner Position	Public Comments
1516 10 90		5898971/2021	1061	Oil concentrate from Pacific pollock ( <i>Gadus chalcogrammus</i> ), with an oily-yellow consistency, triglyceride content with high omega-3 of at least 90 % or more of triglycerides, 5 % or more of diglycerides and max. 2 % of monoglycerides and the addition of 0,15 % of a natural tocopherol mixture as antioxidant, MSC certified	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 Omega 3 fatty acids, food additive

2106 90 92		5870670/2021	1059	Preparation of ethyl esters based on concentrated omega-3 fatty acids from the oil of Pacific pollock ( <i>Gadus chalcogrammus</i> ), with an oily-yellow consistency, containing up to 0,25 % of a natural tocopherol mixture as antioxidant, MSC certified	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 Omega 3 fatty acids, food additive
2826 90 80		5899336/2021	1062	Lithium hexafluorophosphate (CAS RN 21321-40-3) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 Electrolytes are produced by using lithium hexafluorophosphate. Prepared electrolytes are used in the manufacture of lithium-ion <b>batteries</b> .
2845 90 10		5490560/2021	1003	4-(tert-butyl)-2-(2-(methyl-d3)propan-2-yl)-1,1,1,3,3,3-d6)phenol (CAS RN 2342594-40-3) with a purity degree not less than 98 %	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022/7 Product used in the manufacturing of a new Active Pharmaceutical Ingredient (NCE New Chemical Entity).
2903 19 00		5732579/2021	1048	1,3-Dichloropropan (CAS RN 142-28-9) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	AT	Applicant	Round 2022/7 Use for the manufacture of a pharmaceutical product
2909 49 80		5491881/2021	1007	(3,4-dimethoxyphenyl)methanol (CAS RN 93-03-8) with a purity by weight of 98,5 % or more	S	New	UNDER EXAMINATION	FR	Applicant	Round 2022/7 Raw material used to manufacture Pinaverium Bromide
2914 40 90		5815428/2021	1054	Benzoin (CAS RN 119-53-9) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022/7 Product is a raw material to produce an active pharmaceutical ingredient. It is also used as a

										degasser in the production of powder coatings.
2915 90 70		6013563/2021	1071	Pelargonic acid (CAS RN 112-05-0), mono constituent substance with a purity by weight of 95.5 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/07 Pelargonic acid (n-nonanoic acid) for the production of OXLUBE L9-TMP, end-use as raw material, including for the manufacture of lubricants
2917 19 80		5953671/2021	1068	Maleic acid (CAS RN 110-16-7) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 used in the manufacture of vehicles' <b>batteries</b> .
2917 39 95		5668689/2021	1021	3-(4-Chlorophenyl)glutaric acid (CAS RN 35271-74-0) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance
2918 12 00		5634227/2021	1020	Synthetic L(+) (CAS RN 87-69-4) of 94,5 % or more but not more than 96,5 % of tartaric acid and 3,0 % or more but not more than 5,0 % of anti-caking agent and water of not more than 0,5 %	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 a raw material used in the production of cement and gypsum mortars
2918 30 00		5668725/2021	1022	Methyl 3-oxo-pentanoate (CAS RN 30414-53-0) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance
2920 90 10		5899407/2021	1064	Vinylene carbonate (CAS RN 872-36-6) with a purity by weight of 99.9 % or more	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 Electrolytes are made from vinyl carbonate.

										Prepared electrolytes are used in the manufacture of lithium-ion <b>batteries</b>
2920 90 10		5899447/2021	1065	Vinyl ethylene carbonate (CAS RN 4427-96-7) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 Electrolytes are prepared from vinyl ethylene carbonate. Prepared electrolytes are used in the manufacture of lithium-ion <b>batteries</b> .
2920 90 10		5899366/2021	1063	Ethylene carbonate (CAS RN 96-49-1) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 <b>Electrolytes</b> are produced by using ethylene carbonate. Prepared electrolytes are used in the manufacture of lithium-ion <b>batteries</b> .
2922 19 00		5620673/2021	1018	2-(2-Methoxyphenoxy)ethylamine (CAS RN 1836-62-0) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance
2922 49 85		5490510/2021	1002	(E)-ethyl 4-(dimethylamino)but-2-enoate maleate with a purity degree not less than 98 %	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022/7 Product used in the manufacturing of an Active Pharmaceutical Ingredient.
2922 49 85		5490268/2021	1000	4-Amino-2-chlorobenzoic acid (CAS RN 2457-76-3) with a purity degree not less than 98 %	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022-7 Product used in the manufacturing of an Active Pharmaceutical Ingredient.

2924 19 00		5732647/2021	1049	N, N-dimethylcarbamoyl chloride (CAS RN 79-44-7) with a purity by weight of 99,5 % or more	S	New	UNDER EXAMINATION	AT	Applicant	Round 2022/7 Use for the manufacture of a pharmaceutical product
2924 29 70		5668819/2021	1024	N,N'-(2-chloro-5-methyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 41131-65-1) with a purity by weight of 97 % or more	S	New	UNDER EXAMINATION	CZ	Applicant	Round 2022/7 Raw material for production of other chemical compounds
2924 29 70		5490431/2021	1001	N-(4-amino-2-ethoxyphenyl)acetamide (CAS RN 848655-78-7) with a purity degree not less than 98 %	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022-7 Product used in the manufacturing of an Active Pharmaceutical Ingredient.
2931 90 00		5691606/2021	1038	t-Butyldimethylchlorosilane (CAS RN 18162-48-6) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 Raw material for the production of fine chemicals, pharmaceutical intermediates and active pharmaceutical ingredients
2932 19 00		5620599/2021	1017	(3S)-3-[4-[(5-Bromo-2-chlorophenyl)methyl]phenoxy]tetrahydro-furan (CAS RN 915095-89-5) with a purity by weight of 97,5 % or more	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance
2932 99 00		5668767/2021	1023	1,4,7,10,13-pentaoxacyclopentadecane (CAS RN 33100-27-5) with a purity of weight of 90 % or more	S	New	UNDER EXAMINATION	FR	Applicant	Round 2022/7 is an intermediate that is used in the synthesis of a fungicide active ingredient
2933 19 90		5490983/2021	1006	3-[2-(Dispiro[2.0.24.13]heptan-7-yl)ethoxy]-1H-pyrazole-4-carboxylic acid (CAS RN 2608048-67-3) with a purity degree not less than 98 %	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022/7 Product used in the manufacturing of an new Active Pharmaceutical Ingredient (NCE –

										New chemical Entity)
2933 21 00		6015325/2021	1072	c-Hydantoin Na-Salz, hydantoin and its derivatives with a purity by weight of 90 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/07 The imported good is processed into the crop protection active ingredient in a multi-stage chemical synthesis and then formulated into the prepared crop protection agent
2933 39 99		5490801/2021	1005	Perfluorophenyl 6-fluoropyridine-2-sulfonate (CAS RN 2608048-81-1) with a purity degree not less than 98 %	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022-7 Product used in the manufacturing of an new Active Pharmaceutical Ingredient (NCE – New chemical Entity)
2933 39 99		5674690/2021	1032	Glasdegib (INN) (1095173-27-5) (CAS RN 1095173-27-5) with a purity by weight of 90 % or more	S	New	UNDER EXAMINATION	SI	Applicant	Round 2022/7 used for development and enters as one of ingredient in the manufacture of a new drug
2933 39 99		5490717/2021	1004	(S)-6-Bromo-2-(4-(3-(1,3-dioxoisindolin-2-yl)propyl)-2,2-dimethylpyrrolidin-1-yl)nicotinamide (CAS RN 2606972-45-4) with a purity degree not less than 98 %	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022/7 Product used in the manufacturing of an new Active Pharmaceutical Ingredient (NCE – New chemical Entity)
2933 59 95		5620529/2021	1014	5-(5-Chlorosulfonyl-2-ethoxyphenyl)-1-methyl-3-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one (CAS No 139756-22-2) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance



2933 69 80		5816354/2021	1056	2-(2-ethoxyphenyl)-5-methyl-7-propylimidazo[5,1-f][1,2,4]-triazin-4(3H)-one (CAS RN 224789-21-3) with a purity by weight of 95 % or more	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance
2933 99 80		5620566/2021	1015	Dibenz[b,f]azepine-5-carbonyl chloride (CAS RN 33948-22-0) with a purity by weight of 98,5 % or more	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance
2933 99 80		5733084/2021	1050	1H-1,2,3-triazole (CAS RN 288-36-8) with a purity by weight of 99 % or more and 2H-1,2,3-triazole (CAS RN 288-35-7) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	AT	Applicant	Round 2022/7 Use as raw material for the manufacture of a Pharma intermediate
2934 99 90		5492309/2021	1009	2-(4-phenoxyphenyl)-7-(piperidin-4-yl)-4,5,6,7-tetrahydropyrazolo[1,5-a]pyrimidine-3-carbonitrile (CAS RN 2190506-57-9) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022/7 it is an active ingredient that will be used for the preparation of a drug
2934 99 90		5620698/2021	1019	4-(oxiran-2-ylmethoxy)-9H-carbazole (CAS RN 51997-51-4) with a purity by weight of 97 % or more	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance
2934 99 90		5815536/2021	1055	3,4-Dichloro-1,2,5-thiadiazole (CAS RN 5728-20-1) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022/7 Product is a raw material to produce an active pharmaceutical ingredient
2934 99 90		5620584/2021	1016	(1R,3R)-Methyl-1,2,3,4-tetrahydro-2-chloroacetyl-1-(3,4-methylenedioxyphenyl)-9H-pyrido[3,4-b]indole-3-carboxylate (CAS RN 171489-59-1) with a purity by weight	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Raw material used in the synthesis of active pharmaceutical substance

				of 99 % or more						
2934 99 90		5674726/2021	1033	Nusinersen (INN) (CAS RN 1258984-36-9) with a purity by weight of 95 % or more	S	New	UNDER EXAMINATION	SI	Applicant	Round 2022/7 used for development and enters as one of ingredient in the manufacture of a new drug
2934 99 90		5492089/2021	1008	N-Benzylloxycarbonyl-L-valine-N-carboxyanhydride (CAS RN 158257-41-1) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022/7 it is an active ingredient that will be used for the preparation of a drug
2935 90 90		5691878/2021	1042	Sulphonamide, not elsewhere specified or included Mesochloride (CAS RN 393509-79-0) with a content of 90 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 The imported good is processed into the crop protection active ingredient in a multi-stage chemical synthesis and then formulated into the prepared crop protection agent
2935 90 90		5691984/2021	1043	3-({[(4Methylphenyl)carbamoyl]amino)phenyl 4-Methylbenzolsulfonat (CAS RN 232938-43-1) with a purity of 100 %	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 Developer for thermally-sensitive paper Thermal papers
3812 39 90		5691661/2021	1039	Ethanol, 2-amino-, reaction products with cyclohexane and peroxidized N-butyl-2,2,6,6-tetramethyl-4-piperidinamine-2,4,6-trichloro-1,3,5-triazine reaction products (CAS RN 191743-75-6) with a purity of more than 99 GHT	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 use for automotive coatings.
3824 99 92		5701718/2021	1044	([{2-(trifluoromethyl)phenyl]carbonyl}amino)methyl acetate (CAS RN 895525-72-1) with a content of at least 45 % dissolved	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 The imported good is processed into a crop protection active

				in N,N-dimethylacetamide (CAS RN 127-19-5)						ingredient in a multi-stage chemical synthesis and then formulated into the prepared crop protection agent
3824 99 92		5739995/2021	1053	Methyl cis-1-[[ (2,5-dimethylphenyl)acetyl]amino]-4-methoxycyclohexanecarboxylate (CAS RN 203313-47-7) with a content of 25-45 % dissolved in N,N-dimethylacetamide (CAS RN 127-19-5)	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 The imported good is processed into a crop protection active ingredient in a multi-stage chemical synthesis and then formulated into the prepared crop protection agent
3824 99 96		5875510/2021	1060	Cobalt lithium manganese nickel oxide (CAS RN 182442-95-1)	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 Cobalt lithium manganese nickel oxide (NCM) is an active material (raw material) of cathode electrodes of Li- <b>batteries</b> - electric car power source
3912 31 00		5953496/2021	1067	Sodium carboxymethyl cellulose (CAS RN 9004-32-4)	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 Sodium carboxymethyl cellulose is an anode electrode raw material for Li <b>batteries</b> (energy source for electric cars)
3917 21 10 3917 23 10		5679967/2021	1034	Heat shrinkable, inelastic tube for electrical insulation with: <ul style="list-style-type: none"> <li>- at least 80 % polymer content;</li> <li>- at least 90 MW insulation resistance;</li> <li>- at least 35 kV / mm dielectric strength;</li> <li>- a wall thickness of 0,04 mm or</li> </ul>	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 for the manufacture of aluminium electrolytic capacitors

				<p>more, but not more than 0,9 mm,</p> <ul style="list-style-type: none"> <li>- a lay-flat width of 18 mm or more, but not more than 156 mm,</li> </ul> <p>for the manufacture of aluminium electrolytic capacitors (1)</p>						
3920 61 00		5691696/2021	1040	<p>Coextruded film of polycarbonate (main layer) and polymethyl methacrylate (top layer) with a:</p> <ul style="list-style-type: none"> <li>- total thickness of more than 230, but not more than 270,</li> <li>- top layer thickness of more than 40, but not more than 55,</li> <li>- defined surface roughness of the top layer of 0,5 µm or less,</li> <li>- UV-stabilized main layer</li> </ul>	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 Manufacturing of formed and/or backmolded parts for automotive interior applications
3921 90 55		5869940/2021	1057	<p>3 layered composite membrane used for nanofiltration and reverse osmosis, containing a polyamide layer and a polysulfone layer on a cellulose membran support layer with:</p> <ul style="list-style-type: none"> <li>- a total thickness of 0,25 mm or more, but not more than 0,40 mm,</li> <li>- a total weight of 109 g/m2 or more but not more than 114 g/m2</li> </ul>	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 The imported product consists of three layers: two layers of polyamide and polysulfone are built on the cellulose membrane support layer. This set up makes the membranes capable to be used in different industrial areas, like wastewater treatement, brine purification & organic fractionation.
7007 11 10		5669234/2021	1031	<p>Specially shaped toughened safety glass for motor vehicles:</p> <ul style="list-style-type: none"> <li>- with a width of 200 mm or more but not more than 600 mm,</li> <li>- with a height of 150 mm or more but not more than 500 mm,</li> </ul> <p>for use in the manufacture of motor vehicle window assembly</p>	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022/7 for use in the manufacture of motor vehicle window assembly

				(1)						
7607 19 90		5691437/2021	1035	Aluminium cathode foil in rolls with the following parameters: <ul style="list-style-type: none"> <li>- with a thickness of not exceeding 0,2 mm,</li> <li>- made of aluminium with a purity of at least 98 % by weight,</li> <li>- the surface is stabilized against water by electrochemical anodization,</li> <li>- with a maximum chloride content of 1 mg/m<sup>2</sup> on its surface,</li> </ul> for the manufacture of aluminium electrolytic capacitors (1)	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 for the manufacture of aluminium electrolytic capacitors
7607 19 90		5691489/2021	1036	High-voltage aluminium anode foil in rolls with the following parameters: <ul style="list-style-type: none"> <li>- with a thickness of not exceeding 0,2 mm,</li> <li>- made of aluminium with a purity of at least 99,99 % by weight and with at least 95 % cubic texture,</li> <li>- with a dielectric layer of <math>\gamma</math>-Al<sub>2</sub>O<sub>3</sub> formed on the surface of etched foils by electrochemical anodization,</li> <li>- with a surface-oxide layer with a thickness of not more than 1 600 nm,</li> <li>- with a maximum leakage current of 150 uA/C at 85 °C at forming factor 1,4, after 48-hour conditioning,</li> <li>- with a maximum chloride content of 0,5 mg/m<sup>2</sup> on its surface,</li> </ul> for the manufacture of aluminium electrolytic capacitors (1)	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 for the manufacture of aluminium electrolytic capacitors
7607 19 90		5691527/2021	1037	Low-voltage aluminium anode foil in rolls with the following parameters: <ul style="list-style-type: none"> <li>- with a thickness of not exceeding 0,2 mm;</li> <li>- made of aluminium with a purity of</li> </ul>	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 for the manufacture of aluminium electrolytic capacitors

				at least 99.99 % by weight; - with a dielectric layer of $\gamma$ -Al <sub>2</sub> O <sub>3</sub> formed on the surface of etched foils by electrochemical anodization; - with a surface-oxide layer with a thickness of not more than 300 nm; - with a maximum chloride content of 0.5 mg/m <sup>2</sup> on its surface; for the manufacture of aluminium electrolytic capacitors (1)						
8302 10 00		5620418/2021	1013	Armrest hinge made of magnesium : - a length of 255 mm or more but not more than 265 mm, - a width of 155 mm or more but not more than 165 mm, - a height of 115 mm or more but not more than 125 mm, - profiled for smooth movement of the armrest during use, - with mounting holes for a lock mechanism	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 used in the assembly of motor vehicle equipment
8302 49 00		5958304/2021	1070	Two cold-formed steel supports: - with movable riveted connection, - with or without elastomeric bumper, - forming a mechanism for indirect movement of the mechanism of the longitudinal positioner, interacting with the safety latch, - being firmly attached to the mechanism of the longitudinal positioner by means of a detachable screw connection, riveting, welding or spot welding, - of a length of 160 mm or more but not more than 180 mm, - of a width of 60 mm or more but not more than 80 mm, - of a height of 60 mm or more but not more than 80 mm	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 The product is used in the assembly of motor vehicle equipment

8407 34 10		5668909/2021	1026	Spark-ignition reciprocating or rotary internal combustion piston engines, with: <ul style="list-style-type: none"> <li>- a cylinder capacity of 1 477 cm<sup>3</sup>,</li> <li>- a power of 95 kW but not more than 135kW,</li> <li>- a weight not exceeding 120 kg,</li> </ul> for use in the manufacture of motor vehicles of 8703 (1)	S	New	UNDER EXAMINATION	SE	Applicant	Round 2022/7 The component is to be used as an Internal Combustion Engine for Petrol and Hybrid Cars of 8703
8408 90 65 8408 90 67 8408 90 81		5950533/2021	1066	Compression-ignition internal combustion piston engines [diesel or semi-diesel engines] with an output of 205 kW or more but not more than 597 kW and with a cylinder capacity of 7,100 cm <sup>3</sup> or more but not more than 18,000 cm <sup>3</sup> , in-line type, with an exhaust after-treatment module for installation in the propulsion system, of crushing, screening or separation machines, with maximum external dimensions of <ul style="list-style-type: none"> <li>- 1310/1300/1040 mm or</li> <li>- 2005/1505/1300 mm or</li> <li>- 2005/1505/1800 mm</li> </ul> (1)	S	New	UNDER EXAMINATION	AT	Applicant	Round 2022/7 Diesel engine for hydraulic, mechanical or generator drives in machines for the treatment of solid waste, biomass or compost
8409 91 00		5669069/2021	1029	Mechanical tensioner for maintaining the tension of the drive belts of a passenger car engine: <ul style="list-style-type: none"> <li>- with two pulleys made of polyamide PP66 GF50, each of them with a diameter of 50 mm or more but not more than 70 mm,</li> <li>- with a spring made of a steel alloy containing chromium and silicon,</li> <li>- with two arms made of aluminum,</li> <li>- with a holder made of aluminum,</li> </ul> for use in the manufacture of motor vehicle engines (1)	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022/7 for use in the manufacture of motor vehicle engines

8409 91 00		5702806/2021	1046	<p>The control valve of a continuous variable valve timing system for changing cam phase by the hydraulic force of the engine oil to optimize the process of filling the cylinders of an internal combustion engine of a passenger car, consisting of:</p> <ul style="list-style-type: none"> <li>- spring,</li> <li>- screw,</li> <li>- valve,</li> <li>- sleeve,</li> <li>- retaining ring,</li> <li>- with a length of 30 mm or more but not exceeding 85 mm,</li> <li>- with a thickness of 25 mm or more but not more than 35 mm</li> </ul> <p>for use in the manufacture of motor vehicle engines (1)</p>	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022/7 for use in the manufacture of motor vehicle engines
8409 99 00		5570855/2021	1010	A cylinder head for a four cylinder in-line engine, housing valve train and cam shafts with 10 cores for inner geometry	S	New	UNDER EXAMINATION	SE	Applicant	Round 2022/7 for manufacturing of petrol engine
8421 29 80		5703063/2021	1047	Leucocyte Filter	S	New	UNDER EXAMINATION	TR	Applicant	Round 2022/7 Filters are mounted on the products to be used in laboratory type pooling systems and bedside products, to separate Erythrocyte and Leukocyte cells from the patient sample.
8483 40 25		5958229/2021	1069	<p>Worm gearbox</p> <ul style="list-style-type: none"> <li>- in aluminium alloy housing,</li> <li>- with plastic or steel worm,</li> <li>- with mounting holes,</li> <li>- with 90 degree reversible drive direction,</li> <li>- with transmission ratio 4/19,</li> <li>- equipped with lead screw of 333 mm and guide nut incorporated into</li> </ul>	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 The product is used in the assembly of motor vehicle equipment



				assembly bracket, with or without lead screw support, for indirect connection to the drive motor of a car seat guide syste						
8501 53 50		5739701/2021	1051	Permanent magnet traction AC motor, with: <ul style="list-style-type: none"> <li>- a continuous power of 110 kW or more but not more than 150 kW,</li> <li>- a liquid cooled system,</li> <li>- a total length of 460 mm or more but not more than 590 mm,</li> <li>- a total width of 450 mm or more but not more than 580 mm,</li> <li>- a total height of 490 mm or more but not more than 590 mm,</li> <li>- weight of not more than 310 kg,</li> <li>- 4 mounting points</li> </ul>	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 A synchronous traction motor that generates torque, which is then transferred to the wheels of the vehicle (bus).
8504 40 90		5607397/2021	1012	DC to DC converter, converting energy from a hybrid DC high voltage circuit to DC 28 V: <ul style="list-style-type: none"> <li>- with a power of 10 kW or more but not more than 15 kW,</li> <li>- liquid cooled,</li> <li>- with a length of 330 mm or more but not more than 510 mm,</li> <li>- with a width of 350 mm or more but not more than 460 mm,</li> <li>- with a height of 220 mm or more but not more than 330 mm,</li> <li>- a weight of not more than 47 kg</li> </ul>	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 used in a hybrid vehicle instead of alternators
8507 60 00		5668861/2021	1025	Lithium-ion Electric accumulators or modules with: <ul style="list-style-type: none"> <li>- a nominal capacity of 51 Ah per cell,</li> <li>- a nominal voltage of 120 V or more but not more than 440V,</li> <li>- a weight of 33 kg or more but not more than 36 kg per module,</li> <li>- consists of a minimum of 34 but not more than 102 prismatic cells,</li> </ul>	S	New	UNDER EXAMINATION	SE	Applicant	Round 2022/7 The component is to be used as a <b>Rechargeable Battery for Hybrid and Electric Cars of 8703</b>

				<ul style="list-style-type: none"> <li>- having the dimensions of: - a length of not more than 1 450 mm, a height of not more than 395 mm, a width of not more than 440 mm,</li> </ul> for use in the manufacture of Electric Vehicles of heading 8703 (1)						
8507 60 00		5739779/2021	1052	A rechargeable lithium-ion battery dedicated / used for the manufacture of <b>batteries</b> for electric buses, containing a fuse, in cell-to-pack design, with: <ul style="list-style-type: none"> <li>- a length of 1 050 mm or more but not more than 1 070 mm,</li> <li>- a width of 624 mm or more but not more than 636 mm,</li> <li>- a height of 235 mm or more but not more than 245 mm,</li> <li>- a mass of 214,4 kg or more but not more than 227,6 kg,</li> <li>- a capacity of 228 Ah,</li> <li>- an upper outer casing of the battery made of a composite material,</li> <li>- [battery with R100.02 certificate],</li> <li>- protection class IP 68 (battery connected to the system),</li> <li>- without contactors,</li> <li>- with volumetric energy of 220Wh/l or more,</li> <li>- gravimetric energy of 159Wh/kg or more</li> </ul> (1)	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022/7 Product used to manufacture <b>batteries</b> for electric buses.
8507 60 00		5691842/2021	1041	Modules for the assembly of <b>batteries</b> of ion lithium electric accumulators with: <ul style="list-style-type: none"> <li>- a length of 570 mm or more, but not more than 610 mm,</li> <li>- a width of 210 mm or more, but not more than 240 mm</li> <li>- a height of 100 mm or more, but not more than 120 mm,</li> <li>- a weight of 28 kg or more, but not</li> </ul>	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022/7 Battery modules for manufacturing drive <b>batteries</b> for electric or hybrid vehicles of chapters 8703 and 8704.

				<p>more than 35 kg, and</p> <ul style="list-style-type: none"> <li>- a capacity of not more than 2500 Ah and energy content of less than 7,5 kWh</li> </ul> <p>(1)</p>						
8544 30 00		5669017/2021	1027	<p>Fifteen-core connecting cable with connectors and at least two plastic clips, for connecting the exhaust gas recirculation (EGR) valve, exhaust temperature sensor, turbocharger electric bypass valve and differential pressure sensor with engine control unit for use in the manufacture of motor vehicle engines</p> <p>(1)</p>	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022/7 for use in the manufacture of motor vehicle engines
8544 42 90		5574612/2021	1011	<p>Charge Cable Cord with:</p> <ul style="list-style-type: none"> <li>- AC input and output, for connection to an Electric Vehicle Inlet and AC wall box,</li> <li>- a total length between 4.5m and 7 meters,</li> <li>- with or without an "In-Cable Control Box" (ICCB) module, and</li> <li>- with a proximity resistor,</li> </ul> <p>for use in the charging of motor vehicles of heading 8703</p> <p>(1)</p>	S	New	UNDER EXAMINATION	SE	Applicant	Round 2022/7 for use in the charging of motor vehicles of heading 8703
8708 29 90		5669185/2021	1030	<p>Shaped cover window strip with protective and decorative function for car glass:</p> <ul style="list-style-type: none"> <li>- made of aluminum,</li> <li>- with a width of 10 mm or more but not more than 30 mm,</li> <li>- with a length of 200 mm or more but not more than 800 mm,</li> </ul> <p>for use in the manufacturing of motor vehicle window assembly</p> <p>(1)</p>	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022/7 for use in the manufacturing of motor vehicle window assembly

8708 40 20		5701899/2021	1045	Transmission Gearbox which has dual clutch and no torque converter, with: <ul style="list-style-type: none"> <li>- a minimum of 7 gears forward, 1 gear reverse,</li> <li>- a maximum torque of 390Nm,</li> <li>- whether or not with electric machine integrated</li> <li>- having the dimensions of: -a height of 480mm or more but not more than 600mm, -a width of 350mm or more but not more than 450mm, and</li> <li>- a weight of 109,7kg minimum</li> </ul> for use in the manufacture of motor vehicles of Heading 8703 (1)	S	New	UNDER EXAMINATION	SE	Applicant	Round 2022/7 • The component is to be used as an Automotive Transmission part, specifically as a Gearbox for Petrol and Hybrid Cars of 8703.
8708 95 99		5870000/2021	1058	Airbag inflator containing both pyrotechnics and cold gas as propellant for safety airbags of vehicles (1)	S	New	UNDER EXAMINATION	HU	Applicant	Round 2022/7 Hybrid inflators for production of passenger safety airbags
ex 2106 90 92 3504 00 90	50	1565336/2017	3508	Casein protein hydrolysate consisting of: <ul style="list-style-type: none"> <li>- by weight 20 % or more but not more than 70 % free amino acids, and</li> <li>- peptones of which by weight more than 90 % having a molecular weight of not more than 2000 Da</li> </ul>	S	Amendment	UNDER EXAMINATION	NL	Applicant	Round 2022/7 Req for amendment. Inclusion of a second tariff code: 35040090 (double classification). To be incorporated/processed in the product Nutramigen. A hydrolysed, hypoallergenic food for babies causing decrease of milk allergy.
ex 3208 90 19 ex 3911 90 99	13 63	4944315/2020	3500	<b>NL(06.09.21)- request for amendment:</b> Mixture, containing by weight: <ul style="list-style-type: none"> <li>- 20 % or more but not more than 40 % of a copolymer of methyl vinyl ether and monobutyl maleate (CAS RN 25119-68-0),</li> </ul>	S	Amendment	UNDER EXAMINATION	NL	Applicant	Round 2022-07- request for amendment. used in oral care products.

				<ul style="list-style-type: none"> <li>- 7 % or more but not more than 20 % of a copolymer of methyl vinyl ether and monoethyl maleate (CAS RN 25087-06-3),</li> <li>- 40 % or more, but not more than 65 % of ethanol (CAS RN 64-17-5),</li> <li>- 1 % or more but not more than 7 % of butan-1-ol (CAS RN 71-36-3)</li> </ul> <p>---</p> <p><b>Current text:</b> Mixture, containing by weight:</p> <ul style="list-style-type: none"> <li>- 30 % or more but not more than 40 % of a copolymer of methyl vinyl ether and monobutyl maleate (CAS RN 25119-68-0),</li> <li>- 10 % or more but not more than 20 % of a copolymer of methyl vinyl ether and monoethyl maleate (CAS RN 25087-06-3),</li> <li>- 40 % or more, but not more than 55 % of ethanol (CAS RN 64-17-5),</li> <li>- 1 % or more but not more than 7 % of butan-1-ol (CAS RN 71-36-3)</li> </ul>						
ex 3904 69 80	85	305325/2012	3507	<p><b>IT 14.9.2021 Requested amended description:</b> Copolymer of ethylene with chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, in any primary forms, whether or not with fillers</p> <p>---</p> <p><b>Current text</b> Copolymer of ethylene with chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, in powder form, whether or not with fillers</p>	S	Amendment	UNDER EXAMINATION	IT	Applicant	<p>Round 2022/7 Req for amendment</p> <p>Coating applied by the electrostatic coating technology, Protective coating of metallic surfaces</p>
ex 3907 30 00 ex 3926 90 97	40	564/1/1998 PROLONG 2019	3510	<p><b>HU 9.9.21 Amended description</b> Epoxide resin, containing by weight 70 % or more of silicon dioxide, for the</p>	S	Amendment	UNDER EXAMINATION	PT	Applicant	<p>Round 2022/7 Req for amendment</p>

	70			encapsulation of goods of headings 8504, 8533, 8535, 8536, 8541, 8542 or 8548 (1) --- <b>Current text:</b> Epoxide resin, containing by weight 70 % or more of silicon dioxide, for the encapsulation of goods of headings 8533, 8535, 8536, 8541, 8542 or 8548 (1)						
ex 3919 10 80 ex 3919 90 80	85  28	253870/2009 254166/2009 PROLONG 2015 PROLONG 2020	3516	<b>BE 9.9.21 Requested amended description:</b> Poly(vinyl chloride) or polyethylene or any other polyolefine film: - of a thickness of 65 µm or more, - coated on one side with an acrylic UV-sensitive adhesive and a polyester or paper liner  --- <b>Current text</b> Poly(vinyl chloride), poly(ethyleneterephthalate), polyethylene or any other polyolefin film: - coated on one side with an acrylic UV-sensitive adhesive and a liner - of a total thickness of 65 µm or more without release liner	S	<b>Amendment</b>	UNDER EXAMINATION	BE AT	Applicant Co-applicant	Round 2022/7 Req for amendment
ex 5603 14 90	60	383984/2013 PROLONG 2019	3515	<b>DK (15.9.2021) -Requested amended description</b> 5603 14 10 20: Non-wovens, consisting of poly(ethylene terephthalate) spun bonded media: - of weight of 160 g/m2 or more but not more than 300 g/m2 - with or without ePTFE membrane coating or covering - with or without a HO coating - with or without a coating with aluminium - with or without a flame retardant coating	S	<b>Amendment</b>	UNDER EXAMINATION	DK	Applicant	Round 2022/7 Req for amendment Product Description: Filter media for dry filtration. Function: Filtering of dust and particles. Usage: Intended to filter products

				<ul style="list-style-type: none"> <li>- with or without a nano fiber coating</li> <li>- with filtration efficiency according to DIN 60335-2-69 minimum Filter class M</li> <li>- pleatable</li> </ul> <p>And 5603 14 90 60: Non-wovens, consisting of poly(ethylene terephthalate) spun bonded media:</p> <ul style="list-style-type: none"> <li>- of weight of 160 g/m2 or more but not more than 300 g/m2</li> <li>- with filtration efficiency according to DIN 60335-2-69 minimum Filter class M</li> <li>- pleatable</li> </ul> <p>---</p> <p><b>Current text</b> Non-wovens, consisting of poly(ethylene terephthalate) spun bonded media:</p> <ul style="list-style-type: none"> <li>- of weight of 160 g/m<sup>2</sup> or more but not more than 300 g/m<sup>2</sup>,</li> <li>- not laminated,</li> <li>- with filtration efficiency according to DIN 60335-2-69:2008 minimum Filter class M,</li> <li>- pleatable</li> </ul>						
7606 12 99		1957455/2021	3800	<p>NADCAP and AS9100 certified, 7040 or 7050 series aluminum alloy plates; 7040 series aluminum plates having BAMS 516-021 specification with</p> <ul style="list-style-type: none"> <li>- a thickness of 130 mm or more but not more than 149 mm for a solid rectangular cross section area higher than 187 500 mm2 or</li> <li>- a thickness of 150 mm or more but not more than 180 mm for a solid rectangular cross section area higher than 164 880 mm2 but lower than 187 500 mm2</li> </ul> <p>7050 series aluminum plates having</p>	S	<b>Amendment</b>	UNDER EXAMINATION	TR DE	Applicant Opposed	Round 2022-07 - <b>roll over request.</b>

				AMS 4050 specification with <ul style="list-style-type: none"> <li>- a width of 1 000 mm or more but not more than 2 000 mm,</li> <li>- a thickness of 140 mm or more but not more than 203,2 mm</li> </ul> for use in the manufacture of aerospace industry products (1)						
ex 8409 99 00	40	5506673/2016 PROLONG 2022	3506	<b>SK 13.9.2021 req for amendment</b> Plastic or aluminum cylinder head cover with: <ul style="list-style-type: none"> <li>- a camshaft position sensor (CMPS),</li> <li>- metal brackets for mounting on an engine, and</li> <li>- two or more gaskets,</li> </ul> for use in the manufacture of engines of motor vehicles (1) --- <b>Current text:</b> Plastic or aluminum cylinder head cover with: <ul style="list-style-type: none"> <li>- a camshaft position sensor (CMPS),</li> <li>- metal brackets for mounting on an engine, and</li> <li>- two or more gaskets,</li> </ul> for use in the manufacture of engines of motor vehicles (1)	S	Amendment	UNDER EXAMINATION	SK	Applicant	2022/7 Req for amendment  Cylinder head cover - part of internal combustion piston engines of passenger car
ex 8412 90 80	20	4952758/2020	3000	Bedplate made of solution strengthened ductile iron castings (SSDI), for anchoring and aligning the drive train (gearbox, pedestal bearing, rotor shaft) of a wind turbine with: <ul style="list-style-type: none"> <li>- a length of 3,5 m or more but not more than 4,5 m,</li> <li>- a width of 2 m or more but not more than 4,2 m,</li> <li>- a height of 1 m or more, but not</li> </ul>	S	Amendment	UNDER EXAMINATION	DE	Applicant	Round 2022-07 - <b>roll-over request.</b> for installation in wind turbines



				more than 1,3 m, - a weight of 11 tons or more but not more than 21,5 tons, - mounting bores for yawdrive, - mounting flange for gearbox support, - drivetrain mount, - different screw sockets						
ex 8481 10 99	20	4629133/2017	3509	<b>HU( 9.9.21)- Req. for amendment</b> Electromagnetic pressure reducing valve - with a plunger, - with not more than 325 MPa operating pressure, - with a plastic connector with 2 silver or tin, or silver- or tin-plated pins --- <b>Current text:</b> Electromagnetic pressure reducing valve - with a plunger, - with at least 275 mPa internal tightness, - with a plastic connector with 2 silver or tin pins	S	Amendment	UNDER EXAMINATION	HU	Applicant	Round 2022/7 Req for amendment  Electromagnetic pressure-control valve
ex 8482 99 00	40	4921841/2020	3501	<b>PT (6.10.2021) – req. for amendment</b> Inner and outer rings made of steel, not grinded, with an internal raceway, with external diameters of: - 14,66 mm or more, but not more than 77 mm for the inner ring and - 26 mm or more, but not more than 101 mm for the outer ring -- <b>Current text:</b> Inner and outer rings made of steel, not grinded, with an internal raceway, with diameters of: - 14,66 mm or more but not more than 76,2 mm for the inner ring, and - 26 mm or more but not more than 100 mm for the outer ring	S	Amendment	UNDER EXAMINATION	PT	Applicant	Round 2022-07  of a kind used for the production of one raceway ball bearing

ex 8505 11 00	47	1301940/2016 PROLONG 2022	3514	<p><b>NL (6.9.21)- Requested amended description:</b> Articles in the form of a triangle, square, rectangle, or trapezoid, whether or not arched, with rounded corners or oblique sides, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with the following dimensions:</p> <ul style="list-style-type: none"> <li>- a length of 9 mm or more but not more than 105 mm,</li> <li>- a width of 5 mm or more but not more than 105 mm, and</li> <li>- a height of 2 mm or more but not more than 55 mm</li> </ul> <p>---</p> <p><b>Current text:</b> Articles in the form of a triangle, square or rectangle, whether or not arched or with rounded corners, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with the following dimensions:</p> <ul style="list-style-type: none"> <li>- a length of 9 mm or more but not more than 105 mm,</li> <li>- a width of 5 mm or more but not more than 105 mm, and</li> <li>- a height of 2 mm or more but not more than 55 mm</li> </ul>	S	Amendment	UNDER EXAMINATION	SK	Applicant	<p>Round 2022/7 Req for amendment</p> <p>Product after its magnetization is used as permanent magnet in the rotor. It is glued to the rotor segment. Depending on the set polarity in the stator of the electro-motor using the sensor the magnet will generate torque</p>
ex 8507 60 00	50	323555/2012	3511	<p><b>SE (2.9.21)- Requested amended description</b> Modules for the assembly of batteries of ion lithium electric accumulators with:</p> <ul style="list-style-type: none"> <li>- a length of 298 mm or more, but not more than 500 mm,</li> <li>- a width of 33,5 mm or more, but not more than 209 mm,</li> <li>- a height of 75 mm or more, but not more than 228 mm,</li> <li>- a weight of 3,6 kg or more, but not more than 17 kg, and</li> <li>- a power of 458 Wh or more, but</li> </ul>	S	Amendment	UNDER EXAMINATION	FR DE EU	Applicant Co-applicant Opposed	<p>Round 2022/7 Req for amendment</p> <p>Modules intended for the assembly of a rechargeable battery for the supply of power to electric motor vehicles</p>

				<p>not more than 2 900 Wh</p> <p>---</p> <p><b>Current text:</b>  Modules for the assembly of batteries of ion lithium electric accumulators with:</p> <ul style="list-style-type: none"> <li>- a length of 298 mm or more, but not more than 500 mm,</li> <li>- a width of 33,5 mm or more, but not more than 209 mm,</li> <li>- a height of 75 mm or more, but not more than 228 mm,</li> <li>- a weight of 3,6 kg or more, but not more than 17 kg, and</li> <li>- a nominal energy of 458 Wh or more, but not more than 2 158 Wh</li> </ul>						
ex 8537 10 91	70	1445382/2017	3502	<p><b>AT + DE- req. for amendment:</b>  Programmable memory controller for a voltage not exceeding 1 000 V, comprising at least:</p> <ul style="list-style-type: none"> <li>- a printed circuit with active and passive components,</li> <li>- an aluminium or plastic housing, and</li> <li>- multiple connectors</li> </ul> <p>---</p> <p><b>Current text:</b>  Programmable motor memory controller for a voltage not exceeding 1 000 V, comprising at least:</p> <ul style="list-style-type: none"> <li>- a printed circuit with active and passive components,</li> <li>- an aluminium housing, and</li> <li>- multiple connectors</li> </ul>	S	Amendment	UNDER EXAMINATION	AT	Applicant	<p>Round 2022/7 Request for amendment.</p> <p>Engine Control Unit - the module is incorporated into combustion motors</p>
ex 8540 71 00	20	775/2005 PROLONG 2019	3804	<p><b>DE(15.09.2021)</b>  Continuous wave magnetron with a fixed frequency of 2 460 MHz, packaged magnet, probe output generating an output power of 960 to 1500W</p> <p>---</p> <p><b>Current text:</b></p>	S	Amendment	UNDER EXAMINATION	DE EU	Applicant Opposed	<p>Round 2022-07 – request for deletion of the end use (Opposed by EU)</p>

				Continuous wave magnetron with a fixed frequency of 2 460 MHz, packaged magnet, probe output, for use in the manufacture of products falling within subheading 8516 50 00 (1)						
ex 8708 80 99	20	4780825/2018	3512	<p><b>SE 2.9.21 Requested amended description:</b> Aluminium suspension link arm, with dimensions of:</p> <ul style="list-style-type: none"> <li>- a height of 50 mm or more but not more than 150 mm,</li> <li>- a width of 10 mm or more but not more than 100 mm,</li> <li>- a length of 100 mm or more but not more than 600 mm,</li> </ul> <p>-a mass of 1000 g or more but not more than 5000 g, Equipped with at least two bushed holes made of aluminium alloy with the following characteristics:</p> <ul style="list-style-type: none"> <li>- a tensile strength of 200 mPa or more ,</li> <li>- a strength of 19 kN or more,</li> <li>- a stiffness of 5 kN/mm or more but not more than 20 kN/mm,</li> <li>- a frequency of 400 Hz or more but not more than 600 Hz</li> </ul> <p>---</p> <p><b>Current text:</b> Aluminium suspension link arm, with dimensions of:</p> <ul style="list-style-type: none"> <li>- a height of 50 mm or more but not more than 150 mm,</li> <li>- a width of 10 mm or more but not more than 100 mm,</li> <li>- a length of 100 mm or more but not more than 600 mm,</li> <li>- a mass of 1000 g or more but not more than 3000 g,</li> </ul> <p>equipped with at least two bushed holes made of aluminium alloy with the</p>	S	Amendment	UNDER EXAMINATION	UK	Applicant	<p>Round 2022/7 Req for amendment</p> <p>SE will take over the applicant role from UK</p> <p>Used in the production of motor vehicle suspension sub-assemblies</p>

				following characteristics: - a tensile strength of 200 MPa or more, - a strength of 19 kN or more, - a stiffness of 5 kN/mm or more but not more than 9 kN/mm, - a frequency of 400 Hz or more but not more than 600 Hz						
ex 8708 94 20	20	1849175/2021	3100	Steel telescopic shaft (steering shaft) for connecting a steering column with rack and pinion steering of a motor vehicle: - with a cardan joint on both ends, - with a coupling on both ends having internal serration, - with a telescopic scope of the shaft of 20 mm or more but not more than 100 mm, for use in the manufacture of goods of Chapter 87 (1)	S	Amendment	UNDER EXAMINATION	CZ DE	Applicant Opposed	Round 2022-1 for use in the manufacture of goods of Chapter 87.  COMM-DE must present official objection via CIRCA until the 1st ETQG. Otherwise, the objection will be rejected.
ex 8708 95 10 ex 8708 95 99	10 20	1144339/2015 PROLONG 2021	3513	<b>DE 15.9.2021 Requested amended description</b> Inflatable safety cushion of high strength polyamide fibre - sewn - folded into three-dimensional packing form, fixed by thermal forming or maintained by dedicated fixation seam or plastic staple, or flat (unfolded) safety cushion with or without thermal forming or with or without tuck-in/tuck out --- <b>Current text:</b> Inflatable safety cushion of high strength polyamide fibre: - sewn, - folded into three-dimensional packing form, fixed by thermal forming, or flat (unfolded) safety cushion with or without thermal	S	Amendment	UNDER EXAMINATION	AT	Applicant	Round 2022/7 Req for amendment  vehicle specific bags for airbag production

				forming						
--	--	--	--	---------	--	--	--	--	--	--

(1) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)