

Nursing Equipment 2019

6	NUR006	Nursing Equip.	Electrocardiograph ECG - Related Trolley	PHILIPS PageWriter TC 70	<p>Features/Qualities: ECG synchronization of up to 12 leads for both adult and pediatric patients. R77 (real-time) 12-lead display with EKG "snapshot" feature. Take EKG snapshots of any data on the screen with the touch of a button - review snapshots and print EKG reports in a variety of formats. Auto 12-lead acquisition. Rhythm display and printing (up to 12 leads). Displays 5 minutes of continuous waveform data for review and printing. EKG Quality Monitor. Enhanced ECG quality indicators include AC noise filtering, in addition to artifact filtering and baseline wander correction. Color-coded real-time waveform display and noise electrode alerts provide instant quality feedback to the user. ECG Memory and Transfer. The PageWriter Touch cardiograph provides secure memory for ECGs, and easy transfer by floppy disk, modem, or LAN connection to an ECG management system. Each recorded ECG is automatically synched on the coding strip for quick review and retrieval. A list of all stored ECGs can be printed, facilitating administrative reporting and billing. The optional "in-belt" allows for quick transmission to a fax machine or an automated ECG management system. ECGs may be transmitted for management, physician review, and copying. ECG Interpretation: The PageWriter Touch cardiograph includes the Philips 12-lead algorithm for interpretive analysis of the arrhythmias, durations, and morphological ECG waveforms and associated rhythm for adult and pediatric patients. This clinically proven interpretation program provides configurable levels of interpretive, reason, and severity statements that are printed on the ECG report. Print/Review Capability: Full-screen preview of ECG reports exactly as they appear when printed allows for quality assessment checks prior to printing.</p>	Each	0	1	1	1	1	0	0	1	1	0	0	6	<p>Recommended Brand: PHILIPS PageWriter TC 70 is the brand in use at Nuffar. Staffs trained, experienced and competent. The device is accurate and user-friendly.</p>
7	NUR007	Nursing Equip.	Refrigerator/Medication	Any Brand	<p>Multiple functions: Not only can measure body temperature, but also can measure the temperature of surface, room, bath water, food, baby milk etc (with back function). Non-contact: Set and read (no need to touch) (5.5 inch) measuring distance. Easy to use: Only one button, very simple to use. The color backlight (color alarm): When the body temperature is normal, the backlight is Green, Yellow or Red (for slight fever) and Red (for high fever) (SL1500S54 Mini LW-14) Multiple functions: Not only can measure body temperature, but also can measure the temperature of surface, room, bath water, food, baby milk etc (with back function). Non-contact: Set and read (no need to touch) (5.5 inch) measuring distance. Easy to use: Only one button, very simple to use. The color backlight (color alarm): When the body temperature is normal, the backlight is Green, Yellow or Red (for slight fever) and Red (for high fever) (SL1500S54 Mini LW-14) Large memory: can store 50 memories for data analysis. Auto shut-off: 5 seconds without operation. Setting can be adjusted for different kinds of people (such as white people, black people, yellow people etc.) Batteries can be closed or opened by manual (blue button without communication (optional)). Can be connected to data analysis systems. Storage: 100 memories (optional). Can be added according to client's requirements. Dimensions: approx. 15 x 8 x 4.5 cm Weight: approx. 15 x 8 x 4.5 cm Battery: 2 x 1.5V AAA (battery not included)</p>	Set	0	2	0	3	1	1	1	1	0	0	8	<p>Recommended Brand: PHILIPS 3000 A&B is the brand in use at Nuffar and will require no further staff training or maintenance concern. It was proven to be accurate, user friendly and resistant to heavy duty.</p>	
8	NUR008	Nursing Equip.	Thermometer Electronic Portable	FLAC 3000 A&B	<p>Multiple functions: Not only can measure body temperature, but also can measure the temperature of surface, room, bath water, food, baby milk etc (with back function). Non-contact: Set and read (no need to touch) (5.5 inch) measuring distance. Easy to use: Only one button, very simple to use. The color backlight (color alarm): When the body temperature is normal, the backlight is Green, Yellow or Red (for slight fever) and Red (for high fever) (SL1500S54 Mini LW-14) Large memory: can store 50 memories for data analysis. Auto shut-off: 5 seconds without operation. Setting can be adjusted for different kinds of people (such as white people, black people, yellow people etc.) Batteries can be closed or opened by manual (blue button without communication (optional)). Can be connected to data analysis systems. Storage: 100 memories (optional). Can be added according to client's requirements. Dimensions: approx. 15 x 8 x 4.5 cm Weight: approx. 15 x 8 x 4.5 cm Battery: 2 x 1.5V AAA (battery not included)</p>	Each	2	3	3	1	1	1	1	1	1	17	<p>Recommended Brand: Baxdal is the brand in use at Nuffar and will require no further staff training or maintenance concern. It was proven to be accurate, user friendly and resistant to heavy duty.</p>		
9	NUR009	Nursing Equip.	Pump Suction Machine	baxdal	<p>Portable emergency suction device One hand operation Simple maintenance built-in overflow protection volume 2.5 L</p>	Each	0	2	2	3	1	1	2	1	1	14	<p>Recommended Brand: Baxdal is the brand in use at Nuffar and will require no further staff training or maintenance concern. It was proven to be accurate, user friendly and resistant to heavy duty.</p>		
10	NUR010	Nursing Equip.	Light Exam Procedure Single Mobile W/Stand	Any Brand	<p>OS General Exam Light (V + Mobile Stand) (with All-in-one Equivalent)</p>	Set	0	1	3	3	1	1	0	0	1	10			
11	NUR011	Nursing Equip.	Penlights for Pupillary Reflex Examination	Any Brand	<p>Portable with rechargeable batteries/ Green Laser pointer Continuous working, min 140/7mm Nebulizer Particle size 1-10, Minimum Noise With accessories (Optional) U3000 or Equivalent</p>	Each	15	20	20	10	10	2	5	2	1	105			
12	NUR012	Nursing Equip.	Nebulizer Compressor	Any Brand	<p>5 swing-out drawers/ 2 tray/ Full long back Drawer (Nest/Co. Ultron Equipment)</p>	Set	1	0	1	1	0	0	0	1	0	5			
13	NUR013	Nursing Equip.	Bobby trolley - Injection/ Dressing - Mobile	Any Brand		Each	1	2	1	2	1	1	0	0	0	8			

Feb. 2019
 18th/10/19
 Feb. 2019
 24.01.19

14	NUR014	Nursing Equip.	Diagnostic Set - Ophthalmoscope Wall Mounted	Welch Allyn 777 Green Series,	Parameter: NIBP, SpO2, Pulse, PLETH, fundus examination, ear canal examination, nasal examination Display: 8 Color TFT Screen Structure: Integrated design; proper redistribution; optimized organization of power source screen and control internal circuit; modular design for easy maintenance Sphygmomanometer: with SVS, DIA, MAP, 3 parameters; results showed on the screen directly; standard cuff; sphygmomanometer and one-time non-invasive cuff for different weight; mercury-free for safety; automatic inflation and deflation; mean time of one test 120 seconds; built-in storage - Measure range and accuracy: 0 kPa ~ 35.2 kPa SpO2 sensor: photoelectric colorimetry method; Clip-style SpO2 sensor; Measure range: 35%~100% Accuracy: SpO2 in 70%~100%, accuracy is ±2% Pulse: peripheral artery; test; reference to Heart Rate; results in ears and waveforms built-in storage for 600 items; Measure range: 25 bpm ~ 250 bpm; Accuracy: ±1% or ±1 bpm Electronic thermometer: infrared ear thermometer, certified accuracy to 0.2; mean time of one test is 3 seconds Ophthalmoscope: direct ophthalmoscope for fundus examination; 10 lenses from OD to 20D; aperture wheel; red-free filter; large spot, small spot; imported optical devices; infrared sensor automatically turns handles on when they are removed from the cradles and off when they are replaced; elastic cord is extendable to no less than 5 meters Otoscope: fiber optics transmit light; The brightness of the tip 500lx; magnification of lens 2.5X; with instructions port; elastic cord is extendable to no less than 5 meters Accessories must be available in upon request (Welch Allyn or Equivalent)	Set	7	1	4	3	1	1	0	0	0	0	0	0	27	Recommended Brand: Welch Allyn 777 Green Series, is the brand in use at HMC which proven accuracy and usability. Also maintainable at HMC as per the ongoing service agreement.
15	NUR015	Nursing Equip.	Diagnostic Set - Ophthalmoscope	Welch Allyn	Specifications - Affordable price with high quality - LED lamp Red light - Ocotube, Red-free eye exam, tongue depressor - Diagnostic set - Ophthalmoscope 1 - Ocotube Carrier: 1 - Ear Speculum: 4, 5, 6 mm diam): 4 - Nasal Speculum (6mm diam): 1 - Nasal Dilating Speculum: 1 - Laryngeal Mirror: Stem: 1 - Tongue Depressor: 3 - Battery Handle: 1 - Spare Bulbs (2 in size and 4 small): 5 Push button for ease of use / Small size, light weight, convenient to carry / LCD display and pulse rate / Audible and visual alarm when value exceeds limit with alarm adjustable / Low battery indication / Automatic Power down when in no use for 10 seconds / More than 24 working time with 2 AA Alkaline Batteries. Measures SpO2 and Pulse rate, with visual and audio alarm systems. Comes with one Adult finger Sensor as Standard (Optional or Equivalent) Using digital vein pattern projection with universal and inverse modes. Battery included (AccuVein AV400 or Equivalent) 1 Sensor - Hemodynamic waveform sensor 2 Warm-up time: Within 10 seconds 3 Response time: Within 5 seconds 4 Operating temperature range: 5 ~ 40 °C 5 Detection range: 0.00% ~ 0.1% BAC 6 Quick response and resume 7 Clock function: real time, alarm time, countdown timer. 8 Power Input: Tester: 3V (2 x AAA alkaline battery, not included); Clock: 1.5V (1 x AG13 Cell button, included) 9 BULK size: 95 x 31 x 17.5 mm Print size: 20 x 30 mm Automatic measurement, long term stability sensor - Alarm (Dräger Alcotest® 6850 model or Equivalent) Will depend on the Alcotest device to be selected	Kit	0	1	1	1	1	0	0	0	1	0	0	5	Recommended Brand: Welch Allyn, is the brand in use at HMC which proven accuracy and usability. Also maintainable at HMC as per the ongoing service agreement.	
16	NUR016	Nursing Equip.	Oximeter Pulse Hand Held	Any Brand	1. Warm-up time: Within 10 seconds 2. Response time: Within 5 seconds 3. Operating temperature range: 5 ~ 40 °C 4. Detection range: 0.00% ~ 0.1% BAC 5. Quick response and resume 6. Clock function: real time, alarm time, countdown timer. 7. Power Input: Tester: 3V (2 x AAA alkaline battery, not included); Clock: 1.5V (1 x AG13 Cell button, included) 8. BULK size: 95 x 31 x 17.5 mm Print size: 20 x 30 mm Automatic measurement, long term stability sensor - Alarm (Dräger Alcotest® 6850 model or Equivalent) Will depend on the Alcotest device to be selected	Kit	2	2	3	3	2	2	3	5	1	1	1	24		
17	NUR017	Nursing Equip.	Electronic Vein Detector + HF410 Hand Free Stand + Charging Kit	Any Brand	Using digital vein pattern projection with universal and inverse modes. Battery included (AccuVein AV400 or Equivalent) 1 Sensor - Hemodynamic waveform sensor 2 Warm-up time: Within 10 seconds 3 Response time: Within 5 seconds 4 Operating temperature range: 5 ~ 40 °C 5 Detection range: 0.00% ~ 0.1% BAC 6 Quick response and resume 7 Clock function: real time, alarm time, countdown timer. 8 Power Input: Tester: 3V (2 x AAA alkaline battery, not included); Clock: 1.5V (1 x AG13 Cell button, included) 9 BULK size: 95 x 31 x 17.5 mm Print size: 20 x 30 mm Automatic measurement, long term stability sensor - Alarm (Dräger Alcotest® 6850 model or Equivalent) Will depend on the Alcotest device to be selected	Kit	0	1	1	1	0	0	0	1	0	0	5	Recommended Brand: Welch Allyn, is the brand in use at HMC which proven accuracy and usability. Also maintainable at HMC as per the ongoing service agreement.		
18	NUR018	Nursing Equip.	Alcotest Device (Alcotest)	Alcotest	1. Warm-up time: Within 10 seconds 2. Response time: Within 5 seconds 3. Operating temperature range: 5 ~ 40 °C 4. Detection range: 0.00% ~ 0.1% BAC 5. Quick response and resume 6. Clock function: real time, alarm time, countdown timer. 7. Power Input: Tester: 3V (2 x AAA alkaline battery, not included); Clock: 1.5V (1 x AG13 Cell button, included) 8. BULK size: 95 x 31 x 17.5 mm Print size: 20 x 30 mm Automatic measurement, long term stability sensor - Alarm (Dräger Alcotest® 6850 model or Equivalent) Will depend on the Alcotest device to be selected	Kit	3	2	2	2	2	1	5	2	2	2	22	Recommended Brand: Welch Allyn, is the brand in use at HMC which proven accuracy and usability. Also maintainable at HMC as per the ongoing service agreement.		
19	NUR019	Nursing Equip.	Mouth piece for Alcotest	to match with the device		Kit	0	4	4	4	2	2	0	0	0	20				
20	NUR020	Nursing Equip.	Peak flowmeter + Mouth piece x 400	Any Brand	1. Warm-up time: Within 10 seconds 2. Response time: Within 5 seconds 3. Operating temperature range: 5 ~ 40 °C 4. Detection range: 0.00% ~ 0.1% BAC 5. Quick response and resume 6. Clock function: real time, alarm time, countdown timer. 7. Power Input: Tester: 3V (2 x AAA alkaline battery, not included); Clock: 1.5V (1 x AG13 Cell button, included) 8. BULK size: 95 x 31 x 17.5 mm Print size: 20 x 30 mm Automatic measurement, long term stability sensor - Alarm (Dräger Alcotest® 6850 model or Equivalent) Will depend on the Alcotest device to be selected	Kit	0	4	4	4	2	2	0	1	2	0	20			
21	NUR021	Nursing Equip.	Blood Pressure Monitor - Manual - Child/Adult size Cuffs	Any Brand	1. Warm-up time: Within 10 seconds 2. Response time: Within 5 seconds 3. Operating temperature range: 5 ~ 40 °C 4. Detection range: 0.00% ~ 0.1% BAC 5. Quick response and resume 6. Clock function: real time, alarm time, countdown timer. 7. Power Input: Tester: 3V (2 x AAA alkaline battery, not included); Clock: 1.5V (1 x AG13 Cell button, included) 8. BULK size: 95 x 31 x 17.5 mm Print size: 20 x 30 mm Automatic measurement, long term stability sensor - Alarm (Dräger Alcotest® 6850 model or Equivalent) Will depend on the Alcotest device to be selected	Kit	2	2	3	3	2	2	1	5	2	2	24			

Pat. Blue
fillth

S.P.
18/04/2009

Sl. No.	Nursing Equip.	Signature Scissors (medical utility scissors)	Any Brand	7 x 3.5 x 0.5 inches utility scissors made of 420 stainless steel. The serrations on these shears are milled, not stamped, for cutting through tough material. Autoclavable to 290 F/143 C.	Each	3	3	3	3	3	3	3	3	3	3	3	3	3
51	NUR0051	Signature Scissors (medical utility scissors)	Any Brand	7 x 3.5 x 0.5 inches utility scissors made of 420 stainless steel. The serrations on these shears are milled, not stamped, for cutting through tough material. Autoclavable to 290 F/143 C.	Each	0	2	0	3	1	1	6	1	1	0	0	0	15
52	NUR0052	Nursing Equip.	Any Brand	Plastic Bin/Washable/Beige or Green color/ Pedal Operable /Cover top	Each	0	2	0	3	1	1	1	1	1	0	0	0	15
53	NUR0053	Nursing Equip.	Any Brand	Plastic Bin/Washable/Yellow color/ Pedal Operable /Cover top	Each	0	2	0	3	1	1	1	1	1	0	0	0	15
54	NUR0054	Nursing Equip.	Any Brand	Steel Cabinet with 6 lockable drawers per unit	Each	0	4	5	5	3	2	0	0	0	0	0	0	19
55	NUR0055	Nursing Equip.	Any Brand	Textile, assorted colors, To be measured as per the room space	Per room	2	3	5	6	2	2	0	0	0	0	0	1	19
56	NUR0056	Nursing Equip.	Any Brand	Linear Purpose Veterinary screening device x-ray cassette tray	Set	0	3	3	3	3	3	0	0	0	0	0	0	13
Prepared:				<i>[Signature]</i>														
Mohamed Salih																		
Head of Nursing Admin																		

[Signature]
20/01/19

Fel. Stone
S.F. E
24.01.19